



United Energy 2026/27 Pricing



Table of contents

1.	Introduction	2
1.1	Our business	2
1.2	2026/27 Network and metering charges	3
2.	Network charges	4
2.1	Network tariff schedules	4
2.2	Tariff trials	4
2.3	Indicative network pricing schedule for 2026/27	4
2.4	Charging parameters and tariff eligibility	4
2.5	Further information on kVA demand	10
3.	Trial tariff	13
4.	Alternative control services	14
4.1	Fee based services	14
4.2	Quoted Ancillary Network services	18
4.3	Public lighting services	21
4.4	Unmetered Supplies	22
4.5	Metering coordinator services	22

1. Introduction

This document provides network pricing information for the period from 1 July 2026 to 30 June 2027.

1.1 Our business

We are one of the most efficient and reliable electricity distribution networks in Australia. As one of Victoria's five electricity distributors, we own and manage assets that deliver electricity to more than 720,000 homes and businesses across south-east Melbourne and the Mornington Peninsula.

As the local distribution network service provider, our primary responsibility is planning, building, operating and maintaining the 'poles and wires' — a strategic community asset and core component of Victoria's energy infrastructure. We seek to do this in a safe, reliable, efficient and prudent manner.

Our key activities include:

- maintaining network safety and reliability to meet the current power supply needs of our customers
- extending and upgrading the network so that the future power supply needs of customers are met when required
- operating the network on a day-to-day basis
- connecting new customers to the network
- maintaining the public lighting system
- providing metering services.

FIGURE 1 UNITED ENERGY DISTRIBUTION AREA



1.2 2026/27 Network and metering charges






Network tariffs cover the cost of transporting electricity to and from our customers' homes or businesses.

Metering tariffs cover the cost of the meter installation, maintenance and meter data services.

We pass network and metering charges on to electricity retailers, who recover these costs from customers via electricity bills.

Our network tariffs can be grouped into the following tariff classes

FIGURE 2 TARIFF CLASSES

	Tariff class	Supply voltage	Consumption
	Residential	<1kV	N/A
	Small and medium business	<1kV	≤160MWh p.a.
	Large low voltage	<1kV	>160MWh p.a.
	High voltage	≥1kV and <66kV	N/A
	Sub-transmission ¹	≥66kV	N/A

Our new flexible tariffs will be assigned as follows:

- Flexible small will be assigned to small and medium business tariff class
- Flexible large will be assigned to high voltage tariff class
- Flexible TUOS pass-through will be assigned to sub-transmission tariff class

¹ All United Energy sub-transmission is ≥66kV with the exception of one sub-transmission feeder from Malvern terminal station which is 22kV.

2. Network charges

2.1 Network tariff schedules

Attachment '**United Energy - 2026-27 Tariff Summary**' sets out the 2026/27 network tariff pricing schedule

2.2 Tariff trials

Attachment '**United Energy - 2026-27 Tariff Summary**' sets out the 2026/27 trial tariff pricing schedule

2.3 Indicative network pricing schedule for 2027/28

Attachment '**United Energy - 2026-27 Tariff Summary**' sets out the 2027/28 indicative network pricing schedule

2.4 Charging parameters and tariff eligibility

TABLE 4 TARIFFS AVAILABLE TO NEW AND EXISTING RESIDENTIAL CUSTOMERS IN 2026/27

Tariff type	Tariff Code	Status	Supply voltage	Energy / Demand threshold	Standing	Anytime energy	Peak energy	Peak energy export credit	Peak energy (shoulder)	Off-peak energy	Saver energy	Saver energy export	
					c/day	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	
Residential ToU	URSTOU	Default	< 1kV	N/A	✓		all days 4pm-9pm			all days 9pm-11am	all days 11am-4pm		
Residential single rate	LVS1R	Opt-in			✓	✓							
Residential CER	URCER	Opt-in			✓		all days 4pm-9pm during Dec-Feb and Jun-Aug	all days 4pm-9pm during Dec-Feb and Jun-Aug	all days 4pm-9pm during Mar-May and Sep-Nov	all days 9pm-11am	all days 11am-4pm	all days 11am-4pm during Sep-May with 1 kWh per day BEL	
Dedicated circuit	LVDED	Opt-in				✓							

Notes:

- All times are local time

- **URSTOU** is the default residential tariff for greenfield new connections, new or upgraded solar or battery installations, three-phase upgrades and customers with a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater. This will occur without any B2B Service Order requests or notifications and MSATS will be updated accordingly.
- **LVS1R** is available to any residential customer except if they have a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater
- **URSTOU** require an active market interval read meter
- **URCER BEL** is the total kWh exempt from export charges are determined by multiplying 1 kWh per day by the number of days in the billing period. If exports between 11:00am – 4:00pm are less than 1 kWh, the remainder of the free export allowance would roll over to the next day, within a single billing period. For example, a billing period of 31 days would include 31 kWh of free exports between 11:00am – 4:00pm
- **LVDED** is available to customers with a dedicated circuit connected to a time-switch

Hot water

- Available to 1-phase electric hot water service with a total load of <30 amps
- Switching Times: Switching times will vary depending on localised demand management activities.

Slab heating

- Typically switching times are between 12am and 7am but may vary depending on localised demand management activities.
- An afternoon boost between 1pm and 4pm may occur during winter.

TABLE 5 TARIFFS AVAILABLE TO NEW AND EXISTING SMALL AND MEDIUM COMMERCIAL CUSTOMERS IN 2026/27

Tariff type	Tariff Code	Status	Supply voltage	Energy / Demand threshold	Standing	Capacity charge	Anytime energy	Peak energy	Peak energy export credit	Off-peak energy	Saver energy export	Summer demand	Non-summer demand	
				< 40MWh pa	c/day	c/kW/day	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh/day	c/kWh/day
Small business ToU	LVTOU	Default	< 1kV	< 40MWh pa	✓			workdays 9am-9pm		non-peak times				
Small business single rate	LVM1R	Opt-in			✓		✓							
Small business demand	LVMKW1R	Opt-in			✓		✓						workdays 10am-6pm	workdays 10am-6pm
Medium business demand	UMBD	Default		≥ 40MWh pa ≤ 160MWh	✓		✓					workdays 10am-6pm	workdays 10am-6pm	
Medium business opt-out	UMBO	Opt-out		≥ 40MWh pa ≤ 160MWh	✓			workdays 10am-6pm			non-peak times			
Type 7 or 9 metering	UNMET	Default		≤ 5MWh p.a. (threshold not applicable to public lighting)				weekdays 7am-11pm			non-peak times			
Flexible small	UFS	Default		≤ 240kVA import capacity			✓		all days 4pm-9pm during Dec-Feb and Jun-Aug	all days 4pm-9pm during Dec-Feb and Jun-Aug	outside of peak import times	all days 11am-4pm during Sep-May with 1 kWh per day BEL		

Notes:

- All times are local time, except for **UNMET** which is in AEST
- Type 7 and 9 metering assignment criteria applied for all public lighting, all type 7 metered loads, and type 9 metered loads up to 5 MWh pa
- Customers who don't satisfy the criteria for the type 7 or 9 metering tariff would be assigned to the appropriate business tariff
- **LVTOU, LVMKW1R, UMDB, UMBO** and **UFS** require an active market interval read meter
- **LVTOU** is the default small business tariff for greenfield new connections, new or upgraded solar or battery installations, three-phase upgrades and customers with a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater. This will occur without any B2B Service Order requests or notifications and MSATS will be updated accordingly
- **LVM1R** is available to any small business customer except if they have a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater
- **LVMKW1R** and **UMBD** demand component is billed based on the highest 30-minute KW reading in the maximum demand period for each month and is not based on a rolling 12-month period
 - Summer period covers December to March, non-summer is April to November

- For small and medium demand tariffs with dedicated circuit, the demand calculation will only apply to consumption on the General Power & Light circuits. The dedicated circuit will not contribute to the demand reading and will be separately tarified per **LVDED**
- **UMBD** customers consuming less than 160 MWh pa can opt out of the demand tariff to **UMBO**
- **UFS** capacity charge applied to maximum 30-minute kW demand over the most recent rolling 12-months measured at all times
- **UFS BEL** is the total kWh exempt from export charges are determined by multiplying 1 kWh per day by the number of days in the billing period. If exports between 11:00am – 4:00pm are less than 1 kWh, the remainder of the free export allowance would roll over to the next day, within a single billing period. For example, a billing period of 31 days would include 31 kWh of free exports between 11:00am – 4:00pm.

TABLE 6 TARIFFS AVAILABLE TO NEW AND EXISTING LARGE COMMERCIAL CUSTOMERS IN 2026/27


Tariff type	Tariff Code	Status	Supply voltage	Energy / Demand threshold	Minimum chargeable rolling demand	Capacity charge	Peak energy	Off-peak energy	12-month rolling demand	Incentive demand
					kVA/month	c/kW/day	c/kWh	c/kWh	c/kVA/day	c/kVA/day
Large low voltage	LVKVATOU1	Default	< 1kV	>160MWh	-	-	workdays 7am-7pm	non-peak times	workdays 7am-7pm	1-4pm summer (Dec-Mar)
	LVKVATOU2									4-7pm summer (Dec-Mar)
	LVKVATOU3									4-7pm winter (May-Aug)
High voltage	HVKVATOU1	Default	1kV-66KV	N/A	500	-	workdays 7am-7pm	non-peak times	workdays 7am-7pm	1-4pm summer (Dec-Mar)
	HVKVATOU2									4-7pm summer (Dec-Mar)
	HVKVATOU3									4-7pm winter (May-Aug)
Flexible large	UFL	Default	N/A	> 240 kVA & < 30MVA import capacity	-	all times	all days 4pm-9pm during Dec-Feb and Jun-Aug	non-peak times	-	not applicable
Sub-transmission	SUBTKVATOU2	Default	≥ 66kV	N/A	5000	-	workdays 7am-7pm	non-peak times	workdays 7am-7pm	not applicable

Tariff type	Tariff Code	Status	Supply voltage	Energy / Demand threshold	Energy charge	Demand charge (import)	Demand credit (import)	Capacity charge
					\$/MWh	\$/kW/month	\$/kW/month	\$/kVA/month
Flexible TUOS pass-through	UFTUOS	Default	N/A	≥30MVA import capacity	Calculated consistent with the methodology used to calculate United Energy's TUOS energy charges	Calculated consistent with the methodology used to calculate United Energy's TUOS demand charges	Avoided locational TUOS charges calculated consistent with NER clause 5.3AA	Charge applied to the import capacity of the connection

Notes:

- All times are local time
- All tariffs require an interval meter capable of recording E, Q, B, K data stream
- Tariffs ending with "1" represent 1-4pm summer incentive demand period, tariffs ending with "2" represent 4-7pm summer incentive demand period and "3" represent 4-7pm winter incentive demand period
- Summer incentive demand period is December to March and winter incentive demand period is May to August
- If measured 12-month rolling demand is less than minimum chargeable demand, then minimum chargeable demand is used to calculate the 12-month rolling demand charge
- Rolling demand kVA is measured at maximum kW value in previous 12 months period
- Minimum demand value will only apply to high voltage and sub-transmission tariff rolling demand. Minimum chargeable demand is 500kVA for high voltage and 5,000kVA for sub-transmission
- **UFTUOS** annual TUOS charges will be calculated and applied on a per NMI basis and invoiced on a monthly basis

FIGURE 3 TARIFF DECISION TREE



Please refer to each individual tariff criteria for eligibility

2.5 Further information on kVA demand

The following section outlines the kVA tariff policy which involves the calculation of maximum demand charges which applies to large low voltage, high voltage and sub-transmission customers.

2.5.1 Calculation of the kVA demand tariff for a monthly bill

TABLE 7 CALCULATION OF THE KVA DEMAND TARIFF FOR MONTHLY BILL

Tariff components	Calculation
12-month rolling demand charge	Cents per kVA x 12 month rolling maximum kVA at maximum kW x days / 100
Summer incentive demand charge	Cents per kVA per day x summer incentive kVA at maximum kW x days / 100
Peak usage charge	Cents per peak kWh x peak kWh in month / 100
Off peak usage charge	Cents per off-peak kWh x off-peak kWh in month / 100

2.5.2 Rolling demand maximum kVA

kVA 30-minute maximum demand is calculated as:

$$kVA = \text{SQRT}(kW^2 + kVA_r^2)$$

Where:

kW = maximum kWh in a 30-minute period over the prior 12 months x 2

kVA_r = kVA_rh in the corresponding 30-minute period x 2

Maximum 30-minute kW is measured between 7am and 7pm local time on workdays over the most recent 12 months.

Minimum chargeable demand of 500kVA for high voltage customers and 5,000kVA for sub-transmission customers.

If there is a full 12-month history of the customer’s consumption data, the rolling 12-month maximum kVA demand will take effect immediately looking back 12 months.

Demand for greenfield sites will be measured from energisation date to the end date of the bill. This approach will remain in place until 12 months of consumption history is available, after which demand will be calculated on a rolling 12-month basis. If the monthly measured demand falls below the minimum chargeable demand, the minimum will apply until the measured demand exceeds that threshold.

2.5.3 Incentive demand kVA

Incentive kVA is the maximum monthly 30-minute kVA for each of four months of the year (measured as kVA at maximum kW per billing period). There is no charge for the other eight months of the year.

Each customer will be assigned to one of the following measurement periods:

- 1-4pm local time workdays in summer (Dec-Mar), or
- 4-7pm local time workdays in summer (Dec-Mar), or
- 4-7pm local time workdays in winter (May-Aug).

kVA 30-minute demand in the measurement period is calculated as:

$$kVA = \text{SQRT}(kW^2 + kVA_r^2)$$

where

kW = maximum kWh in a 30-minute period x 2

kVA_r = kVA_rh in the corresponding 30-minute period x 2

Incentive demand is not applicable to Sub-transmission customers.

2.5.4 Peak and off-peak usage

Peak usage is kWh usage between 7am and 7pm local time on workdays.

Off-peak usage is kWh usage at all other times.

2.5.5 Demand exclusions

The exclusion of temporary increases in demand from the 12-month rolling maximum demand charged to the customer at a supply point will be considered at our discretion. For example, if there is a specific, short-term need, such as commissioning a new plant. The customer must apply in advance for a temporary increase in demand to be excluded from the supply point's 12-month rolling maximum demand charge.

Large customers that have moved into a premise will automatically continue to have their maximum demand charge based on the 12-month rolling maximum demand. If a customer wishes to exclude the previous customer's demand, they will need to apply to us.

2.5.6 Criteria to move away from kVA demand tariff

Sites must have a minimum of 15 months of consumption data available. We require that consumption values consistently remain below the average daily load threshold of 160 MWh per annum for a minimum period of 3 months prior to submitting a request to move away from a large business tariff. All sites will be reviewed annually to ensure the tariff remains suitable for the site's usage profile. If a site is reverted to a large business tariff this may impact future requests to move.

2.5.7 Power factor correction

Customers installing power factor correction equipment will need to be cognisant of their obligations under the Victorian Electricity Distribution Code to keep harmonic distortion and power factor within prescribed levels. Power factor correction equipment has the potential to exacerbate harmonic distortion and can cause a leading power factor during times of low demand if the equipment is not designed properly.

If a customer installs power factor correction equipment, they may apply for their 12-month rolling maximum demand to be calculated from the date of commissioning of the equipment. This will only be granted where there is an observable improvement in power factor. Seasonal demand profiles will also be taken into account.

2.5.8 Applying for a tariff change

Residential, small business and medium business

- Retailers may submit a tariff change request which will be granted if the customer satisfies the relevant tariff threshold.
- The preferred method of requesting us to change a tariff is via B2B service order type: Supply Service Works, sub-type Tariff Change. Requests can be automatically processed by using the following inputs in the Special Instructions field for the service order.

Tariff changes with an effective date in the past

- Please add the text TAPPLY in the special instructions if you would like the tariff changed as at a date in the past. This will be a date as at the latest Retailer transfer date, limited to 10 business days ago. This means that the effective date will not be more than 10 business days in the past but would be changed on a transfer date within this period

Tariff changes with an effective date today

- Please add the text SAPPLY in the special instructions if you would like the tariff changed as at the request date. This means that the tariff will be changed with an effective date which is the same as the day you sent the request.

2.5.9 Large businesses

- Please refer all kVA demand based network tariff change requests to our Major Accounts team by emailing our inbox: MajorAccounts-UE@ue.com.au
- Any tariff change requests to move away from or on to the tariffs listed below are to be referred to the Major Accounts Team.

3. Trial tariff


We are introducing a kerbside electric vehicle charging (KEVC) trial tariff on 1 July 2026.

Eligibility criteria:

- Dedicated charger with supply capacity up to 44 kW with its own NMI
- The trial tariff will be available irrespective of KEVC ownership or meter type

The KEVC trial tariff will commence on 1 July 2026 and run for three years. If the trial tariff is deemed successful, then it will be extended for a further two years.

Figure 4 KEVC trial network tariff structure



The tariff will have no fixed charge.

4. Alternative control services

Alternative control services are regulated services we offer that are customer initiated or requested and are directly recovered from customers seeking the service ².

Alternative control services are:

- ancillary network services
- public lighting services
- metering coordinator services.

All prices are exclusive of GST.

Business hours and after hours

Table 8 demonstrates the differences between business and after hours

TABLE 8 OVERVIEW OF BUSINESS AND AFTER HOURS

Hours of Operation	Details
Business hours	8am-5pm Monday to Friday (excluding public holidays)
After hours	All other times and only where resources are available

We endeavour to perform all alternative control services within business hours, however if a circumstance arises where after hours activities are required, this work can only be undertaken where resources are available.

The following sections list and describe the various charges classified as ancillary network services which apply throughout the area served by us. Ancillary network services are non-routine types of services which are provided to individual customers on an 'as needs' basis. Ancillary network services are divided into two subclasses:

- fee based
- quoted services.

One of the two 'failed field visit' charges (refer 4.1.10 and 4.1.11) is applied in situations where we have arrived at the site to undertake works, however the crew are unable to complete the work due to circumstances that are the responsibility of the customer (i.e. restricted access, contractor not ready, customer equipment not in reasonable state or the site is defective etc.). When the issue(s) have been resolved another request will need to be raised and the service charge will apply.

4.1 Fee based services

Fee based services are activities which are charged on a per activity basis.

4.1.1 New Connection - where we are the metering coordinator

A combined connection and metering service is provided by us as both the electricity distributor and the metering coordinator. We are therefore responsible for the metering.

This charge applies when:

- a customer with a supply point with fuses less than 100 amps moves into a new premises and requests supply and metering. Different charges apply depending on whether the meter is single or multi-phase direct connected (DC)

- a customer with a supply point with fuses greater than 100 amps moves into a new premises and requests supply and current transformer (CT) metering.

The charge applies where a request is made for a new supply connection at a specified address, including unmetered supply sites but excluding the supply is for security lighting (also known as watchman lighting).

Different charges apply depending on whether the service is provided during or after business hours.

This charge also applies where a builder wishes to provide permanent or temporary supply to new properties under construction. On occasions when a 'builder's temporary supply' is installed and subsequently replaced with a permanent supply, each new connection is considered a distinct site visit and separate new connection charges are applied:

- the first to the builder for establishing a new connection for which the builder uses supply for construction purposes
- second new connection charge to the customer for connecting the supply. This charge includes the removal/disconnection of the overhead service/underground cable and meter supplying the temporary supply pole where applicable.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.2 New Connection - where we are not the metering coordinator

We also provide a new connection service where we are not the metering coordinator. The only difference between this charge and the 'new connection – where we are the metering coordinator' charge is that we are not responsible for the metering.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.3 Meter/NMI/site investigation

This charge applies when a request is received to investigate the metering/connection at a given supply point. This request may be initiated by either the retailer or a customer. Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.4 Manual de-energisation

A disconnection (includes disconnections for non-payment) charge applies when a request for fuses less than 100 amps are de-energised by a field visit. The service requires that all supply assets remain at the customer's installation.

If at the time of disconnection, it is discovered that the installation has been damaged or is defective and will be unsafe to energise, other charges may be applicable once the defect is repaired. These charges will be based on the nature of the works required.

Where the request for disconnection is received by us before 3pm, the disconnection will occur within 2 business days or the earliest permissible day thereafter.

In a normal instance a de-energisation is performed by a special reader. However, there are scenarios where an isolation is required, and accordingly an isolation charge will be applied (see 'isolation of supply or reconnection, excluding HV (single)' and 'isolation of supply and reconnection after isolation, excluding HV (same day)'). Some examples where an isolation may be required include:

- no access to distribution equipment - metering and main fuse, including a veranda restricting access to the main fuse
- no isolation point, necessitating disconnection at the pole
- multiple national metering identifiers (NMI) fused at a common isolation point
- CT metered site

- isolation point in restricted area – substation
- safety disconnection for non-prescribed electrical works
- special reader is not available after hours and an alternative time is not acceptable to the customer.

A failed field visit (simple task) is applied when we are unable to complete the task; however, if an isolation is required and we are unable to complete the task, a failed field visit (complex task) is applied.

4.1.5 Manual re-energisation

A re-energisation charge applies when a request is received to re-energise a supply point for fuses less than 100 amps by a field visit. Two options for re-energisation are available:

- manual re-energisation (same day)—where the request is received and carried out on the same day
- manual re-energisation (incl. customer transfer)—where the request is received one day and carried out on a different day.

If the re-energisation is required on the same day and we receive the request before 3pm, the 'manual re-energisation (same day)' charge will be applied and the reconnection will occur that day.

If the re-energisation is required for the next business day and we receive the request before 3pm on the previous business day the 're-energisation (incl. customer transfer)' charge is applied.

The charge will not be applied when:

- the customer changes retailer on a scheduled read
- the customer changes name.

The same conditions and applications of the isolation charges or failed field visit charges apply as for the 'manual de-energisation' charge above.

4.1.6 Isolation of supply or reconnection, excluding HV (single)

This charge applies when a customer (or the customer's contractor) is doing works at the site and requests a temporary isolation of supply to allow the customer and/or contractor to perform the planned work on the customer's assets (or work close the assets, or for other safety reasons).

The charge also applies when the customer (or the customer's contractor) requests a reconnection of supply after the isolation, on different date or after hours. Additional types of isolations that are included under this charge are (for example): requests for disconnection at the point of supply (i.e. pole or pit) and service line isolations in association with No Go Zone applications.

The charge does not apply to any isolations or reconnections of high-voltage (HV) assets.

Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.7 Isolation of supply and reconnection after isolation, excluding HV (same day)

This charge applies when a customer (or the customer's contractor) requires:

- 1) a temporary isolation of supply to enable works on the customer's asset (or the near the asset or for other safety reasons), as well as
- 2) reconnection of supply after the works are done, to be carried out on the same day (during business hours) and the exact same site.

In this case, the customer (or the customer's contractor) must pre-arrange both an isolation of supply and a reconnection of the same point of supply at the time of requesting services, and the works must be planned for the same day during business hours. For example, when an electrician is carrying out works at a site and requires a temporary isolation at a certain time of the day and pre-arranges the reconnection an hour later (or any other time within the business hours of the same day), this charge applies.

Any other isolation and reconnection requests, or if any of the works are carried out after hours, should be charged using the single isolation and reconnection charge. The charge does not apply to any isolations or reconnections of HV assets.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.8 Standard alteration <60 minutes

This charge is for alterations that are standard in nature, including but not limited to the following services:

- install or remove controlled load
- move meter to new position
- relocate point of attachment or service
- replace meter panel
- re-route mains to new pit
- upgrade maximum demand or change supply capacity control.

If multiple of the above services are required for the customer's alteration, this would be deemed a complex alteration.

Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.9 Complex alteration >60 minutes

This charge is for alteration services of a complex nature, including but not limited to the following services:

- change overhead to underground
- change to group metering panel
- upgrade phase
- CT metering services.

It also includes multiple services during the same site visit, for example a customer requests a metering panel replacement and moving a meter to a new position in the same visit.

Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

4.1.10 Failed field visit (complex tasks)

This charge applies when the customer (or the customer's contractor) requests a certain type of service, however, when the crew arrive at the site, they are unable to complete the work due to circumstances that are the responsibility of the customer (i.e. restricted access, contractor not ready, etc.). The charge applies when the following services were requested and the crew were unable to complete work:

- new connections and/or abolishments
- any isolation or reconnection after isolation
- any alterations (standard or complex)
- any CT meter works.

Different charges apply depending on whether the failed field visit was during or after business hours.

4.1.11 Failed field visit (simple tasks)

This charge applies when the following services have been requested by the customer (or the customer’s contractor), however, when the crew arrive at the site, they are unable to complete the work due to circumstances that are the responsibility of the customer (i.e. restricted access, contractor not ready, etc.):

- meter/NMI investigation
- manual re-energisation or manual de-energisation
- any meter accuracy test or meter reading (see section 3.4 on metering coordinator services).

4.1.12 Reserve feeder maintenance

This service covers the maintenance of reserve feeders. It does not include the capital required to build the reserve feeder as this is a negotiated connection service. There are separate fees for low voltage (LV), high voltage (HV) and sub-transmission feeders.

4.1.13 Product reference tables - fee based ancillary network services

TABLE 9 FEE BASED ANCILLARY NETWORK SERVICES (GST EXCLUSIVE)

Section reference	Alternative control service	Product code	Business hours, \$	Product code	After hours, \$
New connection where we are the metering coordinator					
4.1.1	Single phase	SPHCBG	682.35	SPHCAG	1,068.03
4.1.1	Multi-phase DC	MPHCBG	682.35	MPHCAG	1,068.03
4.1.1	Multi-phase CT	BCCCTB	2,368.52	BCCCTA	3,707.29
New connection where we are not the metering coordinator					
4.1.2	Single phase	SPNRPB	633.22	SPNRPA	1,068.03
4.1.2	Multi-phase DC	MPNRPB	633.22	MPNRPA	1,068.03
4.1.2	Multi-phase CT	BCNCTB	2,161.28	BCNCTA	3,707.29
Reserve feeder maintenance (\$/kVA/year)					
4.1.12	Reserve feeder maintenance low voltage	RFLV	9.85	N/A	N/A
4.1.12	Reserve feeder maintenance high voltage	RFHV	8.10	N/A	N/A
4.1.12	Reserve feeder maintenance subtransmission	RFS	1.18	N/A	N/A
All other charges					
4.1.3	Meter/NMI/site investigation	MNSIB	361.02	MNSIA	631.77
4.1.4	Manual de-energisation	DEENBH	64.58	N/A	N/A
4.1.5	Manual re-energisation (incl. customer transfer)	RECFIB	64.58	RECFAG	113.03
4.1.5	Manual re-energisation (same day)	SPRER	97.34	N/A	N/A
4.1.6	Isolation of supply or reconnection, excluding HV (single)	SVIRSB	414.32	SVISRA	725.06
4.1.7	Isolation of supply and reconnection after isolation, excluding HV (same day)	SVIRDB	762.26	N/A	N/A
4.1.8	Standard alteration, <60 minutes	SVSAB	715.95	SVSAA	1,252.93
4.1.9	Complex alteration, >60 minutes	SVCAB	889.87	SVCAA	1,557.26
4.1.10	Failed field visit (complex tasks)	SVFVB	401.89	SVFVA	703.30
4.1.11	Failed field visit (simple tasks)	SVFFB	30.33	N/A	N/A

4.2 Quoted Ancillary Network services

Quoted ancillary network services are charges levied on a time and materials basis where the services are highly variable.

All quoted services are based on the greater of actual hours worked or minimum chargeable hours, multiplied by the approved labour rates plus contractor service and materials used. Labour rates on which quotes are based on include:

- administration
- field
- technical

- engineer
- senior engineer
- engineering manager.

Labour is billable based on business and after hour rates.

The quoted services we provide are outlined in the table below.

TABLE 10 QUOTED SERVICES WE PROVIDE

Quoted services	Description
Complex supply abolishment	This charge applies when a customer requests permanent removal of our supply assets on a complex site. For example, when supply is directly from a sub-station, when the abolishment requires a design to be completed safely, or when the supply is more than 100 amps.
Rearrangement of network assets at customer request, excluding public lighting assets	This charge applies when a customer requests capital work for which the prime purpose is to satisfy a customer requirement other than new or increased supply, other than where Guideline 14 applies. For example, a customer requests a removal or relocation of service to allow work on private installation.
Audit design and construction	This charge applies when either a third party requests or we deem it necessary to review, approve or accept work undertaken by a third party. Examples include: <ul style="list-style-type: none"> • customer provided buildings, conduits or ducts used to house our electrical assets • customer provided connection facilities including switchboards used in the connection of an electricity supply to their installation • any electrical distribution work completed by our approved contractor that has been engaged by a customer • provision of system plans and system planning scopes, for designers engaged by the customer • reviewing and/or approving plans submitted by designers engaged by the customer.
Specification and design enquiry	This charge applies when design or network planning is required to fairly assess the costs so that an offer can be issued to a customer. Examples include: <ul style="list-style-type: none"> • the route of the network extension required to reach the customer's property • the location of other utility assets • environmental considerations including tree clearing • obtaining necessary permits from State and Local Government bodies • assessment of design and network planning options • specialist services (which may involve design related activities and oversight/inspection works) where the design or construction in is non-standard, technically complex or environmentally sensitive and any enquiries related to distributor assets.
Elective undergrounding	This charge applies when a customer could receive an overhead service but requests an underground service, other than where Guideline 14 applies. For example, a customer requests an underground service where we would consider it safe and prudent to install an overhead service.
High load escorts–surveying and lifting overhead lines	This charge applies when a third party requires safe clearance of overhead lines to allow high load vehicles to pass along roads. This includes surveying and lifting of overhead lines.
High profile antenna installation	This charge applies when customers request to install a high profile antenna to an existing smart meter
No-go zone safety-related services	This charge applies when a customer or third party requests services related to ensuring safety of no-go zone around our assets, including a supply isolation, covering assets with tiger tails and aerial markers, and other related works. For example, a customer/third party is conducting building works at a site near our assets where visual markers (tiger tails) are required for safety.
Alteration and relocation of public lighting assets	This charge applies when a customer or a third party requests alteration, rearrangement or relocation of public lighting assets.
New public lighting services including greenfield sites and new light types	This charge applies when a customer or a third party request an installation of new public lighting assets, including new light types and emerging light technologies.
Access to network data - cumbersome requests	This charge applies when a customer or a third party requests electricity network data, including aggregates smart meter data, outside of legislative obligations. For example, a third party requests large quantities of aggregated data outside of our standard practices of legislative obligations. This typically involves aggregating a combination of different meters together, using either the network or other geospatial information.

Quoted services	Description
Complex isolations and alterations, including HV	This charge applies when a customer requests an isolation of supply (e.g. to allow customer and/or contractor to perform maintenance on the customer’s assets, work close to or for safe approach) of HV assets or where there are more complex/larger scale works isolation or alternations. This also includes where works are requested to be perform after hours for multi-occupancy or complex sites. For example, after-hours isolation for customer side works at a large multi-occupancy site, such as a caravan park.
Alterations to the shared distribution network assets	This charge applies when a customer or third party initiates alterations or other improvements to the shared distribution network to enable the third party infrastructure (e.g. NBN Co telecommunications assets) to be installed/alterd on the shared distribution network.
Enhanced connection service	This charge applies when a customer opts into the management of export and/or load at a customer site that provides the customer greater network capacity than they would otherwise be eligible for. This excludes the basic flexible export service.
Reversion of embedded networks	This charge applies when an embedded network reverts to a non-embedded network. The charge covers all associated costs expected to be incurred by the network other than the cost of assigning NMIs and installing meters for individual units which is recovered through a separate basic connection charge. Costs may include project management, communication, inspection of wiring and meter boards, and abolishment of meters.
Embedded generator control equipment	Covers the installation of control equipment at embedded generation sites to enable compliance with the Victorian Government’s emergency backstop requirements.
Bulk conversion to 5-minute meter readings	Request for remote reconfiguration of 20 or more installed AMI meters at multiple NMI’s (all for the same FRMP and requested at the same time), for conversion from 30-minute to 5-minute interval meter data recording, storage and provision to MSATS.

A failed field visit (complex task) is applied when we are called to the site and unable to complete the task.

4.2.1 Product reference tables - quoted ancillary network services

TABLE 11 QUOTED SERVICES LABOUR RATES (GST EXCLUSIVE)

Section reference	Labour type	Product code	Business hours, \$/hour	Product code	After hours, \$/hour
4.2	Administration	N/A	121.21	N/A	N/A
4.2	Field	N/A	218.97	N/A	269.54
4.2	Technical	N/A	213.37	N/A	291.48
4.2	Engineer	N/A	198.26	N/A	296.22
4.2	Senior engineer	N/A	259.24	N/A	416.17
4.2	Engineering manager	N/A	306.22	N/A	499.40

Note: (1) Quoted service labour categories are inclusive of allowable overheads

TABLE 12 QUOTED SERVICES PRODUCT CODES (GST EXCLUSIVE)

Section reference	Quoted service	Product codes
4.2	Complex supply abolishment	SACOMP
4.2	Rearrangement of network assets at customer request, excluding public lighting assets	N/A
4.2	Audit design and construction	N/A
4.2	Specification and design enquiry	SDEC
4.2	Elective undergrounding	UGPPI
4.2	High load escorts–surveying and lifting overhead lines	N/A
4.2	High profile antenna installation	HPANIN
4.2	No-go zone safety-related services	HVLVSD/SERCAC
4.2	Alteration and relocation of public lighting assets	PLMNPR
4.2	New public lighting services including greenfield sites and new light types	NPLSER
4.2	Access to network data - cumbersome requests	ATNMD
4.2	Complex isolations and alterations, including HV	COISAL
4.2	Alterations to the shared distribution network assets	ATSDNA
4.2	Enhanced connection service	5785
4.2	Reversion of embedded networks	5786
4.2	Embedded generator control equipment	5787
4.2	Bulk conversion to 5-minute meter readings	5784

4.3 Public lighting services

We provide public lighting services for local councils and Victorian Department of Transport. The provision of public lighting services and the respective obligations of our business and public lighting customers are regulated by the Electricity Distribution Code of Practice. The following services are included:

- operation of public lighting assets; including handling enquiries and complaints about public lighting and dispatching crews to repair public lighting assets
- maintenance, repair and replacement of public lighting assets.

The cost of these services is charged to customers through an operation, maintenance, repair and replacement (OM&R) charge per each light.

All other public lighting services are treated as quoted (see table 12).

Where a public lighting customer requests the replacement of a light with another light of a different type, then the activities required to fulfil this request fall outside of general OM&R activities. In this circumstance the following charges (rebates) are applied:

- replacement luminaire – written down value (WDV) recovery (charge)
- replacement luminaire - avoided costs (rebate).

The prices for the written down values and avoided cost rebates were included in the AER's final decision public lighting model. For transparency, we have included these prices in our 2023/24 public lighting price list.

4.3.1 New charges

From 1 July 2026 we introduce three new charges:

- Category P LED Lamps
- Accelerated Replacement Charge (ARC)
- Type 9 meter - testing

Category P LED Lamps

The OM&R price assumption is based on the Category P LED light type with a price factor of 2.0 to allow for the higher material cost of LED lamps (corncocks), higher maintenance requirements and shorter life cycle.

Accelerated Replacement Charge (ARC)

This charge applies to replaced non-LED lights and is payable monthly from the time of replacement to June 2031, at which point the replacement cost will have been recovered and would not continue into the next regulatory period.

When the new lantern is installed and updated in our asset inventory, the new LED lantern will shift from the existing OM&R tariff to the appropriate energy efficient LED OM&R tariff which will be billed monthly. In addition to the OM&R tariff savings, Councils will also benefit from energy savings that will be passed through to the Council's retailer.

The last payment of the ARC will be in July 2031 for the month of June 2031.

Type 9 meter – testing

We provide type 9 metering services for public lighting assets where a council or authorised public lighting owner appoints us as the preferred provider.

The Type 9 meter testing charge is applied to each lamp with type 9 metering.

4.3.2 Product reference tables - Public lighting OM&R, Type 9 metering, written down value and avoided cost

TABLE 13 PUBLIC LIGHTING OM&R (GST EXCLUSIVE)

Public lighting charges	OM&R, \$/light/year
Mercury Vapour 80 watt	100.17
Sodium High Pressure 150 watt	154.49
Sodium High Pressure 250 watt	155.44
Sodium High Pressure 70 watt	219.37
Sodium High Pressure 100 watt	169.93
Sodium High Pressure 400 watt	195.83
Metal Halide 70 watt	208.56
Metal Halide 100 watt	208.56
Metal Halide 150 watt	208.56
Metal Halide 250 watt	209.83
Metal Halide 400 watt	209.83
Fluorescent T5 2x14 watt	59.68
Fluorescent T5 2x24 watt	59.68
Compact Fluorescent 32 watt	59.68
Compact Fluorescent 42 watt	59.68
Category P LED Lamp	69.40
Category P LED Lantern (Standard and High Output)	34.70
Category V LED L1 Standard Output	66.13
Category V LED L2 Medium Output	83.11
Category V LED L4 High Output	87.60
Accelerated replacement charge	255.17
Type 9 Meter - Testing	5.69
Written down value	181.30
Avoided cost	-24.24

4.4 Unmetered Supplies

Non-contestable unmetered load (NCONUML)

NCONUMLs are different to contestable unmetered loads (type 7 or public lighting) as NCONUML device loads are not predictable and not registered with AEMO on the load table. In Victoria, only streetlight public lighting is permitted to be a contestable unmetered load.

NCONUMLs are permitted, when in the reasonable opinion of the network, the cost of installing, testing and maintaining new metering equipment is likely to exceed the amount paid for the supply and sale of electricity.

The network is not responsible for asset maintenance and supply is for energy use only.

If the network needs to perform maintenance to its assets which the NCONUML is connected to, the customer shall, at its own cost, be responsible for disconnection

Load and Load Profile

Within the National Electricity Market (NEM), the load and load profile for an unmetered device is needed to facilitate billing. In the absence of a network device or sample meter, the customer, retailer and network must agree to a load profile for each device type connected to the network.

Permissible Device Types

The types of devices permitted to be connected as NCONUMLs must be controlled and their load and load patterns must be agreed between the network, customer and the retailer.

4.5 Metering coordinator services

Since 1 December 2017, the responsible person role was replaced by the metering coordinator role. We are the metering coordinator for types 5, 6 and 7 meters. We are responsible for metering coordinator services associated with types 5, 6 and 7 meters which are installed in residential and small commercial premises

consuming up to 160 megawatt hours (MWh) per annum. The services provided in relation to these meters include:

- meter provision—includes purchasing meters and installing these meters at the customer's premise
- meter maintenance—includes inspecting, testing, maintaining and repairing meters
- meter replacement—replacement of a meter and associated equipment, at a site with existing metering infrastructure, with a modern equivalent where the meter has reached the end of its economic life
- meter reading and data services—includes collection, processing, storage and delivery of metering data to other participants for billing and market settlement purposes and the management of the relevant NMI
- meter communications—includes maintaining and installing communication devices required to operate the mesh radio network and management of the day-to-day operation of the meter communications systems including meter data delivery, testing, fault detection, investigation and resolution.

One of the two 'failed field visit' charges is applied in situations where we have arrived at the site to undertake works, however the crew are unable to complete the work due to circumstances that are the responsibility of the customer (i.e. restricted access, contractor not ready, customer equipment not in reasonable state or the site is defective etc.). When the issue(s) have been resolved another request will need to be raised and the service charge will apply. The following section details fixed fee ancillary service related to metering.

4.5.1 Meter accuracy test

This charge applies when a request is made to test the accuracy of a meter at a given supply point.

A failed field visit (simple task) is applied when we are unable to complete the task.

4.5.2 Meter accuracy test – additional meters

This charge applies where multiple meters are being tested for accuracy. We will only apply this fee where we have charged the "meter accuracy test" for the first meter tested and we are then testing additional meters at the site on same visit. We will apply this lower charge for each additional meter tested.

4.5.3 Remote meter reconfiguration

The remote reconfiguration charge applies when a request is received to reconfigure a smart meter and has the related infrastructure in place.

4.5.4 Special reading

The special meter reading charge applies when a request for a special meter read is to be performed by a field visit outside the scheduled meter reading cycle. Where customers have multiple metering installations, such as farms and units, a separate charge applies to each meter on the property. This charge is only available during business hours.

4.5.5 Meter exit fees

The meter exit fees are charged for each meter at a premises in cases where the customer moves to a competitive meter services provider, or when a site is converted to an embedded network. There is one charge for each of the following types of meter:

- single phase
- three phase DC meter
- three phase CT connected meter
- basic or manually read interval meter.

4.5.6 Product reference tables - metering coordinator services

TABLE 14 CHARGES FOR AMI METERING CHARGES OF SINGLE AND THREE PHASE METERS. (NOMINAL, GST EXCLUSIVE)

AMI metering charges per meter		\$
Single phase single element meter		45.63
Single phase single element meter with contactor		45.63
Three phase direct connected meter		51.45
Three phase current transformer connected meter		54.57

TABLE 15 ANCILLARY SERVICES RELATED TO METERING (NOMINAL, GST EXCLUSIVE)

Section reference	Alternative control service	Product code	Business hours, \$	Product code	After hours, \$
4.5.1	Meter accuracy test	METAB	361.02	METAA	631.77
4.5.2	Meter accuracy test - additional meters	METAAB	173.23	N/A	N/A
4.5.3	Remote meter reconfiguration	MECFRM	86.10	N/A	N/A
4.5.4	Special reading	SPECRD	30.33	N/A	N/A

TABLE 16 METERING EXIT FEES (NOMINAL, GST EXCLUSIVE)

Section reference	Metering exit fees	Product code	\$
4.5.5	Single phase	MEASPB	244.09
4.5.5	Three phase DC	ME33PB	293.59
4.5.5	Three phase CT	MEACTB	397.59
4.5.5	Basic or MRIM all	MEBMB	55.57