

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$59.180
- Unit rate	¢/kWh	8.580

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; **Non-summer period:** All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time week days

*Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time week days
and 7 AM to 10 PM local time weekends*

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$59.180
Summer rates		
- Peak Unit rate	¢/kWh	13.021
- Shoulder Unit rate	¢/kWh	8.580
- Off Peak Unit rate	¢/kWh	3.971
Non-summer rates		
- Peak Unit rate	¢/kWh	13.021
- Shoulder Unit rate	¢/kWh	8.580
- Off Peak Unit rate	¢/kWh	3.971

A10D / F10D^a / T10D^b General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$59.180
- Unit rate	¢/kWh	4.202
- Demand rate	\$/kW pa	\$60.031

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$59.180
- Peak Unit rate	¢/kWh	13.090
- Off Peak Unit rate	¢/kWh	2.330

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$99.643
	- Peak Unit rate	¢/kWh	12.003
	- Off Peak Unit rate	¢/kWh	2.593
A180	Off Peak Heating Only (dedicated circuit)		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation ^d		
	<i>11 PM to 7 AM AEST all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	2.570
Small Business			
	Available to customers (embedded or non- embedded) with annual consumption < 0.4 GWh AND maximum demand < 120 kVA		
A200 / F200^a / T200^b	General Purpose		
	Only available to customers consuming < 40 MWh pa		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$102.510
	- Unit rate	¢/kWh	10.779
A20D / F20D^a / T20D^b	General Purpose - Demand		
	Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa		
	<i>Single rate all times</i>		
	<i>Demand charging window 10am - 8pm work days</i>		
	- Standing charge	\$/customer pa	\$102.510
	- Unit rate	¢/kWh	8.804
	- Demand rate	\$/kW pa	\$58.183
A210 / F210^a / T210^b	Time of Use Weekdays		
	Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$170.652
	- Peak Unit rate	¢/kWh	13.445
	- Off Peak Unit rate	¢/kWh	2.625

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A230 / F230^a / T230^b Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$354.465
	- Peak Unit rate	¢/kWh	8.054
	- Off Peak Unit rate	¢/kWh	2.714
	- Demand rate	\$/kW pa	\$67.147
A23N / F23N^a / T23N^b Time of Use - Opt-out			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa & < 160 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$354.465
	- Peak Unit rate	¢/kWh	13.445
	- Off Peak Unit rate	¢/kWh	2.625
	- Demand rate	\$/kW pa	\$0.000
A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)			
Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$170.652
	- Peak Unit rate	¢/kWh	11.950
	- Off Peak Unit rate	¢/kWh	2.808
A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)			
Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$354.465
	- Peak Unit rate	¢/kWh	7.118
	- Off Peak Unit rate	¢/kWh	2.841
	- Demand rate	\$/kW pa	\$67.146
	Minimum Chargeable Demand	60 kW	
A290 Unmetered Supply			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Peak Unit rate	¢/kWh	11.999
	- Off Peak Unit rate	¢/kWh	2.828

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers
with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,560.501
- Peak Unit rate	c/kWh	5.100
- Off Peak Unit rate	c/kWh	1.779
- Demand rate	\$/kVA pa	\$101.433
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,560.501
- Peak Unit rate	c/kWh	5.027
- Off Peak Unit rate	c/kWh	1.779
- Demand rate	\$/kVA pa	\$114.761
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,516.792
- Peak Unit rate	c/kWh	4.535
- Off Peak Unit rate	c/kWh	1.774
- Demand rate	\$/kVA pa	\$94.902
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,516.792
- Peak Unit rate	c/kWh	4.278
- Off Peak Unit rate	c/kWh	1.774
- Demand rate	\$/kVA pa	\$104.874
Minimum Chargeable Demand	250 kVA	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
	Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$7,956.973
	- Peak Unit rate	¢/kWh	4.486
	- Off Peak Unit rate	¢/kWh	1.656
	- Demand rate	\$/kVA pa	\$93.980
	Minimum Chargeable Demand	250 kVA	
A34E	LV_{EN} 2.2⁺ GWh		
	Only available to embedded network customers consuming > 2.2 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$7,956.973
	- Peak Unit rate	¢/kWh	3.967
	- Off Peak Unit rate	¢/kWh	1.652
	- Demand rate	\$/kVA pa	\$100.949
	Minimum Chargeable Demand	250 kVA	
A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e		
	Only available to non-embedded network customer taking supply from multiple NMI on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	- Standing charge	\$/customer pa	\$5,688.548
	- Peak Unit rate	¢/kWh	4.701
	- Off Peak Unit rate	¢/kWh	1.649
	- Demand rate	\$/kVA pa	\$65.463
	Minimum Chargeable Demand	250 kVA	
A370	LV 6.0⁺ GWh		
	Only available to non-embedded network customers consuming > 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$12,519.688
	- Peak Unit rate	¢/kWh	4.061
	- Off Peak Unit rate	¢/kWh	1.592
	- Demand rate	\$/kVA pa	\$90.590
	Minimum Chargeable Demand	450 kVA	
A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 GWh		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$9,553.091
	- Peak Unit rate	¢/kWh	4.196
	- Off Peak Unit rate	¢/kWh	1.592
	- Demand rate	\$/kVA pa	\$65.618
	Minimum Chargeable Demand	450 kVA	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
Large Business - HV			
High Voltage Tariffs (nominal voltage \geq 1000 Volts AND \leq 22,000 Volts)			
A400	HV		
	Only available to non-embedded network customers consuming < 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$15,656.219
	- Peak Unit rate	¢/kWh	3.954
	- Off Peak Unit rate	¢/kWh	1.124
	- Demand rate	\$/kVA pa	\$76.533
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV_{EN}		
	Only available to embedded network customers		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$15,656.219
	- Peak Unit rate	¢/kWh	3.651
	- Off Peak Unit rate	¢/kWh	1.124
	- Demand rate	\$/kVA pa	\$78.674
	Minimum Chargeable Demand	1,000 kVA	
A40R	HV_{RF} (closed to new entrants)^e		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$15,656.219
	- Peak Unit rate	¢/kWh	3.938
	- Off Peak Unit rate	¢/kWh	1.124
	- Demand rate	\$/kVA pa	\$74.692
	Minimum Chargeable Demand	1,000 kVA	
A480	HV - Annual Consumption \geq 55 GWh		
	Only available to non-embedded customers consuming \geq 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$16,215.008
	- Peak Unit rate	¢/kWh	3.680
	- Off Peak Unit rate	¢/kWh	1.040
	- Demand rate	\$/kVA pa	\$72.044
	Minimum Chargeable Demand	10,000 kVA	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
Large Business - Subtransmission			
Subtransmission Tariffs (nominal voltage > 22,000 Volts)			
A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$56,410.623
	- Peak Unit rate	¢/kWh	2.552
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$24.435
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$56,410.623
	- Peak Unit rate	¢/kWh	2.552
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$24.540
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$36,575.599
	- Peak Unit rate	¢/kWh	2.581
	- Off Peak Unit rate	¢/kWh	0.641
	- Demand rate	\$/kVA pa	\$8.371
	Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In-Tariff rebate
Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate.
Transitional Feed-In-Tariff rebate is no longer applicable from 2017
Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff;
however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
Residential			
Only available to residential customers			
A100 / F100^a / T100^b	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$58.659
	- Unit rate	¢/kWh	7.821
A10X / F10X^a / T10X^b	Flexible		
	Available to customers with a remotely read AMI meter		
	Summer period: is the daylight savings period; Non-summer period: All other times		
	<i>Peak Summer/Non-summer: 3 PM to 9 PM local time week days</i>		
	<i>Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time week days</i>		
	<i>and 7 AM to 10 PM local time weekends</i>		
	<i>Off peak Summer/Non-summer: 10 PM to 7 AM local time all days</i>		
	- Standing charge	\$/customer pa	\$58.659
	Summer rates		
	- Peak Unit rate	¢/kWh	12.601
	- Shoulder Unit rate	¢/kWh	7.821
	- Off Peak Unit rate	¢/kWh	3.802
	Non-summer rates		
	- Peak Unit rate	¢/kWh	12.601
	- Shoulder Unit rate	¢/kWh	7.821
	- Off Peak Unit rate	¢/kWh	3.802
A10D / F10D^a / T10D^b	General Purpose - Demand		
	Available to customers with a remotely read AMI meter		
	<i>Energy consumption - single rate all times</i>		
	<i>Demand charging window 3pm - 9pm work days; reset monthly</i>		
	- Standing charge	\$/customer pa	\$58.659
	- Unit rate	¢/kWh	3.443
	- Demand rate	\$/kW pa	\$60.031
A10I / F10I^a / T10I^b	Time of Use Interval Meter (closed to new entrants) ^c		
	Available to customers with an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$58.659
	- Peak Unit rate	¢/kWh	12.670
	- Off Peak Unit rate	¢/kWh	1.844

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$99.122
	- Peak Unit rate	¢/kWh	8.739
	- Off Peak Unit rate	¢/kWh	1.475
A180	Off Peak Heating Only (dedicated circuit)		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation ^d		
	<i>11 PM to 7 AM AEST all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	1.700
Small Business			
	Available to customers (embedded or non- embedded) with annual consumption < 0.4 GWh AND maximum demand < 120 kVA		
A200 / F200^a / T200^b	General Purpose		
	Only available to customers consuming < 40 MWh pa		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$101.483
	- Unit rate	¢/kWh	9.346
A20D / F20D^a / T20D^b	General Purpose - Demand		
	Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa		
	<i>Single rate all times</i>		
	<i>Demand charging window 10am - 8pm work days</i>		
	- Standing charge	\$/customer pa	\$101.483
	- Unit rate	¢/kWh	7.371
	- Demand rate	\$/kW pa	\$58.183
A210 / F210^a / T210^b	Time of Use Weekdays		
	Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$156.027
	- Peak Unit rate	¢/kWh	11.056
	- Off Peak Unit rate	¢/kWh	1.818

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A230 / F230^a / T230^b Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$225.879
	- Peak Unit rate	¢/kWh	6.809
	- Off Peak Unit rate	¢/kWh	2.121
	- Demand rate	\$/kW pa	\$66.547
A23N / F23N^a / T23N^b Time of Use - Opt-out			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa & < 160 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$225.879
	- Peak Unit rate	¢/kWh	11.056
	- Off Peak Unit rate	¢/kWh	1.818
	- Demand rate	\$/kW pa	\$0.000
A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)			
Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$156.027
	- Peak Unit rate	¢/kWh	9.793
	- Off Peak Unit rate	¢/kWh	1.970
A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)			
Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$225.879
	- Peak Unit rate	¢/kWh	5.171
	- Off Peak Unit rate	¢/kWh	2.261
	- Demand rate	\$/kW pa	\$66.547
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Peak Unit rate	¢/kWh	10.485
	- Off Peak Unit rate	¢/kWh	1.888

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2020 Calendar Year (Exclusive of GST)



Jemena

Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,465.437
- Peak Unit rate	¢/kWh	2.018
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$100.021
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,465.437
- Peak Unit rate	¢/kWh	2.036
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$112.849
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,315.529
- Peak Unit rate	¢/kWh	1.377
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$92.453
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,315.529
- Peak Unit rate	¢/kWh	1.376
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$101.707
Minimum Chargeable Demand	250 kVA	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,619.210
	- Peak Unit rate	¢/kWh	1.260
	- Off Peak Unit rate	¢/kWh	0.511
	- Demand rate	\$/kVA pa	\$91.455
	Minimum Chargeable Demand	250 kVA	
A34E	LV_{EN} 2.2⁺ GWh		
Only available to embedded network customers consuming > 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,619.210
	- Peak Unit rate	¢/kWh	1.260
	- Off Peak Unit rate	¢/kWh	0.511
	- Demand rate	\$/kVA pa	\$96.583
	Minimum Chargeable Demand	250 kVA	
A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e		
Only available to non-embedded network customer taking supply from multiple NMLs on a single site AND the aggregated annual consumption from those NMLs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$3,901.284
	- Peak Unit rate	¢/kWh	1.247
	- Off Peak Unit rate	¢/kWh	0.511
	- Demand rate	\$/kVA pa	\$62.088
	Minimum Chargeable Demand	250 kVA	
A370	LV 6.0⁺ GWh		
Only available to non-embedded network customers consuming > 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$9,072.511
	- Peak Unit rate	¢/kWh	1.225
	- Off Peak Unit rate	¢/kWh	0.455
	- Demand rate	\$/kVA pa	\$87.833
	Minimum Chargeable Demand	450 kVA	
A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e		
Only available to non-embedded network customer taking supply from multiple NMLs on a single site AND the aggregated annual consumption from those NMLs is > 6.0 GWh			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$5,268.972
	- Peak Unit rate	¢/kWh	1.225
	- Off Peak Unit rate	¢/kWh	0.455
	- Demand rate	\$/kVA pa	\$62.193
	Minimum Chargeable Demand	450 kVA	

**Jemena Electricity Networks (VIC) Ltd - Distribution
Tariffs For The 2020 Calendar Year (Exclusive of GST)**



Tariff Class Code	Tariff Name	Units	Rate
Large Business - HV			
High Voltage Tariffs (nominal voltage \geq 1000 Volts AND \leq 22,000 Volts)			
A400	HV		
	Only available to non-embedded network customers consuming < 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$6,494.215
	- Peak Unit rate	¢/kWh	0.819
	- Off Peak Unit rate	¢/kWh	0.237
	- Demand rate	\$/kVA pa	\$73.632
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV_{EN}		
	Only available to embedded network customers		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$6,494.215
	- Peak Unit rate	¢/kWh	0.822
	- Off Peak Unit rate	¢/kWh	0.237
	- Demand rate	\$/kVA pa	\$75.863
	Minimum Chargeable Demand	1,000 kVA	
A40R	HV_{RF} (closed to new entrants)^e		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$6,494.215
	- Peak Unit rate	¢/kWh	0.811
	- Off Peak Unit rate	¢/kWh	0.237
	- Demand rate	\$/kVA pa	\$67.658
	Minimum Chargeable Demand	1,000 kVA	
A480	HV - Annual Consumption \geq 55 GWh		
	Only available to non-embedded customers consuming \geq 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$6,066.261
	- Peak Unit rate	¢/kWh	0.782
	- Off Peak Unit rate	¢/kWh	0.184
	- Demand rate	\$/kVA pa	\$65.328
	Minimum Chargeable Demand	10,000 kVA	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$40,563.080
	- Peak Unit rate	¢/kWh	0.153
	- Off Peak Unit rate	¢/kWh	0.045
	- Demand rate	\$/kVA pa	\$20.197
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$40,563.080
	- Peak Unit rate	¢/kWh	0.153
	- Off Peak Unit rate	¢/kWh	0.045
	- Demand rate	\$/kVA pa	\$20.281
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$31,516.884
	- Peak Unit rate	¢/kWh	0.146
	- Off Peak Unit rate	¢/kWh	0.023
	- Demand rate	\$/kVA pa	\$3.478
	Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017. Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$0.521
- Unit rate	¢/kWh	0.759

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; **Non-summer period:** All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

*Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays
and 7 AM to 10 PM local time weekends*

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$0.521
-------------------	----------------	---------

Summer rates

- Peak Unit rate	¢/kWh	0.420
- Shoulder Unit rate	¢/kWh	0.759
- Off Peak Unit rate	¢/kWh	0.169

Non-summer rates

- Peak Unit rate	¢/kWh	0.420
- Shoulder Unit rate	¢/kWh	0.759
- Off Peak Unit rate	¢/kWh	0.169

A10D / F10D^a / T10D^b General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$0.521
- Unit rate	¢/kWh	0.759
- Demand rate	\$/kW pa	\$0.000

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$0.521
- Peak Unit rate	¢/kWh	0.420
- Off Peak Unit rate	¢/kWh	0.486

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$0.521
	- Peak Unit rate	¢/kWh	3.264
	- Off Peak Unit rate	¢/kWh	1.118
A180	Off Peak Heating Only (dedicated circuit)		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation ^d		
	<i>11 PM to 7 AM AEST all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	0.870
Small Business			
	Available to customers (embedded or non- embedded) with annual consumption < 0.4 GWh AND maximum demand < 120 kVA		
A200 / F200^a / T200^b	General Purpose		
	Only available to customers consuming < 40 MWh pa		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$1.027
	- Unit rate	¢/kWh	1.433
A20D / F20D^a / T20D^b	General Purpose - Demand		
	Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa		
	<i>Single rate all times</i>		
	<i>Demand charging window 10am - 8pm work days</i>		
	- Standing charge	\$/customer pa	\$1.027
	- Unit rate	¢/kWh	1.433
	- Demand rate	\$/kW pa	\$0.000
A210 / F210^a / T210^b	Time of Use Weekdays		
	Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$14.625
	- Peak Unit rate	¢/kWh	2.389
	- Off Peak Unit rate	¢/kWh	0.807

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A230 / F230^a / T230^b Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$128.586
	- Peak Unit rate	¢/kWh	1.245
	- Off Peak Unit rate	¢/kWh	0.593
	- Demand rate	\$/kW pa	\$0.599
A23N / F23N^a / T23N^b Time of Use - Opt-out			
Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa & < 160 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$128.586
	- Peak Unit rate	¢/kWh	2.389
	- Off Peak Unit rate	¢/kWh	0.807
	- Demand rate	\$/kW pa	\$0.000
A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)			
Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$14.625
	- Peak Unit rate	¢/kWh	2.157
	- Off Peak Unit rate	¢/kWh	0.838
A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)			
Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$128.586
	- Peak Unit rate	¢/kWh	1.947
	- Off Peak Unit rate	¢/kWh	0.580
	- Demand rate	\$/kW pa	\$0.598
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Peak Unit rate	¢/kWh	1.514
	- Off Peak Unit rate	¢/kWh	0.940

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers
with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$95.064
- Peak Unit rate	¢/kWh	3.082
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa	\$1.412
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$95.064
- Peak Unit rate	¢/kWh	2.991
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa	\$1.912
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$201.263
- Peak Unit rate	¢/kWh	3.158
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kVA pa	\$2.449
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$201.263
- Peak Unit rate	¢/kWh	2.902
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kVA pa	\$3.167
Minimum Chargeable Demand	250 kVA	

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
	Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1,337.763
	- Peak Unit rate	¢/kWh	3.226
	- Off Peak Unit rate	¢/kWh	1.145
	- Demand rate	\$/kVA pa	\$2.525
	Minimum Chargeable Demand	250 kVA	
A34E	LV_{EN} 2.2⁺ GWh		
	Only available to embedded network customers consuming > 2.2 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1,337.763
	- Peak Unit rate	¢/kWh	2.707
	- Off Peak Unit rate	¢/kWh	1.141
	- Demand rate	\$/kVA pa	\$4.366
	Minimum Chargeable Demand	250 kVA	
A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1,787.264
	- Peak Unit rate	¢/kWh	3.454
	- Off Peak Unit rate	¢/kWh	1.138
	- Demand rate	\$/kVA pa	\$3.375
	Minimum Chargeable Demand	250 kVA	
A370	LV 6.0⁺ GWh		
	Only available to non-embedded network customers consuming > 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$3,447.177
	- Peak Unit rate	¢/kWh	2.836
	- Off Peak Unit rate	¢/kWh	1.137
	- Demand rate	\$/kVA pa	\$2.757
	Minimum Chargeable Demand	450 kVA	
A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 GWh		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$4,284.119
	- Peak Unit rate	¢/kWh	2.971
	- Off Peak Unit rate	¢/kWh	1.137
	- Demand rate	\$/kVA pa	\$3.425
	Minimum Chargeable Demand	450 kVA	

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,162.004
- Peak Unit rate	¢/kWh	3.135
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$2.901
Minimum Chargeable Demand	1,000 kVA	

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,162.004
- Peak Unit rate	¢/kWh	2.829
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$2.811
Minimum Chargeable Demand	1,000 kVA	

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,162.004
- Peak Unit rate	¢/kWh	3.127
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$7.034
Minimum Chargeable Demand	1,000 kVA	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming ≥ 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,148.747
- Peak Unit rate	¢/kWh	2.898
- Off Peak Unit rate	¢/kWh	0.856
- Demand rate	\$/kVA pa	\$6.716
Minimum Chargeable Demand	10,000 kVA	

Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2020 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$15,847.543
	- Peak Unit rate	¢/kWh	2.399
	- Off Peak Unit rate	¢/kWh	0.609
	- Demand rate	\$/kVA pa	\$4.238
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$15,847.543
	- Peak Unit rate	¢/kWh	2.399
	- Off Peak Unit rate	¢/kWh	0.609
	- Demand rate	\$/kVA pa	\$4.259
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$5,058.715
	- Peak Unit rate	¢/kWh	2.435
	- Off Peak Unit rate	¢/kWh	0.618
	- Demand rate	\$/kVA pa	\$4.893
	Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate
Tariff reassi; Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate.
Transitional Feed-In-Tariff rebate is no longer applicable from 2017
Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff;
however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit
controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic
and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has
additional regulated requirements to that of a standard site. It is not technically feasible to meet these
requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand*
form part of the terms and conditions related to these prices. These documents can be viewed or downloaded
from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>