



FINAL DECISION

TasNetworks Distribution Determination 2019 to 2024

Attachment 7 Corporate income tax

April 2019

© Commonwealth of Australia 2019

This work is copyright. In addition to any use permitted under the Copyright Act 1968, all material contained within this work is provided under a Creative Commons Attributions 3.0 Australia licence, with the exception of:

- the Commonwealth Coat of Arms
- the ACCC and AER logos
- any illustration, diagram, photograph or graphic over which the Australian Competition and Consumer Commission does not hold copyright, but which may be part of or contained within this publication. The details of the relevant licence conditions are available on the Creative Commons website, as is the full legal code for the CC BY 3.0 AU licence.

Requests and inquiries concerning reproduction and rights should be addressed to the:

Director, Corporate Communications,
Australian Competition and Consumer Commission,
GPO Box 3131,
Canberra ACT 2601

or publishing.unit@acc.gov.au.

Inquiries about this publication should be addressed to:

Australian Energy Regulator
GPO Box 520
Melbourne Vic 3001

Tel: 1300 585 165

Email: [AERInquiry@aer.gov.au](mailto:AERInquiry@ aer.gov.au)

AER reference: 61052

Note

This attachment forms part of the AER's final decision on TasNetworks' 2019–24 distribution determination. It should be read with all other parts of the final decision.

The final decision includes the following attachments:

Overview

Attachment 1 – Annual revenue requirement

Attachment 2 – Regulatory asset base

Attachment 4 – Regulatory depreciation

Attachment 5 – Capital expenditure

Attachment 6 – Operating expenditure

Attachment 7 – Corporate income tax

Attachment 9 – Capital expenditure sharing scheme

Attachment 10 – Service target performance incentive scheme

Attachment 13 – Control mechanisms

Attachment 15 – Alternative control services

Attachment 18 – Tariff structure statement

Attachment B – Negotiating framework

Contents

Note	7-3
Contents	7-4
Shortened forms	7-5
7 Corporate income tax	7-6
7.1 Final decision	7-6
7.2 TasNetworks' revised proposal	7-7
7.3 Assessment approach	7-8
7.4 Reasons for final decision	7-14
7.4.1 Implementation of the tax review	7-14
7.4.2 Opening tax asset base as at 1 July 2019	7-16
7.4.3 Standard tax asset lives	7-17

Shortened forms

Shortened form	Extended form
AER	Australian Energy Regulator
ATO	Australian Taxation Office
capex	capital expenditure
CESS	capital expenditure sharing scheme
disposals	asset disposals
distributor	distribution network service provider
DMIAM	demand management innovation allowance (mechanism)
DV	diminishing value
EBSS	efficiency benefit sharing scheme
gamma	value of imputation credits
ITAA	Income Tax Assessment Act 1997
NER	National Electricity Rules
NSW	New South Wales
opex	operating expenditure
PTRM	post-tax revenue model
RAB	regulatory asset base
RFM	roll forward model
RIN	regulatory information notice
SL	straight-line
TAB	tax asset base
Tax review	The 2018 review of the regulatory tax approach

7 Corporate income tax

Our determination of the annual revenue requirement includes the estimated cost of corporate income tax for TasNetworks' 2019–24 regulatory control period.¹ Under the post-tax framework, a corporate income tax allowance is calculated as part of the building block assessment, using our post-tax revenue model (PTRM). This attachment sets out our final decision on TasNetworks' revised proposed corporate income tax allowance for the 2019–24 regulatory control period. It presents our assessment of the inputs required in the PTRM for the calculation of the cost of corporate income tax.

7.1 Final decision

Our final decision on the estimated cost of corporate income tax is \$24.4 million for TasNetworks over the 2019–24 regulatory control period. This represents a reduction of \$18.2 million (or 42.7 per cent) from TasNetworks' revised proposed cost of corporate income tax allowance of \$42.6 million (\$nominal).

The key reasons for this reduction are:

- we amended the PTRM, to implement the findings in our final report on the review, of the regulatory tax approach (the tax review). This concluded after the submission of TasNetworks' revised proposal (section 7.4.1). Specifically, for this final decision, we have applied the diminishing value (DV) method for tax depreciation to all new depreciable assets, except for forecast capex associated with equity raising costs and buildings. These changes have reduced the revised proposed corporate income tax allowance by about \$9.0 million (or 21.0 per cent)
- we reduced TasNetworks' revised proposed return on equity (section 2.2 of the overview). Our final decision on the forecast return on equity affects the amount of estimated taxable income. Therefore, it has contributed to the reduction on the revised proposed corporate income tax allowances by about \$3.5 million (or 8.3 per cent)
- we increased the value of imputation credits (gamma) to 0.585 from TasNetworks' revised proposal of 0.5 (section 2.2 of the overview). This has reduced the revised proposed corporate income tax allowances by about \$5.9 million (or 13.8 per cent).

We increased the revised proposed opening tax asset base (TAB) value as at 1 July 2019 by \$0.2 million (or 0.01 per cent). While we accept TasNetworks' approach for establishing the TAB, we have updated the revised proposed opening TAB value to reflect our amendments to the equity raising costs and capital contributions inputs in the roll forward model (RFM) (section 7.4.2). The increase on the opening TAB value has slightly reduced the corporate income tax allowance.

¹ NER, cl. 6.4.3(a)(4).

We also accept the revised proposed standard tax asset lives for TasNetworks' existing asset classes. Further, we determine a standard tax asset life of 40 years for the new 'Buildings' asset class that is subject to the straight-line (SL) method of tax depreciation (section 7.4.3).

Our final decisions on the regulatory depreciation (attachment 4) and forecast capital expenditure (attachment 5) affect the calculation of the estimated taxable income, which in turn impacts the tax allowance.

Table 7-1 sets out our final decision on the estimated cost of corporate income tax allowance for TasNetworks over the 2019–24 regulatory control period.

Table 7-1 AER's final decision on TasNetworks' cost of corporate income tax allowance for the 2019–24 regulatory control period (\$million, nominal)

	2019–20	2020–21	2021–22	2022–23	2023–24	Total
Tax payable	13.4	11.2	10.6	11.2	12.2	58.8
Less: value of imputation credits	7.9	6.6	6.2	6.6	7.2	34.4
Net corporate income tax allowance	5.6	4.7	4.4	4.7	5.1	24.4

Source: AER analysis.

7.2 TasNetworks' revised proposal

TasNetworks' revised proposed corporate income tax allowance is \$42.6 million for the 2019–24 regulatory control period. TasNetworks noted that the revised proposal is based on the approaches and inputs used in the draft decision to estimate the corporate income tax allowance. TasNetworks also noted the AER's tax review and looked forward to engage further with the AER on the outcomes of this review.²

Table 7.2 sets out TasNetworks' revised proposed roll forward of its TAB values over the 2017–19 regulatory control period.

Table 7.2 TasNetworks' revised proposed TAB roll forward (\$million, nominal)

	2017–18	2018–19 ^a
Opening TAB	1225.3	1330.3
Capital expenditure ^b	161.9	110.7
Less: tax depreciation	56.9	65.1

² TasNetworks, *Tasmanian Transmission and Distribution Regulatory and Revenue Proposals 2019-24*, 29 November 2018, p. 91.

Closing TAB	1330.3	1375.9
-------------	--------	--------

Source: TasNetworks, *TN-Roll Forward Model Standard Control Distribution*, November 2018.

(a) Based on estimated capex.

(b) Net of disposals.

Table 7.3 sets out TasNetworks' revised proposed corporate income tax allowance for the 2019–24 regulatory control period.

Table 7.3 TasNetworks' revised proposed cost of corporate income tax allowance for the 2019–24 regulatory control period (\$million, nominal)

	2019–20	2020–21	2021–22	2022–23	2023–24	Total
Tax payable	15.3	16.0	16.8	17.8	19.3	85.2
Less: value of imputation credits	7.6	8.0	8.4	8.9	9.7	42.6
Net corporate income tax allowance	7.6	8.0	8.4	8.9	9.7	42.6

Source: TasNetworks, *TN-Post Tax Revenue Model (PTRM) Standard Control Distribution*, November 2018.

7.3 Assessment approach

We make an estimate of taxable income for each regulatory year as part of our determination of the annual revenue requirement for TasNetworks' 2019–24 regulatory control period.³ Our estimate is the taxable income a benchmark efficient entity would earn for providing standard control services, if it operated TasNetworks' distribution network business.

For this final decision, we have changed some aspects of our approach for calculating the estimated corporate income tax allowance, since we made the draft decision in September 2018. In our draft decision, we noted that we had commenced a review into our regulatory tax approach. We also noted that we would apply any changes to our regulatory models arising from the tax review to the final decision for TasNetworks' 2019–24 regulatory control period.

In December 2018, we released the final report of the tax review, which identified some required changes to our approach to estimating tax depreciation expenses in our regulatory models (PTRM and RFM).⁴ The changes to our regulatory tax approach require amending our models to:⁵

³ NER, cl. 6.5.3.

⁴ AER, *Final report: Review of regulatory tax approach*, December 2018, pp. 6–20; The PTRM specifies the manner in which the estimated cost of corporate income tax is to be calculated. The RFM calculates the distributor's tax asset base which is an input to the PTRM for the calculation of the tax building block.

⁵ Capping of gas asset tax lives was also a finding from the final report, but does not require a model change.

- recognise immediate tax expensing of some capex forecast for a regulatory control period
- adopt the DV method for tax depreciation to all future capex except for a limited number of assets which must be depreciated using the SL depreciation method, under the tax law.

In April 2019, we published a new version of the PTRM (version 4) which implements the changes to the tax depreciation approach. We have not yet amended the RFM, because the tax review final report stated that the required changes to the tax depreciation approach would apply to new assets only. This means that only changes to the PTRM are required in the first regulatory control period when transitioning into the new tax approach. As such, the tax depreciation approach in the RFM remains the same as the draft decision, for the purposes of this final decision.

How the estimated cost of corporate income tax is calculated in the PTRM

Our approach for calculating a distributor's estimated cost of corporate income tax allowance is set out in our PTRM,⁶ and involves the following steps:⁷

1. We estimate the annual assessable income (taxable revenue) that would be earned by a benchmark efficient entity operating the distributor's business. This is the approved forecast revenues for the distribution business that we determined using the building block approach.⁸
2. We then estimate the benchmark tax expenses, such as operating expenditure (opex), interest expense, tax depreciation in the following ways:
 - operating expense is set equal to the opex building block⁹
 - interest expense is a function of the size of the regulatory asset base (RAB), the benchmark gearing assumption (60 per cent) and the regulated cost of debt
 - tax depreciation expense is calculated using a separate value for the TAB, and standard and remaining tax asset lives for taxation purposes. Previously, the PTRM applied the SL method for calculating tax depreciation for all assets. Consistent with the findings of the tax review, the new amended PTRM (version 4) applies the SL tax depreciation method for

⁶ AER, *Distribution PTRM (version 4)*, April 2019.

⁷ The PTRM must specify the manner in which the estimated cost of corporate income tax is to be calculated: NER, cl. 6.4.2(b)(4).

⁸ The total revenue for tax purposes is the sum of the building blocks including return on capital, operating expenditure and cost of corporate taxation, and any capital contributions. It may also include revenue increments or decrements resulting from the capital expenditure sharing scheme (CESS), efficiency benefit sharing scheme (EBSS) and demand management innovation allowance mechanism (DMIAM).

⁹ Our assessment approach for the opex building block is discussed in attachment 6.

existing assets and the DV tax depreciation method¹⁰ for all new assets, except for in-house software, buildings and equity raising costs. The expenditure for these assets are to be depreciated using the SL method under the tax law. The new amended PTRM (version 4) also accounts for the value of certain forecast capex to be immediately expensed when estimating the benchmark tax expense. The value of immediately expensed capex is deducted from the net capex to be depreciated for tax purposes for the year in which it is forecast to be incurred,¹¹ and is then included in the total tax depreciation amount for that year.

Revenue increments or decrements resulting from CESS, EBSS and DMIAM may also be included in the benchmark tax expenses if they are also included in the taxable revenue.

3. We estimate the annual taxable income that would be earned by a benchmark efficient entity operating the distributor's business by subtracting the benchmark estimates of tax expenses (step 2) from the approved forecast revenues for the distribution business (step 1).
4. We apply the statutory income tax rate to the estimated annual taxable income (after adjustment for any tax loss carried forward) to arrive at a notional amount of tax payable.
5. We deduct the expected value for the utilisation of imputation credits (gamma) by investors from the notional amount of tax payable. The tax payable net of the expected value of imputation credits represents the corporate income tax allowance and is included as a separate building block in determining the distributor's annual revenue requirement.

How we assess the tax inputs to the PTRM

The estimated cost of corporate income tax allowance is an output of our PTRM. We therefore assess the distributor's proposed cost of corporate tax allowance by analysing the proposed inputs to the PTRM for calculating that allowance.

While our assessment approach for most of the tax inputs has not changed since the draft decision, we have updated the value of gamma in this final decision to be consistent with the 2018 Rate of return instrument. In addition, our amended PTRM (version 4) requires two new sets of inputs for the calculation of tax depreciation—the forecast immediate expensing of certain capex and the assets to be exempted from the DV method of tax depreciation.

Our assessment approach for each of the tax inputs required in the PTRM including the two new inputs are discussed in turn below:

¹⁰ For more explanation of how we calculate depreciation using the DV method, please see: AER, *Distribution PTRM handbook*, April 2019, p. 22.

¹¹ That is, the net capex to be added to the TAB for tax depreciation purposes is the amount of gross capex, less disposals, less the immediately deductible capex.

- **the opening TAB as at the commencement of the 2019–24 regulatory control period:** We consider that the roll forward of the opening TAB should be based on the approved opening TAB as at 1 July 2017, and TasNetworks' actual capex incurred during the 2017–19 regulatory control period, and the final year (2016–17) of the previous regulatory control period.¹² Our assessment approach for this input has not changed since the draft decision.

The roll forward of the opening TAB for 2017–19 is calculated in our RFM. We have not amended the RFM to implement the tax review. This is because the tax review final report set out that the required changes to the tax depreciation approach would apply to new assets only. As such, the approach for determining the opening TAB value remains the same as the draft decision, for the purposes of this final decision. Subsequent to this final decision we will make the relevant amendments to the RFM for changes from the tax review. The amended RFM will then be used for the purposes of the TAB roll forward for 2019–24 at the next reset.

This opening TAB value is used to estimate forecast tax depreciation for the 2019–24 regulatory control period, including new assets to be added to the TAB over this period. We will continue to apply the SL method of tax depreciation for the opening TAB value. However, for all new assets forecast to be added to the TAB in the 2019–24 regulatory control period (with some exceptions discussed further below), we will apply the DV method of tax depreciation.

- **the standard tax asset life for each asset class:** Our assessment of TasNetworks' proposed standard tax asset lives is guided by the effective life of depreciating assets determined by the Commissioner for Taxation. We consider that the standard tax asset lives for the majority of TasNetworks' asset classes should be consistent with the ATO taxation ruling 2018/4 regarding the effective life of depreciating assets where possible.¹³

While our assessment approach for this input has not changed since the draft decision, we also explain how we assess the standard tax asset lives for the in-house software, buildings and equity raising costs asset classes.

As discussed above, the new amended PTRM (version 4) applies the DV tax depreciation method for all new assets, except for in-house software, buildings and equity raising costs. It provides designated asset classes for these assets to be depreciated using the SL method for tax purposes.¹⁴ We note that the tax effective lives for in-house software, buildings and equity raising costs are not covered under the ATO taxation ruling 2018/4. Therefore, our assessment of the standard tax asset lives for these asset classes are guided by the *Income Tax Assessment Act 1997* (ITAA). Specifically, we consider that the standard tax asset life should be:

¹² The tax depreciation is therefore recalculated based on actual capex. The same tax depreciation approach of using actual capex applies to the roll forward of the TAB at the next reset.

¹³ ATO, *Taxation Ruling TR2018/4 – Income tax: effective life of depreciating assets*, 1 July 2018.

¹⁴ Our assessment approach on new assets to be exempted from the DV method is discussed further below.

- 40 years for buildings – This is consistent with the number of years required to completely depreciate a capital works asset such as buildings for tax purposes when applying sections 43.15, 43.140 and 43.210 of the ITAA
- 5 years for in-house software – This is consistent with section 40.95(7) of the ITAA
- 5 years for equity raising costs – This is consistent with section 40.880 of the ITAA.
- **the income tax rate:** The statutory income tax rate is 30 per cent per year. This is consistent with the rate applied in the draft decision.
- **the value of gamma:** The gamma input for TasNetworks is 0.585 for this final decision. Our draft decision applied a gamma value of 0.5. Since then, we have published the 2018 Rate of return instrument, which requires us to use a gamma value of 0.585.¹⁵ Refer to section 2.2 of the overview for further discussion on this matter.
- **the size and treatment of any tax losses as at 1 July 2019:** Where a business has tax losses, we require the provision of this value to determine the appropriate estimated taxable income for a regulatory control period. If there is an amount of tax losses accumulated, the forecast taxable income for the regulatory control period will be reduced by this amount. Our assessment approach for this input has not changed since the draft decision. TasNetworks does not have any accumulated tax losses as at the start of the 2019–24 regulatory control period.¹⁶
- **forecast immediate expensing of capex:** The amended PTRM (version 4) requires a forecast for immediately deductible capex to be provided for each regulatory year of the 2019–24 regulatory control period. For this final decision, our assessment of forecast immediate expensing of capex will be guided by the distributor’s actual immediate expensing of capex from the previous regulatory control period. We will collect actual data relating to this expenditure in our annual reporting regulatory information notice (RIN) to further inform our decision on the amount of forecast immediate expensing of capex in future regulatory determinations.
- **diminishing value multiplier:** The amended PTRM (version 4) applies the following formula to calculate the tax depreciation under the DV method:¹⁷

$$D_t = \left(\text{Nominal net capex}_i - \sum_{n=0}^{t-1} D_n \right) \times \text{DV multiplier} \div \text{standard tax asset life}$$

where:

¹⁵ AER, *Rate of return instrument*, December 2018, p. 19.

¹⁶ TasNetworks, *TN-Post Tax Revenue Model (PTRM) Standard Control Distribution*, November 2018.

¹⁷ This formula shows how the tax depreciation for capex in a particular year is calculated under the DV method in the PTRM.

D_t is the tax depreciation in year t

$D_0 = 0$

$t = 1, 2, 3, \dots$

$i = \text{year } 0$

The PTRM provides an input section for the 'DV multiplier' in the above formula to be recorded for each year of the regulatory control period. This is labelled as the 'diminishing value multiplier' in the PTRM. We note that currently the DV multiplier is set at 200 per cent by the ATO. Our assessment approach for the standard tax asset life inputs are discussed above. The assessment approach for capex is discussed in attachment 5.

- **new assets to be exempted from the diminishing value method:** The amended PTRM (version 4) applies the DV method for tax depreciation purposes to all new depreciable assets except for certain assets. It provides for asset classes 47, 48, 49 and 50 to be depreciated using the SL method for tax purposes rather than the DV method. These asset classes are to contain new assets associated with in-house software, buildings and equity raising costs.

We consider that the benchmark allowance for equity raising costs should not be depreciated using the DV method. We note that section 40.880 of the ITAA¹⁸ and the ATO's taxation ruling 2011/6¹⁹ require that businesses claim deductions on equity raising costs in equal proportions over a five-year period. Therefore, in the PTRM, we apply the SL method for calculating the tax depreciation for equity raising costs, consistent with the ITAA and ATO's requirements.²⁰ Further, the distributor may propose capex associated with buildings and in-house software to be exempted from the DV method of tax depreciation in the PTRM if the proposal satisfies the following requirements:

- **buildings:** We consider that capex for buildings may be exempted from the DV method in the PTRM, consistent with sections 43.15, 43.140 and 43.210 of the ITAA.²¹ However, such capex must be consistent with the definition of a capital work under section 43.20 of the ITAA and in ATO taxation ruling 97/25.²² We note that this includes new buildings and structural improvements to existing buildings.²³ However, capex on separate assets within a building such as air-conditioning units, transformers and converters are not consistent with the definition of a capital work, and therefore are required to be depreciated using the DV method in the PTRM

¹⁸ ITAA, s. 40.

¹⁹ ATO, *Taxation Ruling 2011/6 - Income tax: business related expenditure - section 40 - 880 of the Income Tax Assessment Act 1997 core issues*, July 2016.

²⁰ The benchmark allowance for equity raising costs is determined within the PTRM.

²¹ ITAA, ss. 43.15, 43.140, 43.210.

²² ATO, *Taxation Ruling 97/25 - Income Tax: property development: deduction for capital expenditure on construction of income producing capital works, including buildings and structural improvements*, July 2017.

²³ ITAA, s. 43.20.

- **in-house software:** We consider that capex for in-house software may be exempted from the DV method in the PTRM, consistent with section 40.72 of the ITAA.²⁴ However, such capex must be consistent with the definition of in-house software under section 995.1 of the ITAA²⁵ and in ATO taxation ruling 2016/3.²⁶ We note that this includes computer software, or the right to use computer software that the distributor acquires, develops or has someone else develop for the distributor's business use.²⁷ However, capex associated with other IT assets such as computer hardware is not consistent with the definition of in-house software, and therefore is required to be depreciated using the DV method in the PTRM.

7.4 Reasons for final decision

We determine a cost of corporate income tax allowance of \$24.4 million for TasNetworks over the 2019–24 regulatory control period. This represents a reduction of \$18.2 million (or 42.7 per cent) from TasNetworks' revised proposal.

As discussed above, we applied the new amended PTRM (version 4) for this final decision, to implement the changes to our regulatory tax approach identified in the tax review final report. These changes have reduced the revised proposed cost of corporate income tax allowance by \$9.0 million (or 21.0 per cent). We have also increased the revised proposed opening TAB, as at 1 July 2019. While we accept TasNetworks' revised proposed standard tax asset lives for the existing asset classes, we determine a standard tax asset life of 40 years for the new 'Buildings' asset class that is subject to the SL method of tax depreciation. Our reasons for these amendments are discussed below.

Discussed in other attachments and the overview, our final decision on TasNetworks' revised proposed return on capital (attachments 2, 5, and section 2.2 of the Overview) and regulatory depreciation (attachment 4) building blocks affect total revenues, and therefore also impact the forecast corporate income tax allowance. Our final decision to increase the value of imputation credits (γ) to 0.585, from the revised proposed value of 0.50 further reduced the estimated corporate income tax allowance for the 2019–24 regulatory control period (section 2.2 of the overview).

7.4.1 Implementation of the tax review

In the draft decision, we applied the existing PTRM (version 3) at the time to calculate the various components required to estimate TasNetworks' cost of corporate income tax for the 2019–24 regulatory control period. We noted that we would apply any amended regulatory models arising from the tax review for the final decision. TasNetworks calculated the corporate income tax allowance using version 3 of our

²⁴ ITAA, s.40.72.

²⁵ ITAA, s. 995.1

²⁶ ATO, *Taxation Ruling 2016/3 - Income tax: deductibility of expenditure on a commercial website*, October 2018.

²⁷ ITAA, section 995.1.

PTRM for its revised proposal, which was submitted prior to the final report of the tax review.

We published the new amended PTRM (version 4) in April 2019, which implements the changes identified from the final report of the tax review.²⁸ Specifically, we made the following two changes, which affect the calculation of tax depreciation in the PTRM:

- **immediate expensing of capex** – we allow for certain capex to be immediately expensed when estimating the benchmark tax expense
- **diminishing value depreciation method** – we apply the DV method for tax depreciation purposes to all new depreciable assets except for capex associated with in-house software, equity raising costs and buildings.²⁹

We consulted with TasNetworks on the PTRM changes and the required new inputs for implementing the new tax depreciation approach following the completion of the tax review. While TasNetworks was not required to provide these inputs as part of its revised regulatory proposal, it has actively engaged with us in the lead up to this final decision in order to provide the relevant tax input requirements of the amended PTRM.

Our assessment of the new tax inputs submitted by TasNetworks are discussed below.

Forecast immediate expensing of capex

Certain capex (such as refurbishment capex) is able to be ‘immediately expensed’ under tax legislation. The amended PTRM (version 4) requires a forecast for immediately deductible capex to be provided for each asset class for each regulatory year of the 2019–24 regulatory control period.

TasNetworks submitted that historically it has not immediately expensed any capex for income tax purposes. It therefore has not forecast any of its capex as immediately deductible during the 2019–24 regulatory control period. TasNetworks stated that its current tax policy is not to immediately expense any capex for income tax purposes.³⁰

For this final decision, we accept TasNetworks' submission that it has no forecast for immediate expensing of capex for the 2019–24 regulatory control period. This approach is consistent with TasNetworks' tax practice. As discussed above, we will collect actual data relating to this expenditure in our annual reporting RINs to further inform our decision on the amount of forecast immediate expensing of capex in the next regulatory determination for TasNetworks.

²⁸ We have not yet amended the RFM to implement the new tax depreciation approach. This is because the final report of the tax review recommended that the required changes would apply to new assets only. This means that only changes to the PTRM are required in the first regulatory control period when transitioning into the new tax depreciation approach.

²⁹ The buildings asset class may be classified as system or non-system assets in the PTRM.

³⁰ TasNetworks, *Response to AER email: Implementation of the tax review - TasNetworks*, dated 15 February 2019.

Assets exempt from the diminishing value method

In our draft decision, we used version 3 of the PTRM which applies the SL method to calculate tax depreciation for all asset classes. The amended PTRM (version 4) continues to apply the SL tax depreciation method to the opening TAB at 1 July 2019, but applies the DV method as the new regulatory benchmark for tax depreciation to all new capex.³¹ However, as discussed above, there are some exceptions to this approach under the tax law such as assets relating to in-house software, buildings and equity raising costs.³² In the PTRM, the benchmark allowance for equity raising costs is determined within the model and depreciated using the SL tax depreciation method as default. As part of our consultation on the new inputs for TasNetworks' forecast capex, we asked TasNetworks if it wishes to propose any relevant forecast capex to be exempted from the DV tax depreciation method.

In its response to our information request, TasNetworks submitted that \$10.0 million (\$2018–19) of forecast capex associated with buildings is to be exempted from the DV tax depreciation method. It has provided us with the reallocation of the forecast capex related to this asset from the existing asset class of 'Non-system property' to the prescribed SL tax depreciation asset class for 'Buildings' in the PTRM.

We accept TasNetworks' proposed allocation of forecast capex for buildings to be depreciated using the SL method for tax depreciation purposes. This is because the proposed forecast capex for buildings satisfies the definition of a capital work under section 43.20 of the ITAA³³ and in ATO taxation ruling 97/25.³⁴ Therefore, this forecast capex is not required to be depreciated using the DV method for tax purposes. While we accept TasNetworks' proposal to apply the SL method for buildings, we have reduced the forecast amount allocated to this asset class to \$9.9 million due to inflation rate updates in the capex model.

The overall impact of our final decision to apply the DV tax depreciation method to new assets is to reduce TasNetworks' revised proposed estimated corporate income tax allowance by about \$9.0 million (\$nominal, or 21.0 per cent), all else being equal.

7.4.2 Opening tax asset base as at 1 July 2019

We determine an opening TAB value as at 1 July 2019 of \$1376.1 million (\$nominal) for TasNetworks. This is \$0.2 million (or 0.01 per cent) higher than the value of \$1375.9 million proposed by TasNetworks in its revised proposal.

In our draft decision, we accepted TasNetworks' proposed method to establish the opening TAB as at 1 July 2019. We also accepted the proposed inputs used for the

³¹ AER, *Final report: Review of regulatory tax approach*, December 2018, p. 76.

³² Asset classes 47, 48, 49 and 50 in the PTRM (version 4) provide for this.

³³ ITAA, s. 43.20.

³⁴ ATO, *Taxation Ruling 97/25 - Income Tax: property development: deduction for capital expenditure on construction of income producing capital works, including buildings and structural improvements*, July 2017.

TAB roll forward and consequently the opening TAB value as at 1 July 2019. However, we noted that the opening TAB as at 1 July 2019 may be updated to reflect actual capex for 2017–18 and any revised 2018–19 capex estimates as part of the final decision.

In its revised proposal, TasNetworks has adopted the same approach on the establishment of an opening TAB as at 1 July 2019, which we accepted in our draft decision. In addition, TasNetworks has updated 2017–18 estimated capex with actuals and revised the 2018–19 estimate of capex with the latest figures.³⁵

For the reasons discussed in attachment 2, we have corrected some input errors in TasNetworks' revised proposed RFM relating to 2017–18 equity raising costs and customer contributions for 2018–19. These amendments have resulted in a higher opening TAB value at 1 July 2019 than what we determined in the draft decision.

Table 7-4 sets out our final decision on the roll forward of TasNetworks' TAB values over the 2017–19 regulatory control period.

Table 7-4 AER's final decision on TasNetworks' TAB roll forward (\$million, nominal)

	2017–18	2018–19 ^a
Opening TAB	1225.4	1330.5
Capital expenditure ^b	162.1	110.8
Less: tax depreciation	56.9	65.1
Closing TAB	1330.5	1376.1

Source: AER analysis.

(a) Based on estimated capex.

(b) Net of disposals.

7.4.3 Standard tax asset lives

For this final decision, we accept TasNetworks' revised proposed standard tax asset lives for its existing asset classes. In addition, we determine a standard tax asset life of 40 years for the new 'Buildings' asset class.

In the draft decision, we accepted TasNetworks' proposed standard tax asset lives. We also accepted TasNetworks' continuation of using the year-by-year tracking approach for tax depreciation of its existing assets. Under this approach, the capex for each year of a regulatory control period is depreciated individually for tax purposes.

³⁵ TasNetworks, *Revised roll forward model*, November 2018.

TasNetworks has adopted the draft decision standard tax asset lives and the year-by-year tracking approach in its revised proposal.

Discussed in section 7.4.1, as part of the implementation of the new tax depreciation approach, TasNetworks proposed to reallocate forecast capex associated with buildings into the prescribed SL tax depreciation asset class of 'Buildings' in the amended PTRM. We determine a standard tax asset life of 40 years for this new asset class, as this is consistent with the number of years required to completely depreciate a capital works asset for tax purposes under the ITAA.³⁶ In its response to our information request, TasNetworks agreed that it is appropriate to assign a standard tax asset life of 40 years to this new asset class for tax depreciation purposes.³⁷

Table 7-5 sets out our final decision on the standard asset lives for TasNetworks. We are satisfied that the standard tax asset lives are appropriate for application over the 2019–24 regulatory control period. We are also satisfied the standard tax asset lives provide an estimate of the tax depreciation amount that would be consistent with the tax expenses used to estimate the annual taxable income for a benchmark efficient service provider.³⁸

Table 7-5 AER's final decision on TasNetworks' standard tax asset lives (years)

Asset class	Standard tax asset life
Overhead subtransmission Lines (urban)	44.5 ^a
Underground subtransmission Lines (urban)	50.0 ^a
Urban zone substations	32.8 ^a
Rural zone substations	32.8 ^a
SCADA	32.8 ^a
Distribution switching stations (ground)	36.3 ^a
Overhead high voltage lines urban	34.9 ^a
Overhead high voltage lines rural	33.4 ^a
Voltage regulators on distribution feeders	45.5 ^a
Underground high Voltage lines	31.4 ^a
Underground high voltage lines SWER	31.4 ^a
Distribution substations HV (pole)	37.6 ^a
Distribution substations HV (ground)	33.2 ^a

³⁶ ITAA, ss. 43.15, 43.140, 43.210.

³⁷ TasNetworks, *Response to AER email: Implementation of the tax review - TasNetworks*, dated 15 March 2019.

³⁸ NER, cl. 6.5.3.

Distribution substations LV (pole)	36.6 ^a
Distribution substations LV (ground)	34.1 ^a
Overhead low voltage lines underbuilt urban	37.4 ^a
Overhead low voltage lines underbuilt rural	38.7 ^a
Overhead low voltage lines urban	35.3 ^a
Overhead low voltage lines rural	36.7 ^a
Underground low voltage lines	42.5 ^a
Underground low voltage common trench	43.1 ^a
HVST service connections	36.4 ^a
HV service connections	36.4 ^a
HV metering CA service connections	36.4 ^a
HV/LV service connections	36.4 ^a
Business LV service connections	36.3 ^a
Business LV metering CA service connections	36.4 ^a
Domestic LV service connections	36.4 ^a
Domestic LV metering CA service connections	36.4 ^a
Emergency network spares	n/a
Motor vehicles	9.2 ^a
Minor assets	5.2 ^a
Non-system property	34.5 ^a
Spare parts	n/a
NEM assets	3.0 ^a
Business management systems	5.0 ^a
Land	n/a
Easements	n/a
Buildings	40.0 ^b
Equity raising costs	5.0 ^b

Source: AER analysis.

(a) Used for diminishing value method of tax depreciation.

(b) Used for straight-line method of tax depreciation.

n/a not applicable. We have not assigned a standard tax asset life to the 'Land' and 'Easements' asset classes because the assets allocated to these asset classes are non-depreciating assets. We have not assigned a standard tax asset life to the 'Emergency network spares' and 'Spare parts' asset classes because assets allocated to these asset classes are not subject to tax depreciation.