

Schedule of Network Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code & Structures	Description	Standing	BLOCK 1	BLOCK 2	PEAK	SHOULDE	SUMMER Peak	SUMMER SHOULDER	WINTER PEAK	OFF PEAK	DEDICATED CIRCUIT	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK		MONTHLY OFFPEAK
a Structures		Charge	c/kWh	c/KWh		ALL YEAR		SHOULDER	PEAK		CIRCUIT	EXPURI	RATES				KW
		\$/Year	C/ KWII	C/IXIII	c/KWh		c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW/Mnth	
						c/KWh											\$/kW/Mnth
Residential																1	
NEE111	Small Single Rate	109.00	9.6213	12,4940													
NASN11 ¹⁵	Small Residential Single Rate	109.00	7.1638	7.1638												8.91	2.23
NASN11P ¹⁵	Small Residential Single Rate Premium Feed In	109.00	7.1638	7.1638								-2.3897	-60.0000			8.91	2.23
NEN11 ¹	Small Single Rate within Embedded Network	109.00	6.4474	6.8702								2.0007				0.01	
NGT11 ⁶	Small Flexible Single Rate	109.00	11.7532	0.07.02													
NSP11 ⁷	Small Interval meter time of use	109.00					37.9634	33.4581	29.5206	2.9443						i ma	í an sea
NEE13189	Small Single Rate & Dedicated Circuit	109.00	9.6213	12,4940							2.8996						
NEN13189	Small Single Rate & Dedicated Circuit within Embedded Network	109.00	6.4474	6.8702							2.8996						
NGT13689	Small Flexible Single Rate & Dedicated Circuit	109.00	11.7532								2.8996						
NSP13789	Small Interval meter time of use & Dedicated Circuit	109.00					37.9634	33.4581	29.5206	2.9443	2.8996					i se s a s	
NEE14 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost	109.00	9.6213	12.4940							2.4896						
NEN14 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	109.00	6.4474	6.8702							2.4896					i and a state	
NGT1468 10	Small Flexible Single Rate & Dedicated Circuit with Afternoon Boost	109.00	11.7532								2.4896						
NSP14 ^{7&10}	Small Interval meter time of use & Dedicated Circuit with Afternoon Boost	109.00					37.9634	33.4581	29.5206	2.9443	2.4896					i and a state	
NEE15 ^{1&11}	Small Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	9.6213	12.4940							2.9746						
NEN151&11	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	109.00	6.4474	6.8702							2.9746					i and a state of the state of t	
NGT156811	Small Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	11.7532								2.9746						
NSP15 ^{7&11}	Small Interval meter time of use & Dedicated Circuit 8:00 to 8:00	109.00					37.9634	33.4581	29.5206	2.9443	2.9746					l IIII	
NEE20 ³	Small Two Rate	109.00			17.5412					3.6345							
NEN20 ³	Small Two Rate within Embedded Network	109.00			10.3739					2.9620						l IIII	
NSP207	Small Interval meter time of use	109.00					37.9629	33.4576	29.5201	2.9443							
NEE23 ³	Small Two Rate Solar Installation Standard Feed In Pre December 2012	120.00			17.5413					3.6346		-2.3897				i and	
NEE26 ³	Small Two Rate Solar Installation Standard Feed In Post January 2013	120.00			17.5413					3.6346		-2.3897					
SUN23 ³	Small Two Rate Solar Installation Premium Feed In	120.00			17.5413					3.6346		-2.3897	-60.00			i and	
NSP237	Small Interval Meter time of use Solar Installation Standard Feed In	120.00					37.9629	33.4576	29.5201	2.9443		-2.3897					
SSP237	Small Interval Meter time of use Solar Installation Premium Feed In	120.00					37.9629	33.4576	29.5201	2.9443		-2.3897	-60.00			1	
NEE24 ⁴	Small Two Rate 8:00 to 8:00	109.00			7.7930					1.8911							
NGT26 ⁸	Small Flexible	109.00	13.1880	13.1880		10.1890				3.0724						i and	
NGT23889	Small Flexible & Dedicated Circuit	109.00	13.1880	13.1880		10.1890				3.0724	2.8996						
NGT24 ^{8 & 10}	Small Flexible & Dedicated Circuit with Afternoon Boost	109.00	13.1880	13.1880		10.1890				3.0724	2.4896					i and	
NGT258&11	Small Flexible & Dedicated Circuit 8:00 to 8:00	109.00	13.1880	13.1880		10.1890				3.0724	2.9746						
NEE30 ⁹	Small Dedicated circuit										2.8996						
NSP30 ⁹	Small Interval Dedicated circuit										2.8996						
NEE31 ¹⁰	Small Dedicated circuit with Afternoon Boost										2.4896						
NSP31 ¹⁰	Small Interval Meter Dedicated circuit with Afternoon Boost										2.4896						
NEE3211	Small Dedicated circuit 8:00 to 8:00										2.9746						
NSP32 ¹¹	Small Interval Meter Dedicated circuit 8:00 to 8:00										2.9746						

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



Schedule of Network Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code		Standing Charge	BLOCK 1 c/kWh	BLOCK 2 c/KWh	PEAK	SHOULDE R ALL YEAR	SUMMER PEAK	SUMMER SHOULDER	WINTER PEAK	OFF PEAK	DEDICATED	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK DEMAND	PEAK KW	MONTHLY OFFPEAK KW
		\$/Year			c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW/Mnth	DEMAND \$/kW/Mnth
Business																	
NEE121	Small Single Rate	109.00	13.1990	16.8278													
NASN12 ¹⁵	Small Business Single Rate	109.00	12.7103	12.7103												8.91	2.23
NASN12P ¹⁵	Small Business Single Rate Premium Feed In	109.00	12.7103	12.7103								-2.3897	-60.0000			8.91	2.23
NASN19 ¹⁵	Business >40MWh Single Rate	109.00	15.5551	15.5551												1.78	0.45
NEN121	Small Single Rate within EmbeddedNetwork	109.00	18.9587	21.7563													
NSP127	Small Interval Meter time of use	109.00					37.9629	33.4576	29.5201	2.9443						4	1
NEE16 ^{1 & 9}	Small Single Rate & Dedicated Circuit	109.00	13.1990	16.8278							2.8996						
NEN16 ^{1 & 9}	Small Single Rate & Dedicated Circuit within Embedded Network	109.00	18.9587	21.7563							2.8996					4	
NSP16 ^{7 & 9}	Small Interval Meter time of use & Dedicated Circuit	109.00					37.9629	33.4576	29.5201	2.9443	2.8996						
NEE17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost	109.00	13.1990	16.8278							2.4896					4	
NEN17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	109.00	18.9587	21.7563							2.4896						
NSP17 ^{7 & 10}	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost	109.00					37.9629	33.4576	29.5201	2.9443	2.4896					1	
NEE18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	13.1990	16.8278							2.9746						
NEN18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network	109.00	18.9587	21.7563							2.9746						
NSP18 ^{7 & 11}	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00	109.00					37.9629	33.4576	29.5201	2.9443	2.9746						
NEE21 ³	Small Two Rate	109.00			16.7825					3.8404						4	1
NEN21 ³	Small Two Rate within Embedded Network	109.00			12.3176					5.9979							
NSP217	Small Interval meter time of use	109.00					37.9629	33.4576	29.5201	2.9443						4	1
NASN21 ²	Business >40MWh Two Rate	109.00			16.1614					3.8404						1.78	0.45
NASN2P ²	Business >40MWh Two Rate Premium Feed In	109.00			16.1614					3.8404		-2.3897	-60.00			1.78	0.45
NASN2S ²	Business >40MWh Two Rate Standard Feed In	109.00			16.1614					3.8404		-2.3897				1.78	0.45
SUN21 ³	Small Two Rate Solar Installation Premium Feed In	109.00			16.7825					3.8404		-2.3897	-60.00				
SSP217	Small Interval meter time of use Solar Installation Premium Feed In	109.00					20.6430	18.3313	16.3123	6.6596		-2.3897	-60.00				
SSP277	Small Interval meter time of use Solar Installation Standard Feed In	109.00					20.6430	18.3313	16.3123	6.6596		-2.3897					l IIIII
NEE27 ³	Small Two Rate Solar Installation Standard Feed In Pre December 2012	109.00			16.7825					3.8404		-2.3897					
NEE28 ³	Small Two Rate Solar Installation Standard Feed In Post January 2013	109.00			16.7825					3.8404		-2.3897				1	
NSP277	Small Interval meter Low Peak time of use	109.00					20.6430	18.3313	16.3123	6.6596							
NEE25 ⁴	Small Two Rate 8:00 to 8:00	109.00			15.8928					3.6746						1	
NEE40 ⁶	Medium Single Rate	109.00	22.1032														
NEE41 ^{6 & 9}	Medium Single Rate & Dedicated Circuit	109.00	22.1032								2.8996					<u> </u>	i and a second
NEE42 ^{6 & 10}	Medium Single Rate & Dedicated Circuit with Afternoon Boost	109.00	22.1032								2.4896						
NEE43 ^{6 & 11}	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	22.1032								2.9746					1	
NEE51 ³	Medium Two Rate	109.00			19.3798					4.4596							
NEE52 ³	Medium Unmetered				17.3098					8.6596						<u> </u>	i and a second
NEE55 ¹²	Medium Snowfields	299.00			14.8456					4.1531							
NSP557	Medium Interval meter time of use Snowfields	299.00					37.5579	33.0526	29.1151	2.6043							í an staite
NSP56 ¹³	Medium Critical Peak Demand 160MWh to 400MWh	2,542.00			11.7853	8.9908				3,9330				17.88	29.80		
NEN5613	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	2,542.00			9.3378	6.9640				3,9330				17.88	29.80	<u> </u>	i and a second
NEE60 ⁵	Medium Seven Day Two Rate	299.00			10.5048					3.9196							
NEE74 ³	Large Two Rate	320.00			23.4703					6.6594						í an se	
NSP75 ¹³	Large Critical Peak Demand 400MWh to 750MWh	5,398.00			4.4128	3.4753				1.5435				43.45	72.87		
NSP76 ¹³	Large Critical Peak Demand 750MWh to 2000MWh	5,398.00			4.1764	3.2548				1.4124				45.30	76.61		
NSP77 ¹³	Large Critical Peak Demand 2000MWh to 4000MWh	5,398.00			4.1292	3.2351				1.3568				49.67	82.44		
NSP7813	Large Critical Peak Demand over 4000MWh	5,398.00			3.8409	3.0458				1.2260				54.63	90.39		
NSP8114	High Voltage Critical Peak Demand	5,398.00			1.9938					0.6174				35.76	58.61		
NSP82 ¹³	High Voltage Critical Peak Demand traction	5.398.00			1.9368	1.9368				0.7877				32.78	53.63		
NSP83 ¹³	High Voltage Critical Peak Demand low energy use	5,398.00			10.2721	4.5725				1.3750				3.82	6.31		
NSP91 ¹⁴	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	18,694.00			1.9762					0.4640				2.39	3.94	i sere a	
NEE933	Large Latrobe Valley Open Cut Supplies				1.8952					1.8951				2.00	2.0.		
NSP94 ¹⁴	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	18,694.00			1.9436					0.4478				1.78	2.96	i sere a	
NSP95 ¹⁴	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	18,694.00			2.0060					0.4827				3.70	6.14		

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



Schedule of Distribution Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing	BLOCK 1	BLOCK 2	PEAK	SHOULDER	SUMMER	SUMMER	WINTER	OFF PEAK	DEDICATED	SUMMER	FEEDIN	CAPACITY	CRITICAL	MONTHLY	MONTHLY
		Charge	c/kWh	c/KWh		ALL YEAR	PEAK	SHOULDER	PEAK		CIRCUIT	EXPORT	RATES		PEAK Demand	PEAK KW Demand	OFFPEAK KW
		\$/Year	GRITI	GINWII	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW/Mnth	DEMAND
																	\$/kW/Mnth
Residential																	
NEE11 ¹	Small Residential Single Rate	109.00	7.7110	10.5837													
NASN1115	Small Residential Single Rate	109.00	5.2540	5.2540												8.91	2.23
NASN11P ¹⁵	Small Residential Single Rate Premium Feed In	109.00	5.2540	5.2540								-2.3897	-60.0000			8.91	2.23
NEN11 ¹	Small Residential Single Rate within Embedded Network	109.00	4.5376	4.9604													
NGT11 ⁶	Small Residential Flexible Single Rate	109.00	9.8434														
NSP11 ⁷	Small Residential Interval meter time of use	109.00					36.0531	31.5478	27.6103	2.1847							
NEE13 ^{1 & 9}	Small Residential Single Rate & Dedicated Circuit	109.00	7.7110	10.5837							2.1400						
NEN13 ^{1 & 9}	Small Residential Single Rate & Dedicated Circuit within Embedded Network	109.00	4.5376	4.9604							2.1400						
NGT13 ^{6 & 9}	Small Residential Flexible Single Rate & Dedicated Circuit	109.00	9.8434								2.1400						
NSP13 ^{7 & 9}	Small Residential Interval meter time of use & Dedicated Circuit	109.00					36.0531	31.5478	27.6103	2.1847	2.1400						
NEE14 ^{1 & 10}	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost	109.00	7.7110	10.5837							1.7300						
NEN14 ^{1 & 10}	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	109.00	4.5376	4.9604							1.7300						
NGT14 ^{6 & 10}	Small Residential Flexible Single Rate & Dedicated Circuit with Afternoon Boost	109.00	9.8434								1.7300						
NSP14 ^{7 & 10}	Small Residential Interval meter time of use & Dedicated Circuit with Afternoon Boost	109.00					36.0531	31.5478	27.6103	2.1847	1.7300						
NEE15 ^{1 & 11}	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	7.7110	10.5837							2.2150						
NEN15 ^{1 & 11}	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	109.00	4.5376	4.9604							2.2150						
NGT15 ^{6 & 11}	Small Residential Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	9.8434								2.2150						
NSP15 ^{7 & 11}	Small Residential Interval meter time of use & Dedicated Circuit 8:00 to 8:00	109.00					36.0531	31.5478	27.6103	2.1847	2.2150						
NEE20 ³	Small Residential Two Rate	109.00			15.6314					2.8749							
NEN20 ³	Small Residential Two Rate within Embedded Network	109.00			8.4641					2.2024							
NSP207	Small Residential Interval meter time of use	109.00					36.0531	31.5478	27.6103	2.1847							
NEE23 ³	Small Residential Two Rate Solar Installation Standard Feed In Pre December 2012	120.00			15.6315					2.8750		-2.3897					
NEE26 ³	Small Residential Two Rate Solar Installation Standard Feed In Post January 2013	120.00			15.6315					2.8750		-2.3897					
SUN23 ³	Small Residential Two Rate Solar Installation Premium Feed In	120.00			15.6315					2.8750		-2.3897	-60.00				
NSP237	Small Residential Interval Meter time of use Solar Installation Standard Feed In	120.00					36.0531	31.5478	27.6103	2.1847		-2.3897					
SSP237	Small Residential Interval Meter time of use Solar Installation Premium Feed In	120.00					36.0531	31.5478	27.6103	2.1847		-2.3897	-60.00				
NEE24 ⁴	Small Residential Two Rate 8:00 to 8:00	109.00			5.8832					1.1315							
NGT26 ⁸	Small Residential Flexible	109.00	11.2782	11.2782		8.2792				2.3128							
NGT23 ^{8 & 9}	Small Residential Flexible & Dedicated Circuit	109.00	11.2782	11.2782		8.2792				2.3128	2.1400						
NGT24 ^{8 & 10}	Small Residential Flexible & Dedicated Circuit with Afternoon Boost	109.00	11.2782	11.2782		8.2792				2.3128	1.7300						
NGT25 ^{8 & 11}	Small Residential Flexible & Dedicated Circuit 8:00 to 8:00	109.00	11.2782	11.2782		8.2792				2.3128	2.2150						
NEE30 ⁹	Small Residential Dedicated circuit	0.00									2.1400						
NSP30 ⁹	Small Residential Interval Dedicated circuit	0.00									2.1400						
NEE3110	Small Residential Dedicated circuit with Afternoon Boost	0.00									1.7300						
NSP3110	Small Residential Interval Meter Dedicated circuit with Afternoon Boost	0.00									1.7300						
NEE3211	Small Residential Dedicated circuit 8:00 to 8:00	0.00									2.2150						
NSP3211	Small Residential Interval Meter Dedicated circuit 8:00 to 8:00	0.00									2.2150						

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



Schedule of Distribution Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDER ALL YEAR	SUMMER PEAK	SUMMER SHOULDER	WINTER PEAK	OFF PEAK	DEDICATED CIRCUIT	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY PEAK KW	MONTHLY OFFPEAK
		\$/Year	c/kWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	DEMAND \$/kVA/Year	DEMAND \$/kW/Mnth	KW DEMAND \$/kW/Mnth
Business																	Ş/KW/MITUT
NEE121	Small Single Rate	109.00	11.2892	14.9180													
NASN12 ¹⁵	Small Business Single Rate	109.00	10.8005	10.8005												8.91	2.23
NASN12P ¹⁵	Small Business Single Rate Premium Feed In	109.00	10.8005	10.8005								-2.3897	-60.0000			8.91	2.23
NASN19 ¹⁵	Business >40MWh Single Rate	109.00	13.6453	13.6453												1.78	0.45
NEN12 ¹	Small Single Rate within EmbeddedNetwork	109.00	17.0489	19.8465													
NSP127	Small Interval Meter time of use	109.00					36.0531	31.5478	27.6103	2.1847							
NEE16 ^{1 & 9}	Small Single Rate & Dedicated Circuit	109.00	11.2892	14.9180							2.1400						
NEN16 ^{1 & 9}	Small Single Rate & Dedicated Circuit within Embedded Network	109.00	17.0489	19.8465							2.1400						
NSP16 ^{7 & 9}	Small Interval Meter time of use & Dedicated Circuit	109.00					36.0531	31.5478	27.6103	2.1847	2.1400						
NEE17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost	109.00	11.2892	14.9180							1.7300						
NEN17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	109.00	17.0489	19.8465							1.7300						
NSP17 ^{7 & 10}	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost	109.00					36.0531	31.5478	27.6103	2.1847	1.7300						
NEE18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:00	109.00	11.2892	14.9180							2.2150						
NEN18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network	109.00	17.0489	19.8465							2.2150						
NSP18 ^{7 & 11}	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00	109.00					36.0531	31.5478	27.6103	2.1847	2.2150						
NEE21 ³	Small Two Rate	109.00			14.8727					3.0808							
NEN21 ³	Small Two Rate within Embedded Network	109.00			10.4078					5.2383							
NSP217	Small Interval meter time of use	109.00					36.0531	31.5478	27.6103	2.1847							
NASN21 ²	Business >40MWh Two Rate	109.00			14.2516					3.0808						1.78	0.45
NASN2P ²	Business >40MWh Two Rate Premium Feed In	109.00			14.2516					3.0808		-2.3897	-60.00			1.78	0.45
NASN2S ²	Business >40MWh Two Rate Standard Feed In	109.00			14.2516					3.0808		-2.3897				1.78	0.45
SUN213	Small Two Rate Solar Installation Premium Feed In	109.00			14.8727					3.0808		-2.3897	-60.00				
SSP217	Small Interval meter time of use Solar Installation Premium Feed In	109.00					18.7332	16.4215	14.4025	5.9000		-2.3897	-60.00				
SSP277	Small Interval meter time of use Solar Installation Standard Feed In	109.00					18.7332	16.4215	14.4025	5.9000		-2.3897					
NEE27 ³	Small Two Rate Solar Installation Standard Feed In Pre December 2012	109.00			14.8727					3.0808		-2.3897					
NEE283	Small Two Rate Solar Installation Standard Feed In Post January 2013	109.00			14.8727		(0.7000	10.1015		3.0808		-2.3897					
NSP27 ⁷	Small Interval meter Low Peak time of use	109.00					18.7332	16.4215	14.4025	5.9000							
NEE254	Small Two Rate 8:00 to 8:00	109.00			13.9830					2.9150							
NEE40 ⁶ NEE41 ^{6 & 9}	Medium Single Rate	109.00	20.1934								0.4.400						
NEE41 ^{6 & 10}	Medium Single Rate & Dedicated Circuit	109.00	20.1934								2.1400						
NEE42 ^{6 & 11}	Medium Single Rate & Dedicated Circuit with Afternoon Boost	109.00	20.1934 20.1934								1.7300						
NEE51 ³	Medium Single Rate & Dedicated Circuit 8:00 to 8:00 Medium Two Rate	109.00	20.1934		17.4700					0.7000	2.2150						
NEE52 ³	Medium Unmetered	109.00			15.4000					3.7000 7.9000							
NEE52	Medium Snowfields	109.00			13.3408					3.7335							
NSP55 ⁷	Medium Interval meter time of use Snowfields	109.00			13.3406		36.0531	31.5478	27.6103	2.1847							
NSP56 ¹³	Medium Critical Peak Demand 160MWh to 400MWh	2,352.00			10.2805	7.4860	30.0331	31.3470	27.0103	3.5134				17.88	29.80		
NEN56 ¹³	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	2,352.00			7.8330	5.4592				3.5134				17.88	29.80		
NEE605	Medium Seven Day Two Rate	109.00			9.0000	3.4332				3.5000				17.00	23.00		
NEE74 ³	Large Two Rate	130.00			21.9655					6.2398							
NSP75 ¹³	Large Critical Peak Demand 400MWh to 750MWh	5,208.00			2.9080	1.9705				1.1239				43.45	72.87		
NSP76 ¹³	Large Critical Peak Demand 750MWh to 2000MWh	5,208.00			2.6716	1.7500				0.9928				45.30	76.61		
NSP77 ¹³	Large Critical Peak Demand 2000MWh to 4000MWh	5,208.00			2.6244	1.7303				0.9372				49.67	82.44		
NSP78 ¹³	Large Critical Peak Demand over 4000MWh	5,208.00			2.3361	1.5410				0.8064				54.63	90.39		
NSP81 ¹⁴	High Voltage Critical Peak Demand	5,208.00			0.4890					0.1978				35.76	58.61		
NSP82 ¹³	High Voltage Critical Peak Demand traction	5,208.00			0.4320	0.4320				0.3681				32.78	53.63		
NSP8313	High Voltage Critical Peak Demand low energy use	5,208.00			8.7673	3.0677				0.9554				3.82	6.31		
NSP91 ¹⁴	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	18,504.00			0.4714					0.0444				2.39	3.94		
NEE93 ³	Large Latrobe Valley Open Cut Supplies	0.00			0.9302					0.9301							
NSP94 ¹⁴	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	18,504.00			0.4388					0.0282				1.78	2.96		
NSP95 ¹⁴	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	18,504.00			0.5012					0.0631				3.70	6.14		

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



Schedule of Transmission Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDER	SUMMER PEAK	SUMMER SHOULDER		OFF PEAK	DEDICATE	SUMMER	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY PEAK KW	MONTHLY OFFPEAK
		Charge	c/kWh	c/KWh		ALL TEAN	FEAR	SHOULDEN	FEAN		CINCUIT	EAFORI	INATES		DEMAND	DEMAND	KW
		\$/Year			c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW/Mnth	DEMAND \$/kW/Mnth
Residential																	
NEE11 ¹	Small Residential Single Rate		1.5053	1.5053													
NASN11 ¹⁵	Small Residential Single Rate		1.5048	1.5048													i and a second
NASN11P ¹⁵	Small Residential Single Rate Premium Feed In		1.5048	1.5048													
NEN11 ¹	Small Residential Single Rate within Embedded Network		1.5048	1.5048													
NGT11 ⁶	Small Residential Flexible Single Rate		1.5048														
NSP11 ⁷	Small Residential Interval meter time of use						1.5053	1.5053	1.5053	0.4196							i and a second
NEE13 ^{1 & 9}	Small Residential Single Rate & Dedicated Circuit		1.5053	1.5053							0.4196						
NEN13 ^{1 & 9}	Small Residential Single Rate & Dedicated Circuit within Embedded Network		1.5048	1.5048							0.4196						
NGT13 ^{6 & 9}	Small Residential Flexible Single Rate & Dedicated Circuit		1.5048								0.4196						
NSP13 ^{7 & 9}	Small Residential Interval meter time of use & Dedicated Circuit						1.5053	1.5053	1.5053	0.4196	0.4196						1
NEE14 ^{1 & 10}	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost		1.5053	1.5053							0.4196						
NEN14 ^{1 & 10}	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		1.5048	1.5048							0.4196						
NGT14 ^{6 & 10}	Small Residential Flexible Single Rate & Dedicated Circuit with Afternoon Boost		1.5048								0.4196						
NSP14 ^{7 & 10}	Small Residential Interval meter time of use & Dedicated Circuit with Afternoon Boost						1.5053	1.5053	1.5053	0.4196	0.4196						
NEE15 ^{1 & 11}	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00		1.5053	1.5053							0.4196						
NEN15 ^{1 & 11}	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network		1.5048	1.5048							0.4196						i and a second
NGT15 ^{6 & 11}	Small Residential Flexible Single Rate & Dedicated Circuit 8:00 to 8:00		1.5048								0.4196						
NSP15 ^{7 & 11}	Small Residential Interval meter time of use & Dedicated Circuit 8:00 to 8:00						1.5053	1.5053	1.5053	0.4196	0.4196						
NEE20 ³	Small Residential Two Rate				1.5048					0.4196							
NEN20 ³	Small Residential Two Rate within Embedded Network				1.5048					0.4196							1
NSP207	Small Residential Interval meter time of use						1.5048	1.5048	1.5048	0.4196							
NEE23 ³	Small Residential Two Rate Solar Installation Standard Feed In Pre December 2012				1.5048					0.4196							i and a second
NEE26 ³	Small Residential Two Rate Solar Installation Standard Feed In Post January 2013				1.5048					0.4196							
SUN23 ³	Small Residential Two Rate Solar Installation Premium Feed In				1.5048					0.4196							
NSP237	Small Residential Interval Meter time of use Solar Installation Standard Feed In						1.5048	1.5048	1.5048	0.4196							
SSP237	Small Residential Interval Meter time of use Solar Installation Premium Feed In						1.5048	1.5048	1.5048	0.4196							
NEE24 ⁴	Small Residential Two Rate 8:00 to 8:00				1.5048					0.4196							
NGT26 ⁸	Small Residential Flexible		1.5048	1.5048		1.5048				0.4196							i se s e s
NGT23 ^{8 & 9}	Small Residential Flexible & Dedicated Circuit		1.5048	1.5048		1.5048				0.4196	0.4196						
NGT24 ^{8 & 10}	Small Residential Flexible & Dedicated Circuit with Afternoon Boost		1.5048	1.5048		1.5048				0.4196	0.4196						
NGT25 ^{8 & 11}	Small Residential Flexible & Dedicated Circuit 8:00 to 8:00		1.5048	1.5048		1.5048				0.4196	0.4196						
NEE30 ⁹	Small Residential Dedicated circuit										0.4196						
NSP30 ⁹	Small Residential Interval Dedicated circuit										0.4196						
NEE31 ¹⁰	Small Residential Dedicated circuit with Afternoon Boost										0.4196						
NSP31 ¹⁰	Small Residential Interval Meter Dedicated circuit with Afternoon Boost										0.4196						
NEE32 ¹¹	Small Residential Dedicated circuit 8:00 to 8:00										0.4196						
NSP32 ¹¹	Small Residential Interval Meter Dedicated circuit 8:00 to 8:00										0.4196						

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



Schedule of Transmission Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing	BLOCK 1	BLOCK 2	PEAK	SHOULDER	SUMMER	SUMMER	WINTER	OFF PEAK	DEDICATE	SUMMER	FEEDIN	CAPACITY	CRITICAL	MONTHLY	MONTHLY
		Charge				ALL YEAR	PEAK	SHOULDE	R PEAK		CIRCUIT	EXPORT	RATES		PEAK	KW	KW
		\$/Year	c/kWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	CUVAN -	DEMAND \$/kVA/Year	DEMAND \$/kW	DEMAND \$/kW2
Business		\$/ rear			C/KWII	C/KWN	C/KWN	C/KWII	C/KWN	C/KWI	C/KWN	C/KWN	C/KWIIZ	\$/KVA/tear	\$/KVA/tear	\$/KVV	\$/KVV2
NEE121	Small Single Rate		1.5048	1.5048													
NASN12 ¹⁵	Small Business Single Rate		1.5048	1.5048													(Internet in the second se
NASN12P ¹⁵	Small Business Single Rate Premium Feed In		1.5048	1.5048													
NASN19 ¹⁵	Business >40MWh Single Rate		1.5048	1.5048													(Internet in the second se
NEN121	Small Single Rate within EmbeddedNetwork		1.5048	1.5048													
NSP127	Small Interval Meter time of use						1.5048	1.5048	1.5048	0.4196							í an sea
NEE16 ^{1 & 9}	Small Single Rate & Dedicated Circuit		1.5048	1.5048							0.4196						
NEN16 ^{1 & 9}	Small Single Rate & Dedicated Circuit within Embedded Network		1.5048	1.5048							0.4196						í la
NSP16 ^{7 & 9}	Small Interval Meter time of use & Dedicated Circuit						1.5048	1.5048	1.5048	0.4196	0.4196						í l
NEE17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost		1.5048	1.5048							0.4196						
NEN17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		1.5048	1.5048							0.4196						
NSP17 ^{7 & 10}	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost						1.5048	1.5048	1,5048	0.4196	0.4196						í an sea
NEE18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:00		1.5048	1.5048							0.4196						
NEN18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network		1.5048	1.5048							0.4196						(Internet in the second se
NSP18 ^{7 & 11}	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00						1.5048	1.5048	1.5048	0.4196	0.4196						
NEE21 ³	Small Two Rate				1.5048					0.4196							
NEN21 ³	Small Two Rate within Embedded Network				1.5048					0.4196							
NSP217	Small Interval meter time of use						1.5048	1.5048	1.5048	0.4196							í an sea
NASN21 ²	Business >40MWh Two Rate				1.5048					0.4196							
NASN2P ²	Business >40MWh Two Rate Premium Feed In				1.5048					0.4196							
NASN2S ²	Business >40MWh Two Rate Standard Feed In				1.5048					0.4196							
SUN213	Small Two Rate Solar Installation Premium Feed In				1.5048					0.4196							(Internet in the second se
SSP217	Small Interval meter time of use Solar Installation Premium Feed In						1.5048	1.5048	1.5048	0.4196							
SSP277	Small Interval meter time of use Solar Installation Standard Feed In						1.5048	1.5048	1,5048	0.4196							
NEE27 ³	Small Two Rate Solar Installation Standard Feed In Pre December 2012				1.5048					0.4196							
NEE28 ³	Small Two Rate Solar Installation Standard Feed In Post January 2013				1.5048					0.4196							(Internet in the second se
NSP277	Small Interval meter Low Peak time of use						1.5048	1.5048	1.5048	0.4196							
NEE254	Small Two Rate 8:00 to 8:00				1.5048					0.4196							
NEE40 ⁶	Medium Single Rate		1.5048														
NEE41 ^{6 & 9}	Medium Single Rate & Dedicated Circuit		1.5048								0.4196						(Internet in the second se
NEE42 ^{6 & 10}	Medium Single Rate & Dedicated Circuit with Afternoon Boost		1.5048								0.4196						
NEE43 ^{6 & 11}	Medium Single Rate & Dedicated Circuit 8:00 to 8:00		1.5048								0.4196						
NEE51 ³	Medium Two Rate				1.5048					0.4196							
NEE52 ³	Medium Unmetered				1.5048					0.4196							
NEE5512	Medium Snowfields				1.5048					0.4196							
NSP557	Medium Interval meter time of use Snowfields						1.5048	1.5048	1.5048	0.4196							
NSP5613	Medium Critical Peak Demand 160MWh to 400MWh				1.5048	1.5048				0.4196							
NEN5613	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network				1.5048	1.5048				0.4196							
NEE60 ⁵	Medium Seven Day Two Rate				1.5048					0.4196							
NEE74 ³	Large Two Rate				1.5048					0.4196							
NSP75 ¹³	Large Critical Peak Demand 400MWh to 750MWh				1.5048	1.5048				0.4196							
NSP76 ¹³	Large Critical Peak Demand 750MWh to 2000MWh				1.5048	1.5048				0.4196							
NSP77 ¹³	Large Critical Peak Demand 2000MWh to 4000MWh				1.5048	1.5048				0.4196							
NSP78 ¹³	Large Critical Peak Demand over 4000MWh				1.5048	1.5048				0.4196							
NSP81 ¹⁴	High Voltage Critical Peak Demand				1.5048					0.4196							
NSP82 ¹³	High Voltage Critical Peak Demand traction				1.5048	1.5048				0.4196							
NSP8313	High Voltage Critical Peak Demand low energy use				1.5048	1.5048				0.4196							
NSP91 ¹⁴	Sub transmission Critical Peak Demand <25MVA & <20KM from TS				1.5048					0.4196							
NEE93 ³	Large Latrobe Valley Open Cut Supplies				0.9650					0.9650							
NSP94 ¹⁴	Sub transmission Critical Peak Demand >25MVA & <20KM from TS				1.5048					0.4196							
NSP95 ¹⁴	Sub transmission Critical Peak Demand <25MVA & >20KM from TS				1.5048					0.4196							

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia

Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausnetservices.com.au

Issue 17

1 January 2018



Schedule of Jurisdictional Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDER	SUMMER PEAK	SUMMER SHOULDER	WINTER PFAK	OFF PEAK	DEDICATED	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY PEAK KW	
		Charge	c/kWh	c/KWh		ALL TEAN	FEAR	SHOULDEN	FEAR		CINCOIT	EAFORI	NATES			DEMAND	KW
		\$/Year			c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW/Mnth	DEMAND \$/kW/Mnth
Residential																	
NEE11 ¹	Small Residential Single Rate		0.4050	0.4050													
NASN11 ¹⁵	Small Residential Single Rate		0.4050	0.4050													
NASN11P ¹⁵	Small Residential Single Rate Premium Feed In		0.4050	0.4050													
NEN11 ¹	Small Residential Single Rate within Embedded Network		0.4050	0.4050													
NGT11 ⁶	Small Residential Flexible Single Rate		0.4050	0.1000													
NSP11 ⁷	Small Residential Interval meter time of use		0.1000				0.4050	0.4050	0.4050	0.3400							
NEE13 ^{1 & 9}	Small Residential Single Rate & Dedicated Circuit		0.4050	0.4050							0.3400						
NEN13 ^{1 & 9}	Small Residential Single Rate & Dedicated Circuit within Embedded Network		0.4050	0.4050							0.3400						
NGT13 ^{6 & 9}	Small Residential Flexible Single Rate & Dedicated Circuit		0.4050								0.3400						
NSP13 ^{7 & 9}	Small Residential Interval meter time of use & Dedicated Circuit						0.4050	0.4050	0.4050	0.3400	0.3400						
NEE14 ^{1 & 10}	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost		0.4050	0.4050							0.3400						
NEN14 ^{1 & 10}	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		0.4050	0.4050							0.3400						
NGT14 ^{6 & 10}	Small Residential Flexible Single Rate & Dedicated Circuit with Afternoon Boost		0.4050								0.3400						
NSP14 ^{7 & 10}	Small Residential Interval meter time of use & Dedicated Circuit with Afternoon Boost						0.4050	0.4050	0.4050	0.3400	0.3400						
NEE15 ^{1 & 11}	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00		0.4050	0.4050							0.3400						
NEN15 ^{1 & 11}	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network		0.4050	0.4050							0.3400						
NGT15 ^{6 & 11}	Small Residential Flexible Single Rate & Dedicated Circuit 8:00 to 8:00		0.4050								0.3400						
NSP15 ^{7 & 11}	Small Residential Interval meter time of use & Dedicated Circuit 8:00 to 8:00						0.4050	0.4050	0.4050	0.3400	0.3400						
NEE20 ³	Small Residential Two Rate				0.4050					0.3400							
NEN20 ³	Small Residential Two Rate within Embedded Network				0.4050					0.3400							
NSP207	Small Residential Interval meter time of use						0.4050	0.4050	0.4050	0.3400							
NEE23 ³	Small Residential Two Rate Solar Installation Standard Feed In Pre December 2012				0.4050					0.3400							
NEE26 ³	Small Residential Two Rate Solar Installation Standard Feed In Post January 2013				0.4050					0.3400							
SUN23 ³	Small Residential Two Rate Solar Installation Premium Feed In				0.4050					0.3400							
NSP237	Small Residential Interval Meter time of use Solar Installation Standard Feed In						0.4050	0.4050	0.4050	0.3400							
SSP237	Small Residential Interval Meter time of use Solar Installation Premium Feed In						0.4050	0.4050	0.4050	0.3400							
NEE24 ⁴	Small Residential Two Rate 8:00 to 8:00				0.4050					0.3400							
NGT26 ⁸	Small Residential Flexible		0.4050	0.4050		0.4050				0.3400							
NGT23 ^{8 & 9}	Small Residential Flexible & Dedicated Circuit		0.4050	0.4050		0.4050				0.3400	0.3400						
NGT24 ^{8 & 10}	Small Residential Flexible & Dedicated Circuit with Afternoon Boost		0.4050	0.4050		0.4050				0.3400	0.3400						
NGT25 ^{8 & 11}	Small Residential Flexible & Dedicated Circuit 8:00 to 8:00		0.4050	0.4050		0.4050				0.3400	0.3400						
NEE30 ⁹	Small Residential Dedicated circuit										0.3400						
NSP30 ⁹	Small Residential Interval Dedicated circuit										0.3400						
NEE31 ¹⁰	Small Residential Dedicated circuit with Afternoon Boost										0.3400						
NSP31 ¹⁰	Small Residential Interval Meter Dedicated circuit with Afternoon Boost										0.3400						
NEE32 ¹¹	Small Residential Dedicated circuit 8:00 to 8:00										0.3400						
NSP32 ¹¹	Small Residential Interval Meter Dedicated circuit 8:00 to 8:00										0.3400						

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



Schedule of Jurisdictional Use of System Tariffs Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDER	SUMMER PEAK	SUMMER SHOULDEF	WINTER PEAK	OFF PEAK	DEDICATED	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY PEAK KW	OFFPEAK
		\$/Year	c/kWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	DEMAND \$/kVA/Year	DEMAND \$/kW/Mnth	KW DEMAND \$/kW/Mnt
Business	Small Single Bate		0.4050	0.4050													<u> </u>
VEE12 ¹ VASN12 ¹⁵	Small Single Rate		0.4050	0.4050												_	1
ASN12 ¹⁵	Small Business Single Rate Small Business Single Rate Premium Feed In		0.4050	0.4050													1
VASINT2P	Business >40MWh Single Rate		0.4050	0.4050													1
NEN121	Small Single Rate within EmbeddedNetwork		0.4050	0.4050													1
NSP12 ⁷	Small Interval Meter time of use		0.4030	0.4030			0.4050	0.4050	0.4050	0.3400						_	1
VEE16 ^{1 & 9}	Small Single Rate & Dedicated Circuit		0.4050	0.4050			0.4000	0.4000	0.4000	0.0400	0.3400						1
VEN16 ^{1 & 9}	Small Single Rate & Dedicated Circuit within Embedded Network		0.4050	0.4050							0.3400						í –
VSP16 ^{7 & 9}	Small Interval Meter time of use & Dedicated Circuit		0.1000	0.1000			0.4050	0.4050	0.4050	0.3400	0.3400						1
VEE17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost		0.4050	0.4050			0.1000	0.1000	0.1000	0.0100	0.3400						í –
JEN17 ^{1 & 10}	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		0.4050	0.4050							0.3400						1
SP17 ^{7 & 10}	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost		0.1000	0.1000			0.4050	0.4050	0.4050	0.3400	0.3400						í
VEE18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:00		0.4050	0.4050			0.1000	0.1000	0.1000	0.0100	0.3400						1
VEN18 ^{1 & 11}	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network		0.4050	0.4050							0.3400						
VSP18 ^{7 & 11}	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00						0.4050	0.4050	0.4050	0.3400	0.3400						1
VEE213	Small Two Rate				0.4050					0.3400							í –
VEN21 ³	Small Two Rate within Embedded Network				0.4050					0.3400							1
VSP217	Small Interval meter time of use						0.4050	0.4050	0.4050	0.3400							í –
ASN21 ²	Business >40MWh Two Rate				0.4050					0.3400							1
ASN2P ²	Business >40MWh Two Rate Premium Feed In				0.4050					0.3400							í –
ASN2S ²	Business >40MWh Two Rate Standard Feed In				0.4050					0.3400							1
SUN21 ³	Small Two Rate Solar Installation Premium Feed In				0.4050					0.3400							
SSP217	Small Interval meter time of use Solar Installation Premium Feed In						0.4050	0.4050	0.4050	0.3400							1
SSP277	Small Interval meter time of use Solar Installation Standard Feed In						0.4050	0.4050	0.4050	0.3400							í –
NEE273	Small Two Rate Solar Installation Standard Feed In Pre December 2012				0.4050					0.3400							1
VEE28 ³	Small Two Rate Solar Installation Standard Feed In Post January 2013				0.4050					0.3400						1	í –
NSP277	Small Interval meter Low Peak time of use						0.4050	0.4050	0.4050	0.3400							
VEE25 ⁴	Small Two Rate 8:00 to 8:00				0.4050					0.3400						1	
NEE40 ⁶	Medium Single Rate		0.4050														
NEE41 ^{6 & 9}	Medium Single Rate & Dedicated Circuit		0.4050								0.3400						í –
NEE42 ^{6 & 10}	Medium Single Rate & Dedicated Circuit with Afternoon Boost		0.4050								0.3400						
VEE43 ^{6 & 11}	Medium Single Rate & Dedicated Circuit 8:00 to 8:00		0.4050								0.3400						1
NEE51 ³	Medium Two Rate				0.4050					0.3400							
VEE52 ³	Medium Unmetered				0.4050					0.3400							1
VEE55 ¹²	Medium Snowfields	190.00															
VSP55 ⁷	Medium Interval meter time of use Snowfields	190.00															1
VSP56 ¹³	Medium Critical Peak Demand 160MWh to 400MWh	190.00															
VEN5613	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	190.00															1
VEE60 ⁵	Medium Seven Day Two Rate	190.00															
VEE74 ³	Large Two Rate	190.00															1
VSP75 ¹³	Large Critical Peak Demand 400MWh to 750MWh	190.00															
VSP76 ¹³	Large Critical Peak Demand 750MWh to 2000MWh	190.00															
VSP77 ¹³	Large Critical Peak Demand 2000MWh to 4000MWh	190.00															
VSP78 ¹³	Large Critical Peak Demand over 4000MWh	190.00															
VSP81 ¹⁴	High Voltage Critical Peak Demand	190.00															
VSP8213	High Voltage Critical Peak Demand traction	190.00															
VSP83 ¹³	High Voltage Critical Peak Demand low energy use	190.00															
VSP91 ¹⁴	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	190.00															
IEE93 ³	Large Latrobe Valley Open Cut Supplies																
ISP94 ¹⁴	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	190.00															
ISP95 ¹⁴	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	190.00															

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia

		Tariff Structure Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST AUSNEL Services
Tariff Structure 1		
Standing Charge	\$/Year	
Inclining Block 1	c/kWh	1020kWh/qtr
Inclining Block 2	c/kWh	kWh Balance
Tariff Structure 2		
Standing Charge	\$/Year	
Peak Energy	c/kWh	7:00AM to 11:00PM Monday to Friday
Off Peak Energy	c/kWh	All other times
Demand		3:00PM to 9:00PM ADST, Monday to Friday, Peak Season Dec to Mar Off Peak all other months
Tariff Structure 3		
Standing Charge	\$/Year	
Peak Energy	c/kWh	7:00AM to 11:00PM Monday to Friday
Off Peak Energy	c/kWh	All other times
Oli Feak Ellergy	C/KVVII	
Tariff Structure 4		
Standing Charge	\$/Year	
Peak Energy	c/kWh	8:00AM to 8:00PM Monday to Friday
Off Peak Energy	c/kWh	All other times
Tariff Structure 5		
Standing Charge	\$/Year	
Peak Energy	c/kWh	7:00AM to 11:00PM Monday to Sunday
Off Peak Energy	c/kWh	All other times
Tariff Structure 6		
Standing Charge	\$/Year	
Energy	c/kWh	All energy
Touiff Churcharter 7		
Tariff Structure 7	¢/Voor	
Standing Charge	\$/Year	Dec - Mar, Mon - Fri, 2:00PM - 6:00PM
Summer Peak Summer Shoulder	c/kWh c/kWh	Dec - Mar, Mon - Fri, 2:00PM - 6:00PM Dec - Mar, Mon - Fri, 12:00Noon to 2:00PM and 6:00PM to 8:00PM
Winter Peak	c/kWh	Jun - Aug, Mon - Fri, 4:00PM to 8:00PM
winter i ear	c/kWh	All other times

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia

		Tariff Structure Effective 1 January 2018 NOTE: ALL PRICES EXCLUSIVE OF GST	
Tariff Structure 8			
Standing Charge	\$/Year		
Summer		ST First Sunday in October to 2:00AM AEST First Sunday in April	
Peak	c/kWh	Mon – Fri 3:00PM to 9:00PM	
Shoulder	c/kWh	Mon – Fri 7:00AM to 3:00PM & 9:00PM to 10:00PM; and Sat - Sun 7:00AM to 10:00PM	
Off Peak	c/kWh	All other times	
AEDT in Summer AEST all oth	ier times.		
Tariff Structure 9			
Standing Charge	\$/Year		
Off Peak Energy	c/kWh	11:00PM to 7:00AM Monday to Sunday	
		· · ·	
Tariff Structure 10			
Standing Charge	\$/Year		
Off Peak Energy	c/kWh	11:00PM to 7:00AM & 1:00PM to 4:00PM Monday to Sunday	
Tariff Structure 11			
Standing Charge	\$/Year		
Off Peak Energy	c/kWh	6 or 8 Hrs between 8:00PM to 8:00AM Monday to Sunday	
Tariff Structure 12			
Standing Charge	\$/Year		
Peak Energy Off Peak Energy	c/kWh c∕kWh	1 May to 30 September All other times	
Off Peak Energy	C/KVVII	All other times	
Tariff Structure 13			
Standing Charge	\$/Year		
Peak Energy	c/kWh	7:00AM to 10:00AM & 4:00PM to 11:00PM Monday to Friday	
Shoulder Energy	c/kWh	10:00AM to 4:00PM Monday to Friday	
Off Peak Energy	c/kWh	All other times	
Demand Capacity	\$/kVA/yr	Fixed Value	
Demand Critical Peak	\$/kVA/yr	Average of five rcorded between 3:00PM & 7:00PM ADST on five	days nominated in advance
Tariff Structure 14			
Standing Charge	\$/Year		
Peak Energy	c/kWh	7:00AM to 11:00PM Monday to Friday	
Off Peak Energy	c/kWh	All other times	
Demand Capacity	\$/kVA/yr	Fixed Value	
Demand Critical Peak	\$/kVA/yr	Average of five rcorded between 3:00PM & 7:00PM ADST on five	e days nominated in advance
T			
Tariff Structure 15 Standing Charge	\$/Year		
Inclining Block 1	c/kWh	1020kWh/gtr	
Inclining Block 2	c/kWh	kWh Balance (these tariffs expressed as single rate, all energy is	s charged at the same rate in 2018)
Demand		n 3:00PM to 9:00PM ADST, Monday to Friday, Peak Season Dec to	e ,
AusNet Services Electricity Pty Ltd ABN 91 064 651 1			
A subsidiary of AusNet Services Networks (Distribution			
		Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia	
Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausn	etservices.com.au		

Issue 17