

10.13

Indicative pricing schedule – Climate Change Fund

[illegible]

Table 2: Indicative CCF Pricing Schedule by Charging Parameter – FY2020/21

CCF tariff		2021	2021				2021			2021	
		Fixed charge	Flat and ToU consumption charges (c/kWh)				Non ToU consumption charges (c/kWh)			Capacity charges	
Code	Name	(cents/day)	Non-TOU	Peak	Shoulder	Off-peak	Block 1	Block 2	Block 3	cents/kVA/day	cents/kW/day
Low Voltage											
EA001	LV <2 MWh	-	-	-	-	-	0.4113	0.4113	0.4113	-	-
EA002	Safeguard <2 MWh	-	-	-	-	-	0.4113	0.4113	0.4113	-	-
EA010	Residential non-TOU - closed	-	-	-	-	-	0.4113	0.4113	0.4113	-	-
EA011	Residential transitional TOU	-	-	0.4113	0.4113	0.4113	-	-	-	-	-
EA025	Residential TOU 2-15 MWh	-	-	0.4113	0.4113	0.4113	-	-	-	-	-
EA030	Controlled load 1	-	0.2900	-	-	-	-	-	-	-	-
EA040	Controlled load 2	-	0.2400	-	-	-	-	-	-	-	-
EA050	Small business non-TOU -closed	-	-	-	-	-	0.6394	0.6394	-	-	-
EA051	Small business transitional TOU	-	-	0.6394	0.6394	0.6394	-	-	-	-	-
EA211	Residential TOU 15-40 MWh	-	-	0.4113	0.4113	0.4113	-	-	-	-	-
EA212	Small business TOU 15-40 MWh	-	-	0.6394	0.6394	0.6394	-	-	-	-	-
EA225	Small business TOU 2-15 MWh	-	-	0.6394	0.6394	0.6394	-	-	-	-	-
EA302	LV 40-160 MWh	-	-	0.3220	0.3220	0.3220	-	-	-	-	-
EA309	LV >160 MWh	-	-	0.5724	0.5724	0.5724	-	-	-	-	-
EA316	Transitional 40-160 MWh	-	-	0.5724	0.5724	0.5724	-	-	-	-	-
EA317	Transitional 160-750 MWh	-	-	0.5724	0.5724	0.5724	-	-	-	-	-
EA325	LV Connection (standby) closed	-	-	0.5724	0.5724	0.5724	-	-	-	-	-
High Voltage											
EA360	HV Connection (standby) closed	-	-	0.7142	0.7142	0.7142	-	-	-	-	-
EA370	HV Connection (system)	-	-	0.7142	0.7142	0.7142	-	-	-	-	-
EA380	HV Connection (substation)	-	-	0.7142	0.7142	0.7142	-	-	-	-	-
Sub-transmission Voltage											
EA390	ST Connection	-	-	0.6745	0.6745	0.6745	-	-	-	-	-
EA391	ST Connection (substation)	-	-	0.6745	0.6745	0.6745	-	-	-	-	-
Unmetered											
EA401	Public lighting	-	0.8000	-	-	-	-	-	-	-	-
EA402	Constant unmetered	-	0.6900	-	-	-	-	-	-	-	-
EA403	EnergyLight	-	0.7200	-	-	-	-	-	-	-	-
Transmission connected											
EA501	Transmission-connected	-	-	-	-	-	-	-	-	-	-

Table 3: Indicative CCF Pricing Schedule by Charging Parameter – FY2021/22

CCF tariff		2022	2022	2022			2022	2022			2022	
Code	Name	Fixed charge	Flat and ToU consumption charges (c/kWh)	Flat and ToU consumption charges (c/kWh)			Non ToU consumption charges (c/kWh)			Capacity charges		
		(cents/day)	Non-TOU	Peak	Shoulder	Off-peak	Block 1	Block 2	Block 3	cents/kVA/day	cents/kW/day	
Low Voltage												
EA001	LV <2 MWh	-	-	-	-	-	0.4204	0.4204	0.4204	-	-	
EA002	Safeguard <2 MWh	-	-	-	-	-	0.4204	0.4204	0.4204	-	-	
EA010	Residential non-TOU - closed	-	-	-	-	-	0.4204	0.4204	0.4204	-	-	
EA011	Residential transitional TOU	-	-	0.4204	0.4204	0.4204	-	-	-	-	-	
EA025	Residential TOU 2-15 MWh	-	-	0.4204	0.4204	0.4204	-	-	-	-	-	
EA030	Controlled load 1	-	0.2900	-	-	-	-	-	-	-	-	
EA040	Controlled load 2	-	0.2400	-	-	-	-	-	-	-	-	
EA050	Small business non-TOU -closed	-	-	-	-	-	0.6224	0.6224	-	-	-	
EA051	Small business transitional TOU	-	-	0.6224	0.6224	0.6224	-	-	-	-	-	
EA211	Residential TOU 15-40 MWh	-	-	0.4204	0.4204	0.4204	-	-	-	-	-	
EA212	Small business TOU 15-40 MWh	-	-	0.6224	0.6224	0.6224	-	-	-	-	-	
EA225	Small business TOU 2-15 MWh	-	-	0.6224	0.6224	0.6224	-	-	-	-	-	
EA302	LV 40-160 MWh	-	-	0.3135	0.3135	0.3135	-	-	-	-	-	
EA309	LV >160 MWh	-	-	0.5572	0.5572	0.5572	-	-	-	-	-	
EA316	Transitional 40-160 MWh	-	-	0.5572	0.5572	0.5572	-	-	-	-	-	
EA317	Transitional 160-750 MWh	-	-	0.5572	0.5572	0.5572	-	-	-	-	-	
EA325	LV Connection (standby) closed	-	-	0.5572	0.5572	0.5572	-	-	-	-	-	
High Voltage												
EA360	HV Connection (standby) closed	-	-	0.6952	0.6952	0.6952	-	-	-	-	-	
EA370	HV Connection (system)	-	-	0.6952	0.6952	0.6952	-	-	-	-	-	
EA380	HV Connection (substation)	-	-	0.6952	0.6952	0.6952	-	-	-	-	-	
Sub-transmission Voltage												
EA390	ST Connection	-	-	0.6566	0.6566	0.6566	-	-	-	-	-	
EA391	ST Connection (substation)	-	-	0.6566	0.6566	0.6566	-	-	-	-	-	

Table 4: Indicative CCF Pricing Schedule by Charging Parameter – FY2022/23

CCF tariff		2023	2023				2023			2023	
		Fixed charge	Flat and ToU consumption charges (c/kWh)				Non ToU consumption charges (c/kWh)			Capacity charges	
Code	Name	(cents/day)	Non-TOU	Peak	Shoulder	Off-peak	Block 1	Block 2	Block 3	cents/kVA/day	cents/kW/day
Low Voltage											
EA001	LV <2 MWh	-	-	-	-	-	0.4325	0.4325	0.4325	-	-
EA002	Safeguard <2 MWh	-	-	-	-	-	0.4325	0.4325	0.4325	-	-
EA010	Residential non-TOU - closed	-	-	-	-	-	0.4325	0.4325	0.4325	-	-
EA011	Residential transitional TOU	-	-	0.4325	0.4325	0.4325	-	-	-	-	-
EA025	Residential TOU 2-15 MWh	-	-	0.4325	0.4325	0.4325	-	-	-	-	-
EA030	Controlled load 1	-	0.2900	-	-	-	-	-	-	-	-
EA040	Controlled load 2	-	0.2400	-	-	-	-	-	-	-	-
EA050	Small business non-TOU -closed	-	-	-	-	-	0.6099	0.6099	-	-	-
EA051	Small business transitional TOU	-	-	0.6099	0.6099	0.6099	-	-	-	-	-
EA211	Residential TOU 15-40 MWh	-	-	0.4325	0.4325	0.4325	-	-	-	-	-
EA212	Small business TOU 15-40 MWh	-	-	0.6099	0.6099	0.6099	-	-	-	-	-
EA225	Small business TOU 2-15 MWh	-	-	0.6099	0.6099	0.6099	-	-	-	-	-
EA302	LV 40-160 MWh	-	-	0.3071	0.3071	0.3071	-	-	-	-	-
EA309	LV >160 MWh	-	-	0.5460	0.5460	0.5460	-	-	-	-	-
EA316	Transitional 40-160 MWh	-	-	0.5460	0.5460	0.5460	-	-	-	-	-
EA317	Transitional 160-750 MWh	-	-	0.5460	0.5460	0.5460	-	-	-	-	-
EA325	LV Connection (standby) closed	-	-	0.5460	0.5460	0.5460	-	-	-	-	-
High Voltage											
EA360	HV Connection (standby) closed	-	-	0.6812	0.6812	0.6812	-	-	-	-	-
EA370	HV Connection (system)	-	-	0.6812	0.6812	0.6812	-	-	-	-	-
EA380	HV Connection (substation)	-	-	0.6812	0.6812	0.6812	-	-	-	-	-
Sub-transmission Voltage											
EA390	ST Connection	-	-	0.6433	0.6433	0.6433	-	-	-	-	-
EA391	ST Connection (substation)	-	-	0.6433	0.6433	0.6433	-	-	-	-	-
Unmetered											
EA401	Public lighting	-	0.8000	-	-	-	-	-	-	-	-
EA402	Constant unmetered	-	0.6900	-	-	-	-	-	-	-	-
EA403	EnergyLight	-	0.7200	-	-	-	-	-	-	-	-
Transmission connected											
EA501	Transmission-connected	-	-	-	-	-	-	-	-	-	-

Table 5: Indicative CCF Pricing Schedule by Charging Parameter – FY2023/24

CCF tariff		2024	2024				2024			2024	
Code	Name	Fixed charge	Flat and ToU consumption charges (c/kWh)				Non ToU consumption charges (c/kWh)			Capacity charges	
		(cents/day)	Non-TOU	Peak	Shoulder	Off-peak	Block 1	Block 2	Block 3	cents/kVA/day	cents/kW/day
Low Voltage											
EA001	LV <2 MWh	-	-	-	-	-	0.4419	0.4419	0.4419	-	-
EA002	Safeguard <2 MWh	-	-	-	-	-	0.4419	0.4419	0.4419	-	-
EA010	Residential non-TOU - closed	-	-	-	-	-	0.4419	0.4419	0.4419	-	-
EA011	Residential transitional TOU	-	-	0.4419	0.4419	0.4419	-	-	-	-	-
EA025	Residential TOU 2-15 MWh	-	-	0.4419	0.4419	0.4419	-	-	-	-	-
EA030	Controlled load 1	-	0.2900	-	-	-	-	-	-	-	-
EA040	Controlled load 2	-	0.2400	-	-	-	-	-	-	-	-
EA050	Small business non-TOU -closed	-	-	-	-	-	0.5991	0.5991	-	-	-
EA051	Small business transitional TOU	-	-	0.5991	0.5991	0.5991	-	-	-	-	-
EA211	Residential TOU 15-40 MWh	-	-	0.4419	0.4419	0.4419	-	-	-	-	-
EA212	Small business TOU 15-40 MWh	-	-	0.5991	0.5991	0.5991	-	-	-	-	-
EA225	Small business TOU 2-15 MWh	-	-	0.5991	0.5991	0.5991	-	-	-	-	-
EA302	LV 40-160 MWh	-	-	0.3017	0.3017	0.3017	-	-	-	-	-
EA309	LV >160 MWh	-	-	0.5363	0.5363	0.5363	-	-	-	-	-
EA316	Transitional 40-160 MWh	-	-	0.5363	0.5363	0.5363	-	-	-	-	-
EA317	Transitional 160-750 MWh	-	-	0.5363	0.5363	0.5363	-	-	-	-	-
EA325	LV Connection (standby) closed	-	-	0.5363	0.5363	0.5363	-	-	-	-	-
High Voltage											
EA360	HV Connection (standby) closed	-	-	0.6691	0.6691	0.6691	-	-	-	-	-
EA370	HV Connection (system)	-	-	0.6691	0.6691	0.6691	-	-	-	-	-
EA380	HV Connection (substation)	-	-	0.6691	0.6691	0.6691	-	-	-	-	-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
Sub-transmission Voltage											
EA390	ST Connection	-	-	0.6320	0.6320	0.6320	-	-	-	-	-
EA391	ST Connection (substation)	-	-	0.6320	0.6320	0.6320	-	-	-	-	-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-	-		-
			-				-	-			