

Indicative pricing schedule – Distribution Use of System (DUOS) charges

[illegible]

Table 2: Indicative DUOS Pricing Schedule by Charging Parameter – FY2020/21

DUOS tariff		2021	2021				2021			2021	
		Fixed charge	Flat and ToU consumption charges (c/kWh)				Non ToU consumption charges (c/kWh)			Capacity charges	
Code	Name	(cents/day)	Non-TOU	Peak	Shoulder	Off-peak	Block 1	Block 2	Block 3	cents/kVA/day	cents/kW/day
Low Voltage											
EA001	LV <2 MWh	38.4842	-	-	-	-	6.3328	5.2346	5.2346	-	-
EA002	Safeguard <2 MWh	38.2974	-	-	-	-	6.2308	5.2346	5.2346	-	-
EA010	Residential non-TOU - closed	46.1346	-	-	-	-	5.2346	5.2346	5.2346	-	-
EA011	Residential transitional TOU	41.2324	-	6.7052	4.8581	4.8581	-	-	-	-	-
EA025	Residential TOU 2-15 MWh	51.0579	-	14.2702	5.3186	1.4560	-	-	-	-	-
EA030	Controlled load 1	0.1634	-	-	-	-	-	-	-	-	-
EA040	Controlled load 2	11.9669	-	-	-	-	-	-	-	-	-
EA050	Small business non-TOU -closed	144.1175	-	-	-	-	4.5848	4.5848	-	-	-
EA051	Small business transitional TOU	140.9655	-	5.2912	3.8040	3.7869	-	-	-	-	-
EA211	Residential TOU 15-40 MWh	51.0579	-	14.2702	5.3186	1.4560	-	-	-	-	0.5000
EA212	Small business TOU 15-40 MWh	139.3840	-	7.1610	7.5152	1.5829	-	-	-	-	0.5000
EA225	Small business TOU 2-15 MWh	139.3840	-	7.1610	7.5152	1.5829	-	-	-	-	-
EA302	LV 40-160 MWh	681.5072	-	3.2459	1.4440	0.4256	-	-	-	-	39.2187
EA309	LV >160 MWh	2,072.2633	-	1.5519	0.8056	0.0364	-	-	-	39.2187	-
EA316	Transitional 40-160 MWh	139.3840	-	6.2428	8.4850	0.8320	-	-	-	-	-
EA317	Transitional 160-750 MWh	139.3840	-	6.2428	8.4850	0.8320	-	-	-	-	-
EA325	LV Connection (standby) closed	2,072.2633	-	5.4601	8.1721	1.0383	-	-	-	0.3857	-
High Voltage											
EA360	HV Connection (standby) closed	2,152.0522	-	4.4308	0.4329	0.2819	-	-	-	0.1121	-
EA370	HV Connection (system)	5,115.1088	-	2.5583	1.1661	0.3986	-	-	-	19.3808	-
EA380	HV Connection (substation)	5,115.1088	-	2.1779	0.9908	0.3386	-	-	-	16.4737	-
Sub-transmission Voltage											
EA390	ST Connection	6,407.3468	-	1.5868	0.9682	0.3497	-	-	-	5.6834	-
EA391	ST Connection (substation)	6,407.3468	-	1.3508	0.7238	0.3091	-	-	-	4.9022	-
Unmetered											
EA401	Public lighting	-	4.8431	-	-	-	-	-	-	-	-
EA402	Constant unmetered	-	5.9113	-	-	-	-	-	-	-	-
EA403	EnergyLight	-	4.0190	-	-	-	-	-	-	-	-
Transmission connected											
EA501											
EA501	Transmission-connected	-	-	-	-	-	-	-	-	-	-

Table 3: Indicative DUOS Pricing Schedule by Charging Parameter – FY2021/22

DUOS tariff		2022	2022				2022			2022	
		Fixed charge	Flat and ToU consumption charges (c/kWh)				Non ToU consumption charges (c/kWh)			Capacity charges	
Code	Name	(cents/day)	Non-TOU	Peak	Shoulder	Off-peak	Block 1	Block 2	Block 3	cents/kVA/day	cents/kW/day
Low Voltage											
EA001	LV <2 MWh	39.6388	-	-	-	-	6.6629	5.0302	5.0302	-	-
EA002	Safeguard <2 MWh	39.2549	-	-	-	-	6.4565	5.0302	5.0302	-	-
EA010	Residential non-TOU - closed	50.7481	-	-	-	-	5.0302	5.0302	5.0302	-	-
EA011	Residential transitional TOU	44.8079	-	7.5114	4.2511	4.2511	-	-	-	-	-
EA025	Residential TOU 2-15 MWh	54.3767	-	13.0199	5.1379	1.3467	-	-	-	-	-
EA030	Controlled load 1	0.1715	-	-	-	-	-	-	-	-	-
EA040	Controlled load 2	12.5653	-	-	-	-	-	-	-	-	-
EA050	Small business non-TOU -closed	152.7645	-	-	-	-	4.2323	4.2323	-	-	-
EA051	Small business transitional TOU	145.1525	-	5.4760	3.1419	3.1250	-	-	-	-	-
EA211	Residential TOU 15-40 MWh	54.3767	-	13.0199	5.1379	1.3467	-	-	-	-	1.0000
EA212	Small business TOU 15-40 MWh	147.7470	-	5.7437	7.2408	1.4722	-	-	-	-	1.0000
EA225	Small business TOU 2-15 MWh	147.7470	-	5.7437	7.2408	1.4722	-	-	-	-	-
EA302	LV 40-160 MWh	698.5449	-	3.3726	1.3699	0.4084	-	-	-	-	40.9647
EA309	LV >160 MWh	2,124.0699	-	1.6467	0.7707	0.0356	-	-	-	41.2159	-
EA316	Transitional 40-160 MWh	147.7470	-	5.0072	8.1166	0.8136	-	-	-	-	-
EA317	Transitional 160-750 MWh	147.7470	-	5.0072	8.1166	0.8136	-	-	-	-	-
EA325	LV Connection (standby) closed	2,124.0699	-	5.7934	7.8173	1.0153	-	-	-	0.4053	-
High Voltage											
EA360	HV Connection (standby) closed	2,205.8535	-	4.3706	0.4158	0.2830	-	-	-	0.1177	-
EA370	HV Connection (system)	5,242.9865	-	2.6640	1.1200	0.4003	-	-	-	20.3498	-
EA380	HV Connection (substation)	5,242.9865	-	2.2735	0.9501	0.3399	-	-	-	17.2974	-
Sub-transmission Voltage											
EA390	ST Connection	6,567.5304	-	1.5652	0.9650	0.3579	-	-	-	5.9675	-
EA391	ST Connection (substation)	6,567.5304	-	1.3325	0.7214	0.3164	-	-	-	5.1474	-
Unmetered											
EA401	Public lighting	-	4.8188	-	-	-	-	-	-	-	-
EA402	Constant unmetered	-	5.8818	-	-	-	-	-	-	-	-
EA403	EnergyLight	-	3.9989	-	-	-	-	-	-	-	-
Transmission connected											
EA501											
EA501	Transmission-connected	-	-	-	-	-	-	-	-	-	-

[illegible]

[illegible]