

CitiPower Pty

2015 Pricing Proposal

31 October 2014

Document Control

Version	Date	Description
1.0	31/10/2014	As submitted to the AER

Shortened forms

Abbreviation	Definition or description
Active Market Interval Read Meter	A meter that records energy use over short intervals and communicates the data to the energy supplier and is operating in the national energy market as an interval meter
AER	Australian Energy Regulator
AMI	Advanced Metering Infrastructure
Approved F-Factor	F-factor scheme determination 2012-15 for Victoria electricity distribution network service providers, 22 December 2011
Augmentation	Investment in new network assets to meet increased demand
Capacity	The amount of energy that a part of the network is able to carry
CitiPower	CitiPower Pty
Contestability	Customer choice of electricity supplier
Controlled Load	The DNSP controls the hours in which the supply is made available
Cost of Supply Model	Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals
Demand	Energy consumption at a point in time
Demand Management	Attempt to modify demand behaviour so as to constrain demand at critical times
DPPC	Designated Pricing Proposal Charges
Distribution Network	The assets and service which links energy customers to the transmission network
Distributor, DNSP	Distribution Network Service Provider
Draft Decision	The Australian Energy Regulator's Draft Decision on Victoria - distribution determination 2011 to 2015, June 2010
DUoS	Distribution Use of System. The utilisation of the distribution network in the provision of electricity to consumers (a component of NUoS)
Eastern Standard Time (EST)	EST is 10 hours ahead of Coordinated Universal Time (UTC)

Abbreviation Definition or description Final Decision The Australian Energy Regulator's Final Decision on Victoria distribution determination 2011 to 2015, October 2010 FiT Feed in Tariff Flexible Pricing Flexible pricing means different rates for electricity at different times of the day as defined by the Victorian Governments policy on ToU pricing GP&L General Power & Light Guideline 14 Electricity Industry Guideline 14, Provision of Services by Electricity Distributors, 13 April 2004 High Voltage Equipment or supplies at voltages of 22 or 11kV Inclining Block A network tariff energy rate in which the rate increase above specific consumption thresholds **JSCR** Jurisdictional Scheme Cost Recovery kVA, MVA Kilo-volt amps and Mega-volt amps, units of instantaneous total electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities kVAr, MVAr Kilo-volt amps (reactive) and Mega-volt amps (reactive) units of instantaneous reactive electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities kW, MW Kilo-watts and Mega-watts, units of instantaneous real electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities kWh, MWh Kilo-watt hours and Mega-watt hours, units of electrical energy consumption Local Time Daylight savings time in accordance with the Victorian Government's requirements

Low Voltage Equipment or supply at a voltage of 220 V single phase or 415 V,

three phase

LRMC Long Run Marginal Costs

Marginal Cost The cost of providing a small increment of service. The Long Run

Marginal Cost (LRMC) includes future investment; Short Run Marginal Cost (SRMC) considers only the costs involved without

extra investment

Abbreviation	Definition or description
Market Participant	Businesses involved in the electricity industry are referred to as Market or Code Participants
NEL	National Electricity Law
NEM	National Electricity Market
Non Summer	Calendar months March to November, based on Eastern Standard Time (EST)
NUoS	Network Use of System. The utilisation of the total electricity network in the provision of electricity to consumers (NUoS = DUoS + DPPC + JSCR + Pass through)
Power Factor (PF)	A measure of the ratio of real power to total power of a load. The relationship between real, reactive and total power is as follows:
	PF = Real Power (kW) / Total Power (kVA)
	Total Power (kVA) = $(kW^2 + kVAr^2)^{0.5}$
Price Signal	Prices set to convey a desired behaviour because of the costs associated with supplying the service
Price Structure	The components that make up a Price available to customers
Pricing Proposal	CitiPower's Initial Pricing Proposal, submitted in accordance with the Rules (this document)
Re- determination	The Australian Energy Regulator's CitiPower Pty Distribution Determination 2011 to 2015, September 2012
Retailer	A financially responsible market participant supplying electricity to customers
Rules	Australian Energy Market Commission, National Electricity Rules (NER), Version 58, 26 September 2013

Subtransmission Equipment or supplies at voltage levels of 66kV

Summer Calendar months December, January and February, based on

Eastern Standard Time (EST)

For flexible pricing Summer is defined to be calendar months December, January and February based on Day Light Saving Time

Supply Rate The fixed daily cost component of a Network price

Tariff A grouping of customers who are subject to the same network

Abbreviation	Definition or description
	price components and conditions of supply
Tariff class	A class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs
ToU	Time of Use, a system of pricing where energy or demand charges are higher in periods of peak utilisation of the network
Transmission Network	The assets and service that enable generators to transmit their electrical energy to population centres
Unmetered supply	A connection to the distribution system which is not equipped with a meter and has estimated consumption. Connections to public lights, phone boxes, traffic lights and the like are not normally metered
WAPC	Weighted Average Price Cap, a form of regulatory price control, where the allowable price change is based on the weighted historic consumption of each price

Contents

1	Intro	oduction	8
	1.1	National Electricity Rules	8
	1.2	Scope of CitiPower's Pricing Proposal	8
	1.3	Structure of CitiPower's Pricing Proposal	9
	1.4	Confidential information	0
2	Regi	ulatory requirements1	1
	2.1	Rules requirements 1	1
	2.2	Requirements of the Final Decision 1	2
	2.3	Principal elements of the Final Decision	3
	2.4	Publication of information about tariffs and tariff classes 1	5
3	Busi	ness overview1	6
	3.1	CitiPower business 1	6
	3.2	Characteristics of the region	6
	3.3	Climatic conditions	7
	3.4	Customer and demand profile	7
4	Tarif	f Classes1	8
	4.1	Regulatory requirements	9
	4.1.1	Rule requirements 1	19
	4.1.2	Requirements of the AER's Final Decision2	20
	4.2	Standard control service tariffs and tariff classes	20
	4.2.1	Standard control services tariffs	?1
	4.2.2	Standard control services tariff classes2	2:2
	4.3	Low voltage residential tariff class	22
	4.3.1	Low voltage residential single rate tariff2	2
	4.3.2	Low voltage residential time-of-use tariff2	23
	4.3.3	Low voltage residential flexible pricing tariff	23
	4.3.4	Controlled load tariff2	?4
	4.4	Low voltage business tariff class	24
	4.4.1	Low voltage business single rate tariff	25
	4.4.2	Low voltage business time-of-use tariff2	25
	4.4.3	Low voltage business tariff C14G and C14GB2	?6
	4.4.4	Unmetered supply / public lighting tariff	?6
	4.5	Large low voltage business including unmetered supplies tariff class2	27

	4.5.1	Large low voltage kW demand tariff	27
	4.6	High voltage business tariff class	28
	4.6.1	High voltage kW demand tariff	28
	4.7	Sub-transmission tariff class	28
	4.7.1	Sub-transmission kW demand tariff	28
5	Netv	vork tariff strategy	30
	5.1	Regulatory Requirements	30
	5.2	Network tariff objectives	31
	5.3	The need for tariff reform	31
	5.4	Network tariff strategy	31
	5.5	Future tariff reform options	32
	5.6	Expected DUoS price trends 2011 - 2015	32
6	Stan	ndard control services tariffs	34
	6.1	Regulatory Requirements	34
	6.2	Requirements of the AER's Final Decision	34
	6.3	Change from previous regulatory year	35
	6.4	Calculation of use of system tariffs	35
7	Cus	tomer Impacts	36
	7.1	Regulatory Requirements	36
	7.1.1	Rules requirements	36
	7.1.2	Requirements of the AER's Final Decision	36
		1	
	7.2	Variations to prices	
	7.2 7.3		37
8	7.3	Variations to prices	37 37
8	7.3	Variations to prices	37 37
8	7.3 Pric i	Variations to prices Review of customer charges ing of standard control services	37 39
8	7.3 Pric 8.1	Variations to prices Review of customer charges ing of standard control services Regulatory requirements	37 39 39
8	7.3 Pric 8.1 8.1.1	Variations to prices	3739393939
8	7.3 Pric 8.1 8.1.1 8.1.2	Variations to prices Review of customer charges ing of standard control services Regulatory requirements Rules requirements Requirements of the AER's Final Decision.	373939393940
8	7.3 Pric 8.1 8.1.1 8.1.2 8.2	Variations to prices Review of customer charges ing of standard control services	373939394041
8	7.3 Pric 8.1 8.1.1 8.1.2 8.2 8.3	Variations to prices	37393939404141
8	7.3 Pric 8.1 8.1.1 8.1.2 8.2 8.3 8.4	Variations to prices	3739393940414142
8	7.3 Pric ion 8.1 8.1.1 8.1.2 8.2 8.3 8.4 8.4.1	Variations to prices Review of customer charges ing of standard control services Regulatory requirements Rules requirements Requirements of the AER's Final Decision. 2015 prices for standard control services. Compliance with the Weighted Average Price Cap. Tariff class side constraints Tariff class movement side constraint	3739393940414242

	8.7	Avoidable costs	44
	8.8	Compliance with Rules clause 6.18.5(a)	44
	8.9	Long Run Marginal Costs	44
	8.9.1	Application of the LRMC to price formulation	45
	8.10	Transaction costs	46
	8.11	Customer response to price signals	46
9	Desig	gnated pricing proposal charges	47
	9.1	Regulatory Requirements	
	9.1.1	Rules requirements	47
	9.1.2	Requirements of the AER's Final Decision	48
	9.2	Maximum transmission revenue control	48
	9.3	Designated pricing proposal charges tariffs for 2015	48
10	Reco	very of Jurisdictional Scheme Amounts	49
	10.1	Regulatory Requirements	49
	10.1.1	Rules requirements	49
	10.1.2	Requirements of the AER's Final Decision	53
	10.2	Jurisdictional scheme eligibility	53
	10.3	Jurisdictional scheme cost recovery tariff methodology	53
	10.4	Overs and unders true up	53
	10.5	Charging parameters for JSCR tariffs	53
	10.6	Jurisdictional scheme recovery tariffs	53
11	Pass	Through Costs	55
	11.1	Regulatory Requirements	55
	11.1.1	Rules requirements	55
	11.1.2	Requirements of the AER's Final Decision	56
	11.2	Verification of Pass through event	57
	11.3	Calculation of MPR _t	57
12	Cust	omer tariff class assignment and	
		signment	58
	12.1	Regulatory Requirements	58
	12.1.1	Rules requirements	58
	12.1.2	Requirements of the AER's Final Decision	59
	12.2	Assignment of new customers to a tariff class during the next regulatory control period	61
	12.2.1	Customers with micro-generation	62

	12.3	Reassignment of existing customers to another existing or a new tariff class during the next regulatory control period	
	12.3.1	Obsolete tariffs6.	3
	12.4	Objections to proposed assignments and reassignments	3
	12.4.1	Information provided to customers concerning tariff class assignment and Reassignment 6.	
	12.4.2	Internal review process of tariff class assignment and reassignment 6-	1
	12.4.3	External review of tariff class assignment and reassignment 6-	1
	12.5	System of assessment and review of the basis on which a customer is charged	1
	12.6	Installation of interval meters and assignment of customers to time of use (TOU) tariffs	
13	Alter	native Control Services66	Ì
	13.1	Regulatory Requirements	5
	13.1.1	Rules requirements 66	5
	13.2	Alternative Control Services Tariff Classes	3
	13.3	Assignment and reassignment of customers to the alternative control service tariff class)
	13.4	Pricing Principles69)
	13.4.1	Stand alone and avoidable costs of alternative control services 69	9
	13.4.2	Long run marginal costs and revenue recovery	9
	13.5	Compliance with the AER Determination)
	13.6	Public Lighting Operation, Maintenance and Replacement	2
	13.7	Publication of Tariff information	2
14	Appe	endices 73	3
Α	Tariff s	schedules73	3
В	Tariff 6	eligibility7	5
С	Rate c	hange8°	7
	C.1	Low Voltage Residential tariff class8	7
	C.1.1	Low voltage residential single rate tariff82	7
	C.1.2	Low voltage residential flexible pricing tariff	3
	C.1.3	Low voltage residential ToU tariff89	9
	C.1.4	Controlled load tariffs	2
	C.2	Low Voltage Business tariff class	3
	C.2.1	Low voltage business single rate tariff9.	3
	C.2.2	Low voltage business ToU tariffs 9.	3

	C.2.3	Unmetered supply tariffs	98
	C.3	Large Low Voltage Business tariff class	98
	C.4	High Voltage Business tariff class	
	C.5	Sub-transmission tariff class	104
D	Alterna	ative Control Service Charges	105
	D.1	Fee Based Alternative Control Services	106
	D.1.1	Metering Services	106
	D.1.1.1	Meter Investigation	106
	D.1.1.2	Meter Testing	106
	D.1.1.3	De-energisation of existing connections	107
	D.1.1.4	Energisation of existing connections	107
	D.1.1.5	Special Meter Reading	108
	D.1.2	Public Lighting Services	108
	D.1.3	Other Fee Based Services	110
	D.1.3.1	Service Truck Visit	110
	D.1.3.2	Wasted Attendance	110
	D.1.3.3	Reserve Feeder	111
	D.1.3.4	PV Installation	111
	D.1.3.5	Routine Connections – customers below 100 amps	111
	D.2	Quoted Services	113
	D.2.1	Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets	113
	D.2.2	Supply enhancement at customer request	113
	D.2.3	Supply abolishment	114
	D.2.4	Emergency recoverable works	114
	D.2.5	Audit design and construction	114
	D.2.6	Specification and design enquiry	114
	D.2.7	Elective underground where above ground service currently exists	115
	D.2.8	Damage to overhead service cables caused by high load vehicles	115
	D.2.9	High load escorts – lifting overheads	115
	D.2.10	Covering of Low Voltage Mains for safety reasons	115
	D.2.11	Routine connections – customer above 100 amps	115
	D.2.12	After hours truck by appointment	115
	D.3	Alternative Control Service Rates for 2015	116
	D.3.1	Metering Services Fee Based	116

	D.3.2	Public Lighting Services Fee Based
	D.3.3	Other Fee Based Services
	D.3.4	Quoted Services Labour Rates
Ε	CONFI	DENTIAL - Maximum Transmission Revenue Control Calculation 118
F	CONFI Calcul	DENTIAL - Maximum Jurisdictional Scheme Revenue Control ation
G	CONF	DENTIAL – Standalone, Avoidable and Long Run Marginal Cost Model120
Н		DENTIAL - Long Run Marginal, Stand-alone and Avoided cost odologies
I		DENTIAL – AER Weighted Average Price Cap Compliance Model lard Control)
J	CONFI	DENTIAL – Price Cap Compliance Model (Alternative Control Services)
K		DENTIAL – Public Lighting Operation, Matinenance and Replacement d building blocks model)124
L	CONFI	DENTIAL – Changes from previous regulatory 125
М	CONFI	DENTIAL – Maximum Pass through Revenue Control Calculation 126

List of tables

Table 1: Structure of CitiPower's Pricing Proposal	9
Table 2 - Revenue requirement and X factors for standard control services (\$M, nominal)	14
Table 3 - Service classification	19
Table 4 - Low voltage residential single rate tariff charging parameters	22
Table 5 - Low voltage residential time-of-use tariff charging parameters	23
Table 6 - Low voltage residential flexible pricing tariff charging parameters	24
Table 7 - Controlled load tariff charging parameters	24
Table 8 - Low voltage business single rate tariff charging parameters	25
Table 9 - Low voltage business time-of-use tariff charging parameters	25
Table 10 - Low voltage business flexible pricing tariff charging parameters	26
Table 11 - Unmetered supply/public lighting tariff charging parameters	27
Table 12 - Large low voltage kW demand tariff charging parameters	27
Table 13 - High voltage kW demand tariff charging parameters	28
Table 14 - Sub-transmission kW demand tariff charging parameters	29
Table 15 - Indicative relative charging parameter movement in the 2011-15 regulatory control period	32
Table 16 - Summary of fundamental pricing criteria	41
Table 17 - Weighted Average Revenue	41
Table 18 - Summary of side constraint criteria	42
Table 19 - Compliance with the side constraint	42
Table 20 - Stand-alone and avoidable distribution network costs (\$'000)	44
Table 21 - X Factor for fee based connection services (real)	71
Table 22 - X Factor for other fee based services (real)	71
Table 23 - X Factor for quoted services (real)	71

CitiPower – Pricing Proposal 2015

1 Introduction

CitiPower submits this Pricing Proposal to the AER, in accordance with the requirements of the Rules.

The period covered by this Pricing Proposal is the 2011-15 regulatory control period.

The Pricing Proposal covers all of CitiPower's direct control services.

1.1 National Electricity Rules

Clause 6.1.1 of the Rules confers responsibility on the AER for the economic regulation of distribution services provided by means of, or in connection with, distribution systems that form part of the national grid.

In accordance with clause 6.2.1 and 6.2.2 of the Rules, the AER has classified CitiPower's distribution services into the following three classes:

- direct control services:
- negotiated distribution services; and
- un-regulated distribution services¹.

Direct control services have been further divided into the following two subclasses:

- standard control services; and
- alternative control services.

This Pricing Proposal is relevant to all of the direct control services.

1.2 Scope of CitiPower's Pricing Proposal

CitiPower's Pricing Proposal sets out the proposed prices required to comply with the WAPC approved by the AER in the Final Decision.

This Pricing Proposal is submitted in accordance with, and complies with, the requirements of:

- the NEL;
- the Rules; and
- the AER's Final Decision; and
- the AER's Re-Determination.

On the 28th September 2012 the AER released a Re-Determination in accordance with the decision of the Administrative Appeals Tribunal. This pricing proposal is submitted incorporating the outcomes outlined in the Re-Determination.

Negotiated and unregulated distribution services policies are outlined in the CitiPower General Service Charge Pricing Schedule

http://www.citipower.com.au/docs/pdf/Electricity%20Networks/CitiPower%20Network/CitiPower%202012%20Genera1%20Service%20Charges%20Schedule%20v1.2.pdf

1.3 Structure of CitiPower's Pricing Proposal

In Part I of the Rules, clause 6.18, sets out the requirements concerning distribution pricing. These requirements include the *pricing principles* which must be followed, the requirement for this Pricing Proposal, and the matters the Pricing Proposal must address.

The Final Decision has been made pursuant to clause 6.11.1 of the Rules. Several aspects of that determination impose requirements concerning distribution pricing, including:

- classification of services;
- the pricing control mechanism(s), X factors and side constraints;
- assigning and reassigning customers to tariff classes;
- recovery of transmission charges²; and
- recovery of jurisdictional scheme amounts.

This Pricing Proposal has been structured so as to allow compliance with the specific requirements of the Rules and the Final Decision to be readily ascertained.

Chapter	Purpose
2 Regulatory requirements	Summarises the regulatory requirements as they relate to CitiPower's Pricing Proposal including the relevant requirements of the Rules and the Final Decision.
3 Business overview	Summarises the characteristics of CitiPower's network that provide the context for CitiPower's network tariff strategy.
4 Tariff classes	Defines the tariffs and tariff classes into which CitiPower's customers for direct control services are divided and their charging parameters.
5 Network tariff strategy	Outlines CitiPower's network tariff strategy and indicates how tariff charging parameters are expected to vary.
6 Standard control services tariffs	Describes the nature and extent of the change in CitiPower's DUoS tariffs between 2014 and 2015.
7 Customer impacts	Outlines the expected customer impacts of CitiPower's NUoS prices in 2015 and the system of reviewing those impacts throughout the regulatory control period.
8 Pricing of standard control services	Demonstrates that CitiPower's 2015 prices comply with the pricing X factors, side constraints and the NER Pricing Principles.
9 Recovery of designated pricing proposal charges	Sets out CitiPower's designated pricing proposal charges cost recovery tariff setting methodology and demonstrates adjustments made to the tariffs resulting from the actual recoveries of these charges in 2013.
10 Recovery of jurisdictional scheme amounts	Sets out CitiPower's jurisdictional scheme cost recovery tariff setting methodology and demonstrates adjustments made to the tariffs resulting from the actual recoveries of these charges in 2013.
11 Pass Through costs	Sets out CitiPower's pass through methodology.
12 Customer tariff class assignment and reassignment	Sets out CitiPower's 2015 tariff assignment and reassignment strategy.
13 Alternative control services	Sets out CitiPower's tariffs for alternative control services.
Appendices	Separately provided.

Table 1: Structure of CitiPower's Pricing Proposal

² Subsequent to the final determination a rule change has arisen that will impact this submission. Which is the recovery of designated pricing proposal charges.

1.4 Confidential information

CitiPower has nominated some of the Appendices that constitute part of this Pricing Proposal as confidential.

CitiPower requests that the AER does not disclose the information contained in these confidential Appendices to any person outside of the AER.

2 Regulatory requirements

This Chapter summarises the regulatory requirements pertaining to CitiPower's Pricing Proposal, including the relevant requirements of the Rules and those of the Final Decision.

2.1 Rules requirements

To comply with clause 6.18.2 of the Rules, CitiPower's Pricing Proposal must include the elements below.

6.18.2 Pricing proposals

- (a) A Distribution Network Service Provider must:
 - (1) submit to the *AER*, as soon as practicable, and in any case within 15 *business days*, after *publication* of the distribution determination, a *pricing proposal* (the **initial pricing proposal**) for the first *regulatory year* of the *regulatory control period*; and
 - (2) submit to the *AER*, at least 2 months before the commencement of the second and each subsequent *regulatory year* of the *regulatory control period*, a further *pricing proposal* (an **annual** *pricing proposal*) for the relevant *regulatory year*.
- (b) A pricing proposal must:
 - (1) set out the *tariff classes* that are to apply for the relevant *regulatory year*; and
 - (2) set out the proposed tariffs for each tariff class; and
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates; and
 - (4) set out, for each *tariff class* related to *standard control services*, the expected weighted average revenue for the relevant *regulatory year* and also for the current *regulatory year*; and
 - (5) set out the nature of any variation or adjustment to the tariff that could occur during the course of the *regulatory year* and the basis on which it could occur; and
 - (6) set out how *designated pricing proposal charges* are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous *regulatory year*; and
 - (6A) set out how *jurisdictional scheme amounts* for each *approved jurisdictional scheme* are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those amounts; and

- (6B) describe how each approved jurisdictional scheme that has been amended since the last jurisdictional scheme approval date meets the *jurisdictional scheme eligibility criteria*; and
- (7) demonstrate compliance with the *Rules* and any applicable distribution determination; and
- (8) describe the nature and extent of change from the previous *regulatory year* and demonstrate that the changes comply with the *Rules* and any applicable distribution determination.

In accordance with clause 6.18.2(a) of the Rules, CitiPower is submitting this Pricing Proposal for the last year of the 2011-15 regulatory control period to the AER, within the required period.

This Pricing Proposal has been prepared by CitiPower in such a way as to demonstrate that it complies with all of the requirements of clause 6.18.2(b) of the Rules above.

The other relevant sections of the Rules that have been addressed in formulating this Pricing Proposal are as follows:

- 6.6.1 Cost pass through
- 6.18.3 Tariff classes
- 6.18.4 Principles governing assignment or re-assignment of retail customers to tariff classes and assessment and review of basis of charging
- 6.18.5 Pricing principles
- 6.18.6 Side constraints on tariffs for standard control services
- 6.18.7 Recovery of designated pricing proposal charges
- 6.18.7A Recovery of jurisdictional scheme amounts
- 6.18.8 Approval of pricing proposal
- 6.18.9 Publication of information about tariffs and tariff classes

Reference to these clauses has been made in the appropriate sections of this Pricing Proposal, to demonstrate how CitiPower has complied with each applicable Rules provision.

2.2 Requirements of the Final Decision

The Final Decision has been made pursuant to the provisions contained in clause 6.11.1 of the Rules. It imposes a number of requirements that are relevant to a Pricing Proposal. The relevant requirements are in the following chapters and appendices of the Final Decision:

Chapter 2	Classification of services
Appendix B	Service Classification
Chapter 4	Control mechanism for standard control services
Appendix F	Transmission tariffs and jurisdictional schemes
Appendix E.1.4	AER assessment of reasonable estimates
Chapter 15	Service target performance incentive scheme

Chapter 16 Cost pass throughs

Appendix E.3 Calculation of the pass through factor

Chapter 18 Building block revenue requirements

Chapter 19 Public lighting

Chapter 20 Other alternative control services

Appendix Q Alternative control services prices and labour rates

Where it is necessary to demonstrate that CitiPower has complied with a requirement of the Final Decision, reference to the relevant component of the Final Decision has been made in the appropriate section of this Pricing Proposal.

2.3 Principal elements of the Final Decision

The principal elements of the Final Decision pertaining to direct control services (comprising standard and alternative control services) are outlined in this section.

Weighted Average Price Cap for standard control services

In Chapter 4 section 4.5.1 of the Final Decision, the AER has determined the WAPC formula to apply to CitiPower's standard control services for the next regulatory control period will be as follows:

$$\frac{\sum_{i=1}^{n} \sum_{j=1}^{m} p_{t}^{ij} \times q_{t-2}^{ij}}{\sum_{i=1}^{n} \sum_{j=1}^{m} p_{t-1}^{ij} \times q_{t-2}^{ij}} \leq (1 + CPI_{t}) \times (1 - X_{t}) \times (1 + S_{t}) \times (1 + L_{t}) \pm (passthrough_{t})$$

Where CitiPower has 'n' distribution tariffs, which each have up to 'm' distribution tariff components, and where:

regulatory year 't' is the regulatory year in respect of which the calculation is being made;

regulatory year 't-l' is the regulatory year immediately preceding regulatory year 't';

regulatory year 't-2' is the regulatory year immediately preceding regulatory year 't-1';

 p_t^{ij} is the proposed distribution tariff for component j of distribution tariff i in regulatory year t;

 p_{t-1}^{ij} is the distribution tariff being charged in regulatory year t-1 for component i of distribution tariff i:

 q_{t-2}^{ij} is the quantity of component j of distribution tariff i that was delivered in regulatory year t-2;

 CPI_t is calculated as follows:

The Consumer Price Index, All Groups Index Number (weighted average of eight capital cities) published by the Australia Bureau of Statistics for the September Quarter immediately preceding the start of regulatory year t;

divided by

The Consumer Price Index, All Groups Index Number (weighted average of eight capital cities) published by the Australia Bureau of Statistics for the September Quarter immediately preceding the start of regulatory year t-1;

minus one.

 X_t is the value of X for year t of the regulatory control period as determined by the AER in chapter 18 of the Final Decision;

 S_t is the Service Target Performance Incentive Scheme factor to be applied in regulatory year t;

 L_t is the licence fee pass though adjustment to be applied in regulatory year t in accordance with Appendix E of this Final Decision; and

 $passthrough_t$ represents approved pass through amounts with respect to regulatory year t as determined by the AER under clause 6.6 of the NER and chapter 16 and Appendix E of this Final Decision.

Side constraint for standard control services

Chapter 4 section 4.5.2 of the Final Decision also contains the side constraint formula to apply to CitiPower's standard control services for the next regulatory control period:

$$\frac{\sum_{i=1}^{n} \sum_{j=1}^{m} p_{t}^{ij} \times q_{t-2}^{ij}}{\sum_{i=1}^{n} \sum_{j=1}^{m} p_{t-1}^{ij} \times q_{t-2}^{ij}} \leq (1 + CPI_{t}) \times (1 - X_{t}) \times (1 + S_{t}) \times (1 + L_{t}) \times (1 + 2\%) \pm (passthrough_{t})$$

Revenue requirement and pricing X factors for standard control services

Chapter 3, table 6 of the Re-determination contained CitiPower's revenue requirements and pricing X factors for standard control services. Table 2 summarises the annual revenue requirements and pricing X factors for the 2011-15 regulatory control period for standard control services.

	2011	2012	2013	2014	2015
Return on capital	122.2	133.7	145.2	158.2	171.2
Regulatory depreciation	34.7	38.4	42.3	46.5	51.8
Operating expenditure	44.9	50.0	53.9	52.8	55.1
Efficiency carryover amounts	4.5	-8.4	-6.2	-5.5	0.0
S factor amounts	-2.2	-4.7	-3.6	-0.4	-4.0
Tax allowance	9.9	10.7	11.7	12.3	13.4
Annual revenue requirements	213.9	219.5	243.3	264.0	287.4
X factors (%) ³	6.41	-4.00	-6.78	-7.80	-7.80

Table 2 - Revenue requirement and X factors for standard control services (\$M, nominal)

³ Negative values for X indicate real price increases under the CPI-X formula.

The associated pricing X factors for standard control services have been incorporated into this Pricing Proposal.

Revenue requirement and pricing X factors for alternative control services

Appendix Q of the Final Decision outlines the AER's final determination on CitiPower's initial charges and X factors for the 2011-15 regulatory control period for Alternative Control Services.

2.4 Publication of information about tariffs and tariff classes

Clause 6.18.9 of the Rules requires CitiPower to publish the following information on its tariffs and tariff classes.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A Distribution Network Service Provider must maintain on its website:
 - (1) a statement of the provider's *tariff classes* and the tariffs applicable to each class; and
 - (2) for each tariff the *charging parameters* and the elements of the service to which each *charging parameter* relates; and
 - (3) a statement of expected price trends (to be updated for each regulatory year) giving an indication of how the Distribution Network Service Provider expects prices to change over the regulatory control period and the reasons for the expected changes.
- (b) The information for a particular *regulatory year* must, if practicable, be posted on the website 20 *business days* before the commencement of the relevant *regulatory year* and, if that is not practicable, as soon as practicable thereafter.

The information on tariffs and tariff classes contained in the following sections of this Pricing Proposal have been prepared and published in conformity with the requirements of this clause.

3 Business overview

This chapter of the Pricing Proposal provides contextual information on CitiPower's business circumstances. This provides the background both to CitiPower's existing network tariffs and the rationale for the changes to tariffs that are proposed during the 2011-15 regulatory control period.

3.1 CitiPower business

CitiPower is a privately owned, Victorian-based electricity distribution company. CitiPower is Victoria's smallest electricity distribution company in terms of the size of its network but contains the headquarters of some of Australia's largest companies and is the home of Victoria's largest cultural and sporting venues. The CitiPower network covers 157 square kilometres covering the Melbourne central business district and inner suburbs. The CitiPower network area accounts for 25 per cent of Victoria's employment and 22 per cent of Gross State Product. The network serves over 341,500 customers.

The majority of CitiPower's electricity infrastructure is overhead (60 per cent), with more than 58,800 poles carrying 7,324 kilometres of power lines. The network comprises 106 zone substation transformers with a further 4,621 distribution transformers.

3.2 Characteristics of the region

CitiPower's network territory is densely populated. The area serviced by CitiPower's distribution system is shown in Figure 1.



Figure 1 - CitiPower's distribution system

CitiPower has a number of unique characteristics that distinguish it from other Victorian distribution businesses. These include:

- high peak demand growth and increasing utilisation high summer temperatures and extended heat waves have led to extraordinary demand for air conditioning;
- high customer density the CitiPower network has an average of 2,048 customers per kilometre representing the most densely populated areas of Victoria; and
- highly meshed network in comparison with other electricity distribution networks in Australia, CitiPower operates a relatively meshed electricity distribution network, reflecting the importance of reliability to the area it serves and the population density.

All these features result in a distribution network with relatively high capital, operating and maintenance costs. Despite these challenges, CitiPower has continued to deliver significant improvements in reliability, safety and financial performance.

3.3 Climatic conditions

CitiPower's territory has a mostly temperate climate reflecting its proximity to the coast. Although mostly temperate, extended periods of heat wave conditions can occur, 2014 being the most recent.

3.4 Customer and demand profile

CitiPower's territory climate has led to an extraordinary demand for air conditioning. Approximately 75.5%⁴ of homes in Victoria are now air conditioned, but the consequent high peak network demand occurs for only a small part of the year.

Extremely 'peaky' conditions such as these require network assets and capacity that is under-utilised during much of the year, driving distribution costs higher, on a per unit of energy served basis.

These conditions also provide the impetus for CitiPower's network tariff strategies and innovative tariff developments described later in this Pricing Proposal.

- Page 17 -

⁴ ABS Environmental Issues: Energy use and conservation March 2011, Table 15

4 Tariff Classes

This section describes CitiPower's standard control service tariff classes and the way in which they have been constituted to comply with the requirements of the Rules and the AER's Final Decision.

In table B.1 of Appendix B of the Final Decision, the AER has listed the following service classifications:

Service grouping	Services	AER classification
Network services	Constructing the distribution network	Standard control
	Maintaining distribution network and connection assets	services
	Operating the distribution network and connection assets for DNSP purposes	
	Designing the distribution network	
	Planning the distribution network	
	Emergency response	
	Administrative support (eg: call centre, network billing)	
	Location of underground cables ('dial before you dig')	
Connection services	New connections requiring augmentations	Standard control services
Metering services	Meter investigation	Alternative control
-	De-energisation of existing connections	Services - fee based
	Energisation of existing connections	
	Special meter reading	
	Re-test of types 5 and 6 metering installations for first tier customers with annual consumption greater than 160MWh	
Public lighting	Operation, replair, replacement and maintenance of DNSP	Alternative control services
services	public lighting assets	- fee based
	Alteration and relocation of DNSP public lighting assets	
	New public lighting assets (that is, new lighting types not subject to a regulated charge and new public lighting at greenfield sites)	Negotiated services
Quoted services	Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets	Alternative control services - quoted services
	Supply enhancement at customer request	
	Supply abolishment	
	Emergency recoverable works	
	Auditing design and construction	
	Specification and design enquiry fees	
	Elective undergrounding where above ground service currently exists	
	Damage to overhead service cables caused by high load vehicles	
	High load escorts—lifting overhead lines	
	Covering of low voltage mains for safety reasons	
	Routine connections - customers above 100 amps	
	After hours truck by appointment	
Fee based services	Fault response—not DNSP fault	Alternative control
	Temporary disconnect / reconnect services	services - fee based

Service grouping	Services	AER classification
	Wasted attendance—not DNSP fault	
	Service truck visits	
	Reserve feeder	
	PV installation	
	Routine connections - customers below 100 amps	
	Temporary supply services	
Unclassified services	Provision of possum guards	Unregulated services
	Repair, installation and maintenance of watchman lights	

Table 3 - Service classification

4.1 Regulatory requirements

4.1.1 Rule requirements

CitiPower's Pricing Proposal must contain the information on tariffs, tariff classes and charging parameters set out in clause 6.18.2(b)(1),(2),(3) of the Rules.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (1) set out the *tariff classes* that are to apply for the relevant *regulatory year*; and
 - (2) set out the proposed tariffs for each *tariff class*; and
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates;

CitiPower is required to comply with the following requirements of clause 6.18.3 of the Rules with respect to tariff classes.

6.18.3 Tariff classes

- (a) A *pricing proposal* must define the *tariff classes* into which *retail customers* for *direct control services* are divided.
- (b) Each customer for *direct control services* must be a member of 1 or more *tariff classes*.
- (c) Separate *tariff classes* must be constituted for *retail customers* to whom *standard control services* are supplied and *retail customers* to whom *alternative control services* are supplied (but a customer for both *standard control services* and *alternative control services* may be a member of 2 or more *tariff classes*).
- (d) A *tariff class* must be constituted with regard to:
 - (1) the need to group *retail customers* together on an economically efficient basis; and
 - (2) the need to avoid unnecessary transaction costs.

CitiPower is required to comply with the following requirements of clause 6.18.4(a)(3) of the Rules with respect to tariff classes.

6.18.4 Principles governing assignment or re-assignment of retail customers to tariff classes and assessment and review of basis of charging

- (a) In formulating provisions of a distribution determination governing the assignment of *retail customers* to *tariff classes* or the reassignment of *retail customers* from one *tariff class* to another, the *AER* must have regard to the following principles:
 - (3) however, *retail customers* with micro-generation facilities should be treated no less favourably than *retail customers* without such facilities but with a similar load profile;

4.1.2 Requirements of the AER's Final Decision

CitiPower has categorised standard control services customer tariffs into five tariff classes.

The AER has established procedures for assigning or reassigning customers to tariff classes in Appendix G of its Final Decision.

Assignment of existing customers to tariff classes at the commencement of the 2011-15 regulatory control period

1. Each customer who was a customer of a Victorian DNSP prior to 1 January 2011, and who continues to be a customer of a Victorian DNSP as at 1 January 2011, will be taken to be "assigned" to the tariff class under which the Victorian DNSP was charging that customer immediately prior to 1 January 2011.

Appendix G of the AER's Final Decision also contains procedures for the reassigning of customers to tariff classes, with which CitiPower must comply during the 2011-15 regulatory control period. These procedures are set out in section 12.1.2 of this Pricing Proposal.

4.2 Standard control service tariffs and tariff classes

CitiPower's network use of system tariffs represents the aggregation of distribution use of system tariffs, jurisdictional scheme cost recovery, designated pricing proposal charges tariffs and pass through cost recovery.

Retailers may pass through the components of CitiPower's network tariffs to customers directly, or modify their structure by bundling with the retail component, which includes the cost of purchasing generated energy from the NEM, plus retail costs.

This section outlines the distribution tariff arrangements, which are designed to recover the cost of providing standard control services to customers. These services are segregated into tariffs and tariff classes, which cover all of direct control services that CitiPower provides, as required by clauses 6.18.3(a) and 6.18.3(b) of the Rules.

Section 13 of this Pricing Proposal outlines the arrangements for CitiPower's alternative control services, which in accordance with clause 6.18.3(c) of the Rules has been constituted as a separate tariff class with separate charging parameters.

The designated pricing proposal charges cost recovery section 9 of this Pricing Proposal describes how the designated pricing proposal charges costs incurred by CitiPower are recovered from customers.

The jurisdictional scheme cost recovery (JSCR) section 10 of this Pricing Proposal describes how the feed-in tariff costs incurred by CitiPower are recovered from customers.

The pass through costs (section 11 of this Pricing Proposal) describes how pass through costs incurred by CitiPower are recovered from customers.

The grouping of customers into standard control service tariffs has historically distinguished between customers on the basis of the following factors:

- The nature and extent of usage of different types of customer;
- For business customers, nature of connection to the network, including the capacity and location or voltage of connection;
- Whether the customer also receives a controlled load service; and
- The type of meter installed at the premises, with a distinction between Types 1-4 metering and Types 5-7 metering.

It should be noted that CitiPower does not distinguish between customers with microgeneration and those without, in either the network tariff or network tariff class in accordance with clause 6.18.4(a)(3) of the Rules.

An important consideration in establishing this set of tariff classes was to reduce the complexity of the overall arrangement by grouping customer tariffs with a similar connection and usage profile together on an economically efficient basis and thereby avoiding unnecessary transaction costs.

In establishing tariff classes that are to be used for the purpose of monitoring pricing compliance, it is desirable and appropriate that similar individual tariffs should be grouped together. This is particularly the case for some business tariffs, where one or a few large customers would dominate the class and the side constraint would not apply to a tariff class but those large customers.

4.2.1 Standard control services tariffs

Residential customer tariffs have a fixed daily charge (termed the Standing Charge) and an energy component, in common with the tariff structures of many utilities. The inclining block energy charge includes two block levels for the peak component. A separate energy rate applies to the energy consumption within each block level. The flexible pricing tariff has two seasonal elements being summer and non summer, then a peak, shoulder and off peak block energy charge. Each of the tariff components (charging parameters) are determined in accordance with the WAPC price control formula.

Business customer tariffs cover the range of:

- Inclining block energy tariffs for Low Voltage connected customers;
- Fixed daily charge (standing charge) for small to medium businesses;
- Two rate Time of Use (peak and off peak) for Low Voltage connected customers:
- Flexible pricing (seasonal and time of use) for Low Voltage connected customers; and
- kW demand tariffs for the largest customers at all voltage levels.

4.2.2 Standard control services tariff classes

The five tariff classes which CitiPower has established are as follows:

- Low voltage residential;
- Low voltage business including unmetered supplies;
- Large low voltage business;
- High voltage business; and
- Sub-transmission.

A description of the tariffs in each of the tariff classes and their charging parameters follows.

Note that, for completeness, those components of charging parameters associated with jurisdictional scheme cost recovery, designated pricing proposal charges and cost pass through tariffs have been shown in the following section.

4.3 Low voltage residential tariff class

This tariff class includes the residential single rate, time-of-use, flexible pricing climate saver and controlled load tariffs.

4.3.1 Low voltage residential single rate tariff

The low voltage residential single rate tariff is available to eligible residential customers with a compliant meter.

The low voltage residential single rate tariff incorporates the charging parameters set out in the following table.

Charging	Units	Element of service				
Parameter		Direct control	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description	
Supply Rate	\$/day	√	√	*	Pro-rated fixed annual charge	
Block 1 Usage Rate	¢/kWh	√	√	√	For consumption up to and including 340kWh/month	
Block 2 Usage Rate	¢/kWh	√	√	√	For the balance of peak consumption	

Table 4 - Low voltage residential single rate tariff charging parameters

4.3.2 Low voltage residential time-of-use tariff

The low voltage residential time-of-use tariff is available to eligible residential customers with a compliant meter.

The low voltage residential time-of-use tariff incorporates the charging parameters set out in the following table which is no longer available for new connections.

Charging	Units	Element of service				
Parameter		Direct control DUoS	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description	
Supply Rate	\$/day	✓	√	×	Pro-rated fixed annual charge	
Block 1 Usage Rate	¢/kWh	✓	√	√	For consumption up to and including 340kWh/month	
Block 2 Usage Rate	¢/kWh	√	√	✓	For the balance of peak consumption	
Off peak Rate	¢/kWh	√	√	✓	For the balance of off peak consumption	

Table 5 - Low voltage residential time-of-use tariff charging parameters

4.3.3 Low voltage residential flexible pricing tariff

The low voltage residential flexible pricing tariff is available to eligible residential customers. These customers require an active market interval read meter.

The low voltage residential flexible pricing tariff incorporates the charging parameters set out in the following table. The times mentioned below are in local time.

Charging	Units	Element of service				
Parameter		Direct control DUoS	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description	
Supply Rate	\$/day	✓	✓	*	Pro-rated fixed annual charge	
Summer Peak Usage Rate	¢/kWh	✓	✓	√	Mon – Fri 15.00-21.00	
Summer Shoulder Usage Rate	¢/kWh	√	√	√	Mon – Fri 07.00-15.00 Mon – Fri 21.00-22.00 Sat - Sun 07.00 – 22.00	
Summer Off Peak Usage Rate	¢/kWh	√	✓	√	Mon – Sun 22.00 – 07.00	
Non Summer Peak Usage Rate	¢/kWh	√	√	✓	Mon – Fri 15.00-21.00	
Non Summer Shoulder Usage Rate	¢/kWh	√	√	✓	Mon – Fri 07.00-15.00 Mon – Fri 21.00-22.00 Sat - Sun 07.00 – 22.00	
Non Summer Off Peak Usage Rate	¢/kWh	√	√	√	Mon – Sun 22.00 – 07.00	

Table 6 - Low voltage residential flexible pricing tariff charging parameters

4.3.4 Controlled load tariff

The controlled load tariff is available for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications. A time switch for the control of the heater metering is installed.

The controlled load tariff incorporates the charging parameters set out in the following table.

Charging	Units	Element of service					
Parameter		Direct control	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description		
Off peak Rate	¢/kWh	✓	V	√	For the balance of off peak consumption		

Table 7 - Controlled load tariff charging parameters

This tariff is available only to customers that were taking supply under the controlled load tariff prior to 1 January 2010.

4.4 Low voltage business tariff class

The low voltage business tariffs cover a broad range of customer sizes and types of metering installations.

4.4.1 Low voltage business single rate tariff

The low voltage business single rate tariff is available for non-residential low voltage customers with a type 5 or 6 meter installation. Consumption is charged on an inclining scale in two consumption blocks. The low voltage business single rate tariff incorporates the charging parameters set out in the following table.

Charging	g Units Element of service				
Parameter		Direct control	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description
Supply Rate	\$/day	√	✓	×	Pro-rated fixed annual charge
Block 1 Usage Rate	¢/kWh	✓	√	√	For consumption up to and including 340kWh/month
Block 2 Usage Rate	¢/kWh	✓	√	√	For the balance of peak consumption

Table 8 - Low voltage business single rate tariff charging parameters

4.4.2 Low voltage business time-of-use tariff

The low voltage business time-of-use tariff has a structure with peak and off-peak consumption charges, using a type 5 or 6 meter installation. The customer's peak period energy consumption is charged in two consumption blocks. This tariff is no longer available to new connections. The low voltage business time-of-use tariff incorporates the charging parameters set out in the following table.

Charging	Units				
Parameter		Direct control	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description
Supply Rate	\$/day	✓	√	*	Pro-rated fixed annual charge
Block 1 Usage Rate	¢/kWh	✓	√	√	For consumption up to and including 340kWh/month
Block 2 Usage Rate	¢/kWh	✓	√	√	For the balance of peak consumption
Off peak Rate	¢/kWh	√	√	✓	For the balance of off peak consumption

Table 9 - Low voltage business time-of-use tariff charging parameters

4.4.3 Low voltage business tariff C14G and C14GB

The low voltage business tariff C14G and C14GB is available to eligible business customers taking supply at less than 1kV. These customers require an AMI meter.

The low voltage business flexible pricing tariff incorporates the charging parameters set out in the following table. The times mentioned below are in local time.

Charging	Units	Element of service				
Parameter		Direct control	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description	
Supply Rate	\$/day	✓	√	*	Pro-rated fixed annual charge	
Summer Peak Usage Rate	¢/kWh	✓	√	√	Mon – Fri 07.00-19.00	
Summer Shoulder Usage Rate	¢/kWh	√	√	√	Sat - Sun 07.00 – 19.00	
Summer Off Peak Usage Rate	¢/kWh	√	√	✓	Mon – Sun 19.00 – 07.00	
Non Summer Peak Usage Rate	¢/kWh	√	√	✓	Mon – Fri 07.00-19.00	
Non Summer Shoulder Usage Rate	¢/kWh	√	√	✓	Sat - Sun 07.00 – 19.00	
Non Summer Off Peak Usage Rate	¢/kWh	√	√	√	Mon – Sun 19.00 – 07.00	

Table 10 - Low voltage business tariff C14G and C14GB charging parameters

4.4.4 Unmetered supply / public lighting tariff

The unmetered supply tariff is applicable to supply points and public lighting that are not metered or use type 7 metering. Energy consumption is calculated using the appropriate algorithm in the Part B, clause 14 of the Metrology Procedure. The unmetered tariff comprises an energy rate that is applied to the calculated electricity consumption.

The low voltage unmetered usage tariff incorporates the charging parameters set out in the following table.

Charging	Units	Element of service				
Parameter		Direct control DUoS	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description	
Supply Rate	\$/day	×	*	*	Pro-rated fixed annual charge	
Block 1 Usage Rate	¢/kWh	✓	√	✓	For consumption up to and including 340kWh/month	
Block 2 Usage Rate	¢/kWh	✓	√	✓	For the balance of peak consumption	
Off peak Rate	¢/kWh	√	√	√	For the balance of off peak consumption	

Table 11 - Unmetered supply/public lighting tariff charging parameters

4.5 Large low voltage business including unmetered supplies tariff class

There is also a broad range of customer sizes and types connected to CitiPower's system at large low voltage. They are predominantly commercial installations.

4.5.1 Large low voltage kW demand tariff

Minimum demands between 120kW apply to the respective tariffs. The charging parameters of these tariffs are set out in the following table.

Charging	Units	Element of service				
Parameter		Direct control	Designated Pricing Proposal Charges DPPC	JSCR Recovery & Cost Pass Through	Description	
Supply Rate	\$/day	*	*	×	Pro-rated fixed annual charge	
Annual Demand Rate	\$/kW/pa	✓	√	×	Pro-rated per month	
Block 1 Usage Rate	¢/kWh	✓	√	✓	For consumption up to and including 340kWh/month	
Block 2 Usage Rate	¢/kWh	√	√	✓	For the balance of peak consumption	
Off peak Rate	¢/kWh	✓	√	✓	For the balance of off peak consumption	

Table 12 - Large low voltage kW demand tariff charging parameters

4.6 High voltage business tariff class

There is also a broad range of customer sizes and types connected to CitiPower's system at high voltage. They are predominantly industrial and large commercial installations.

4.6.1 High voltage kW demand tariff

The kW demand tariff for business customers connected at high voltage is similar in structure to the large low voltage equivalent described in section 4.5.1 of this Pricing Proposal.

Minimum demands between 1,000kW and 40,000kW apply to the respective tariffs. The charging parameters of these tariffs are set out in the following table.

Charging	Units	Element of service				
Parameter		Direct control	Designated Pricing Proposal Charges	Cost Pass Through	Description	
		DUoS	DPPC			
Supply Rate	\$/day	*	×	*	Pro-rated fixed annual charge	
Annual Demand Rate	\$/kW/pa	✓	✓	*	Pro-rated per month	
Block 1 Usage Rate	¢/kWh	✓	√	*	For consumption up to and including 340kWh/month	
Block 2 Usage Rate	¢/kWh	✓	√	*	For the balance of peak consumption	
Off peak Rate	¢/kWh	√	√	*	For the balance of off peak consumption	

Table 13 - High voltage kW demand tariff charging parameters

4.7 Sub-transmission tariff class

The sub-transmission customers are the largest connection size customer segment connected to CitiPower's network. They comprise a range of industrial, manufacturing and mining enterprises.

4.7.1 Sub-transmission kW demand tariff

This kW demand tariff is for larger high voltage connected business customers that take supply on direct transformers at 66kVa. The tariff has a minimum chargeable demand of 10,000kW. The charging parameters for this tariff are set out in the following table.

Charging	Units	Element of service			
Parameter		Direct control	Designated Pricing Proposal Charges	Cost Pass Through	Description
		DUoS	DPPC		
Supply Rate	\$/day	*	×	*	Pro-rated fixed annual charge
Annual Demand Rate	\$/kW/pa	√	√	*	Pro-rated per month
Block 1 Usage Rate	¢/kWh	✓	✓	*	For consumption up to and including 340kWh/month
Block 2 Usage Rate	¢/kWh	✓	✓	*	For the balance of peak consumption
Off peak Rate	¢/kWh	√	✓	*	For the balance of off peak consumption

Table 14 - Sub-transmission kW demand tariff charging parameters

5 Network tariff strategy

This section contains the objectives that CitiPower applies to the development of its network tariffs. It goes on to outline the strategies CitiPower proposes to pursue in developing tariffs during the 2011-15 regulatory control period.

5.1 Regulatory Requirements

The information in this section concerning potential future network tariff developments is provided pursuant to the following Rules.

6.18.3 Tariff classes

- (d) A tariff class must be constituted with regard to:
 - (1) the need to group customers together on an economically efficient basis; and
 - (2) the need to avoid unnecessary transaction costs.

6.18.5 Pricing principles

- (a) For each *tariff class*, the revenue expected to be recovered should lie on or between:
 - (1) an upper bound representing the stand alone cost of serving the customers who belong to that class; and
 - (2) a lower bound representing the avoidable cost of not serving those customers.
- (b) A tariff, and if it consists of 2 or more *charging parameters*, each *charging parameter* for a *tariff class*:
 - (1) must take into account the long run marginal cost for the service or, in the case of a *charging parameter*, for the element of the service to which the *charging parameter* relates; and
 - (2) must be determined having regard to:
 - (i) transaction costs associated with the tariff or each *charging parameter*; and
 - (ii) whether customers of the relevant *tariff class* are able or likely to respond to price signals.
- (c) If, however, as a result of the operation of paragraph (b), the *Distribution Network Service Provider* may not recover the expected revenue, the provider must adjust its tariffs so as to ensure recovery of expected revenue with minimum distortion to efficient patterns of consumption.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A *Distribution Network Service Provider* must maintain on its website:
 - (3) a statement of expected price trends (to be updated for each regulatory year) giving an indication of how the *Distribution* Network Service Provider expects prices to change over the

regulatory control period and the reasons for the expected changes.

5.2 Network tariff objectives

This section presents the high level framework that CitiPower applies to the development of its network tariff strategy. The major objectives of network pricing are to some extent conflicting and therefore involve making compromises. They are as follows:

- **Revenue sufficiency** prices are formulated to recover permitted weighted average prices under the determination.
- **Pricing efficiency** through their variable components, prices will signal the economic cost of providing network service. Residual costs will be recovered in a manner which least distorts customers' consumption decisions. (In accordance with clause 6.18.5 of the Rules.)
- Customer equity customers should pay a reasonable allocated share of costs and moves towards efficient pricing need to be tempered to limit their impact on some customers. (In accordance with clause 6.18.3(d)(1) of the Rules.)
- **Pricing simplicity** price structures should be understandable, simple and transparent. (In accordance with clause 6.18.3(d)(2) of the Rules.)

5.3 The need for tariff reform

CitiPower's summer demand is sensitive to the effect of air conditioning demand. High summer peak demands occur during heat wave conditions, which correspond with periods when the elements of the system have least capacity and the power factor of loads is poor.

Significant amounts of capital expenditure on CitiPower's network in the 2011-15 regulatory control period is growth related. That is, the expenditure is driven by the need to augment and expand the network to adequately meet peak summer demand and provide for the connection of new customers.

As a consequence, the management of summer demand has a high priority in CitiPower's tariff reform strategies. This leads to an emphasis on providing network price signals that will encourage both residential and business customers to moderate their consumption by the following means:

- The price levels of existing tariff structures;
- The development of more efficient tariff structures; and
- The development of innovative new tariff structures.

5.4 Network tariff strategy

CitiPower has a pricing strategy that will, within the limitations of metering arrangements and efficient tariff structures, signal the costs associated with increased demand placed on the network.

Consistent with the network tariff objectives outlined in section 5.2 of this Pricing Proposal, CitiPower's network tariff strategy aims to:

- Attain revenue sufficiency under the WAPC;
- Signal the long run marginal cost of supply through its network tariffs; and
- Pass on the cost of designated pricing proposal charges, jurisdictional scheme(s) and other approved pass through costs to customers.

5.5 Future tariff reform options

The following network tariff reforms may be pursued by CitiPower during the 2011-15 regulatory control period:

- Improving the design of the ToU tariffs, to enhance their efficiency;
- Strengthening the signal of the single-rate inclining block structure as a 'second best' option to ToU pricing where AMI meters are not available; and
- Develop tariff structures to take advantage of the rich data available through AMI.

5.6 Expected DUoS price trends 2011 - 2015

For tariffs in place at the commencement of the 2011-15 regulatory control period, CitiPower's tariff strategy and its focus on managing demand, leads to the indicative relative charging parameters summarised in section 4 of this Pricing Proposal. The actual price movements each year will remain subject to review at the time, following consideration of the objectives set out in section 5.2 of this Pricing Proposal.

Distribution tariff class and tariff	Fixed charge	First block rate	Upper blocks rates	Peak energy rate	Shoulder energy rate	Off peak energy rate	Demand rate
Residential	Residential						
Residential flat		↑	↑				
Residential ToU		^	^	^		Ψ	
Residential Flex. pricing				^	←→	Ψ	
Controlled load						Ψ	
Small Business							
Small business flat		^	↑				
Small business ToU		^	^	1		Ψ	
Small business Flex. pricing				^	←→	•	
Large Low voltage business							
LLV business				←→		←→	^
High Voltage business							
HV business				←→		←→	^
Subtransmission business							
Subtransmission				←→		←→	^

Table 15 - Indicative relative charging parameter movement in the 2011-15 regulatory control period

Table 15 Legend

- increase relative to the average distribution price movement permitted in the AER's Final Decision.
- decrease relative to the average distribution price movement permitted in the AER's Final Decision.
- ←→ no anticipated change relative to the average distribution price movement permitted in the AER's Final Decision.

A blank cell indicates that the corresponding charging parameter is not applicable for a particular tariff.

This is in accordance with the requirements of clause 6.18.9(a)(3) of the Rules.

6 Standard control services tariffs

Within the framework of CitiPower's longer term tariff strategy set out in Chapter 5 of this Pricing Proposal, this section sets out the proposed rates for tariffs charging components of standard control services for 2015 and provides a comparison with the rates in place during 2014.

It should be noted that the information and comparisons in this section relate solely to distribution charges. CitiPower's final network charges are bundled charges that contain designated pricing proposal charges, cost recovery components and recovery of jurisdictional scheme amounts.

A discussion of customer impacts including the cost recovery of designated pricing proposal charges, jurisdictional scheme amounts and pass through cost is set out in chapter 9, chapter 10 and chapter 11 of this Pricing Proposal.

6.1 Regulatory Requirements

The information in this section concerning the change in standard control service rates is provided pursuant to the following Rules.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (8) describe the nature and extent of change from the previous *regulatory year* and demonstrate that the changes comply with the *Rules* and any applicable distribution determination.

6.2 Requirements of the AER's Final Decision

Appendix E of the AER's Final Decision contains the following requirements based on clause 6.18.2(b)(8) of the Rules, concerning providing a description of any changes from the previous regulatory year.

E.1.4 AER assessment of reasonable estimates

When assessing the reasonableness of quantity estimates provided by the Victorian DNSPs, the AER will take the following information into account:

- 1. the actual audited quantities sold in relevant units under the origin tariff in previous years
- 2. a forecast of the number of distribution customers that the DNSP states will move to the new tariff/tariff components, and the reasons for the move
- 3. a forecast of the number of distribution customers that the DNSP expects will remain on the origin tariff
- 4. a forecast of the quantities that the DNSP expects will be sold, in relevant units, to those distribution customers that are to be moved to the new tariff/tariff components
- 5. a forecast of the quantities that the DNSP expects will be sold, in relevant units, to those distribution customers that will remain on the origin tariff

- 6. a forecast of the distribution tariff, and associated revenue, the DNSP expects will be payable by those distribution customers that will be moved to the new tariff/tariff components
- 7. a forecast of the distribution tariff, and associated revenue, the DNSP expects will be payable by those distribution customers that will remain on the origin tariff
- 8. the approach the DNSP used to determine its forecasts (for 2–7 above)
- 9. the materiality of the reasonable estimates
- 10. further information as required by the AER.

6.3 Change from previous regulatory year

The information in Appendix L demonstrates compliance with appendix E.1.4 of the Final Decision.

6.4 Calculation of use of system tariffs

The information in Appendix C outlines the price movement proposed for 2015. It should be noted that this information is provided for the purpose of showing the relative change in the price of each tariff charging parameter. Compliance with clause 6.18.2(b)(8) of the Rules, concerning the demonstration that price changes comply with the Rules and the AER's Final Decision, is demonstrated in Chapter 8 of this Pricing Proposal.

7 Customer Impacts

In this chapter, customer impacts are calculated using CitiPower's proposed tariffs. The use of these network tariffs results in customer impacts that include the following components:

- DUoS charges, for CitiPower's standard control services;
- Designated pricing proposal charges cost recovery tariffs, to recover costs associated with transmission, inter DB and avoided transmission;
- Recovery of jurisdictional scheme amounts; and
- Pass through costs.

All of the customer impacts presented in this chapter are GST exclusive.

This chapter provides an indication of how the price trends of tariffs may be expected to change over the 2011-15 regulatory control period.

This chapter also sets out how CitiPower will comply with the AER's requirement for a system of tariff review, where the charge varies according to the usage or load profile of a customer.

7.1 Regulatory Requirements

7.1.1 Rules requirements

The following Rules clauses impose a requirement for the Pricing Proposal to set out the nature of variations which may take place during 2015.

6.18.2 Pricing proposals

- (b) A *pricing proposal* must:
 - (5) set out the nature of any variation or adjustment to the tariff that could occur during the course of the *regulatory year* and the basis on which it could occur:

6.18.4 Principles governing assignment or re-assignment of customers to tariff classes and assessment and review of basis of charging

(b) If the *charging parameters* for a particular tariff result in a basis of charge that varies according to the usage or load profile of the customer, a distribution determination must contain provisions for an effective system of assessment and review of the basis on which a customer is charged.

7.1.2 Requirements of the AER's Final Decision

The following extract from Appendix G of the AER's Final Decision contains the following requirements based on clause 6.18.4(b) of the Rules, concerning the review of tariffs where the charge varies according to the usage or load profile of a customer.

System of assessment and review of the basis on which a customer is charged

12. Where the charging parameters for a particular tariff result in a basis of charge that varies according to the customer's usage or load profile, the Victorian DNSP must set out in its annual pricing

proposal a method by which it will review and assess the basis on which a customer is charged.

- 13. If the AER considers that the method provided under paragraph 12 does not provide for an appropriate system of assessment and review by the DNSP of the basis on which a customer is charged, the AER may, at any time, request additional information or request that the relevant Victorian DNSP submit a revised pricing method.
- 14. If the AER considers that the DNSP's method for reviewing and assessing the basis on which a customer is charged (see paragraphs 12 and 13) is not reasonable it will advise the DNSP in writing.

7.2 Variations to prices

Clause 6.18.2(b)(5) requires CitiPower to set out the nature of any variations and adjustments that could occur to tariffs during the course of the 2015 year.

Variations to the determination during the course of the 2011-15 regulatory control period could result in the adjustment of network tariffs from the X-Factor price trends set out in Table 2 of this Pricing Proposal. Those variations that are reasonably foreseen would arise from the following effects:

- The cost recovery of a Jurisdictional Scheme;
- The cost recovery of a designated pricing proposal charge (DPPC);
- License fees (L Factor);
- Service target performance incentive scheme (STPIS);
- Consumer Price Index (CPI);
- Approved pass through amounts; and
- Outcomes arising from relevant appeals to the Australian Competition Tribunals or other judicial body.

The extent of these variations to price during the course of the 2011-15 regulatory control period will depend on a number of factors, including CitiPower's performance as measured against the parameters of the AER's incentive schemes.

With regard to network price variations that could occur during the 2015 year, network prices will be established in accordance with this Pricing Proposal for implementation on 1 January 2015. Prices are not expected to vary throughout the year.

The average price trends mask the variation in price that can take place for individual customers. Each customer's price will vary depending upon their level of consumption, and for large business customers, the load profile and monthly demand.

7.3 Review of customer charges

Pursuant to clause 6.18.4(b) of the Rules, the AER has set out the requirement for a system of assessment and review of the basis on which a customer is charged where the charge varies with the customer's usage or profile. This requirement is in Appendix G of the Final Decision.

CitiPower has in place a process whereby customers, retailers, consultants or network managers will request that a customer be reassigned to a more appropriate tariff based

upon the review of a customer's connection characteristics, profile or usage patterns. Often it is the external or knowledgeable parties who become aware of changes in customer's circumstances that will trigger the need for review of tariffs.

Requests for changes are received throughout the year and are assessed based on the information provided.

For small customers the request for a tariff change is often received from the retailer, for larger customers a request is often in the form of a demand reset which is assessed against the demand reset policy outlined in section 6.6 of the deemed distribution contract.⁵

CitiPower considers that this process complies with the requirement of clause 12 of Appendix G of the AER's Final Decision in formulating the 2015 network prices.

⁵ 'Deemed Electricity distribution contract', Victorian Government Gazette, 11 January 2007

8 Pricing of standard control services

This section demonstrates how CitiPower's network tariffs for 2015 comply with the requirements of the Rules and the AER's Final Decision in respect of the pricing X factors, side constraints and pricing principles.

8.1 Regulatory requirements

8.1.1 Rules requirements

Rules clause 6.18.2(b)(4) specifies that CitiPower's Pricing Proposal must contain information concerning the expected revenue to be derived from its tariff classes and tariffs, as follows.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (4) set out, for each *tariff class* related to *standard control services*, the expected weighted average revenue for the relevant *regulatory year* and also for the current *regulatory year*.

In setting its prices for standard control services, clause 6.18.5 of the Rules requires CitiPower to comply with the following principles.

6.18.5 Pricing principles

- (a) For *each tariff class*, the revenue expected to be recovered should lie on or between:
 - (1) an upper bound representing the stand alone cost of serving the *retail customers* who belong to that class; and
 - (2) a lower bound representing the avoidable cost of not serving those customers.
- (b) A tariff, and if it consists of 2 or more *charging parameters*, each *charging parameter* for a *tariff class*:
 - (1) must take into account the long run marginal cost for the service or, in the case of a *charging parameter*, for the element of the service to which the *charging parameter* relates; and
 - (2) must be determined having regard to:
 - (i) transaction costs associated with the tariff or each *charging parameter*; and
 - (ii) whether *retail customers* of the relevant *tariff class* are able or likely to respond to price signals.
- (c) If, however, as a result of the operation of paragraph (b), the *Distribution Network Service Provider* may not recover the expected revenue, the provider must adjust its tariffs so as to ensure recovery of expected revenue with minimum distortion to efficient patterns of consumption.

In respect of pricing side constraints, CitiPower is required to comply with clause 6.18.6 of the Rules.

6.18.6 Side constraints on tariffs for standard control services

- (a) This clause applies only to *tariff classes* related to the provision of *standard control services*.
- (b) The expected weighted average revenue to be raised from a *tariff* class for a particular regulatory year of a regulatory control period must not exceed the corresponding expected weighted average revenue for the preceding regulatory year in that regulatory control period by more than the permissible percentage.
- (c) The permissible percentage is the greater of the following:
 - (1) the CPI-X limitation on any increase in the *Distribution Network Service Provider*'s expected weighted average revenue between the two *regulatory years* plus 2%;

Note:

The calculation is of the form (1 + CPI)(1 - X)(1 + 2%)

(2) CPI plus 2%.

Note:

The calculation is of the form (1 + CPI)(1 + 2%)

- (d) In deciding whether the permissible percentage has been exceeded in a particular *regulatory year*, the following are to be disregarded:
 - (1) the recovery of revenue to accommodate a variation to the distribution determination under rule 6.6 or 6.13;
 - (2) the recovery of revenue to accommodate pass through of designated pricing proposal charges to retail customers;
 - (3) the recovery of revenue to accommodate pass through of *jurisdictional scheme amounts* for *approved jurisdictional schemes*; and
 - (4) the recovery of revenue to accommodate any increase in the *Distribution Network Service Provider's annual revenue* requirement by virtue of an application of a formula referred to in clause 6.5.2(1).
- (e) This clause does not, however, limit the extent a tariff for *retail customers* with remotely-read interval metering or other similar metering technology may vary according to the time or other circumstances of the customer's usage.

8.1.2 Requirements of the AER's Final Decision

The principal elements of the AER's determination are set out in its Final Decision and form the major determinants of prices for standard control services during the 2011-15 regulatory control period:

Chapter 4 - Pricing control mechanism

Side constraint requirements

These elements of the AER's Final Decision have been set out in section 2.3 of this Pricing Proposal.

In addition, the provisions of Appendix E to the AER's Final Decision, concerning changes to tariff structures, must be met.

8.2 2015 prices for standard control services

The fundamental pricing criteria that CitiPower has factored into this Pricing Proposal are summarised in the following table.

Criterion	2015 value
Consumer Price Index	2.31%
X Factor ⁶	(7.80)%
L Factor	(0.00)%
S Factor	0.41%
WAPC (1+CPI) x (1-X) x (1+S) x (1+L)-1	10.73%

Table 16 - Summary of fundamental pricing criteria

The derivation of the WAPC constraint is presented in the AER's annual tariff model template provided for this purpose.

8.3 Compliance with the Weighted Average Price Cap

The AER's WAPC model has been used for the purposes of demonstrating compliance with the provisions of the WAPC. This model is submitted as Appendix J and forms part of this Pricing Proposal.

The prices and side constraints for 2015 are based on 2013 volumes, projected using the WAPC formulae and X factors determined by the AER.

A summary of the tariff class network revenue is presented in the following table.

2015 Distribution price control	P _{t-1} Q _{t-2} \$'000	PtQt-2 \$'000	Change in weighted average revenue %
Distribution Tariff Revenue	258,105	285,808	10.73%

Table 17 - Weighted Average Revenue

Table 17 demonstrates that CitiPower's 2015 network Pricing Proposal complies with the WAPC constraints indicated in Table 16 above.

The table also satisfies clause 6.18.2(b)(4) of the Rules.

_

Negative values represent a real price increase

8.4 Tariff class side constraints

8.4.1 Tariff class movement side constraint

The side constraint formula that the AER has determined for CitiPower has been set out in section 2.3 of this Pricing Proposal. The evaluation of the side constraint for 2015 is set out in Table 18.

Criterion	2015 value
Consumer Price Index	2.31%
X Factor	(7.80)%
L Factor	(0.00)%
S Factor	0.41%
Side constraint (1+ <i>CPI</i>) x (1- <i>X</i>) x (1+ <i>S</i>) x (1+L) x (1+2%)-1	12.95%

Table 18 - Summary of side constraint criteria

The AER's annual tariff model has been used for the purposes of demonstrating compliance with the provisions of the side constraint (refer to Appendix I). A summary of the tariff class revenue and price changes is presented in Table 19.

Tariff class	2014 P _{t-1} Q _{t-2} \$'000	2015 PtQt-2 \$'000
Residential	74,095	77,973
Non-Residential	99,332	112,194
Large Low Voltage	72,130	81,470
High voltage	11,609	13,113
Subtransmission	938	1,059

Table 19 - Compliance with the side constraint

To demonstrate CitiPower's compliance with the provisions of clause 6.18.6 of the Rules and the AER's side constraint formula, the percentage change from 2014 and side constraints for each tariff class are given below:

Residential class has increased 5.23%, Non residential class has increased 12.95%, Large Low Voltage class has increased 12.95%, High voltage class has increased 12.95% and Subtransmission class has increased 12.95%. These are all equal or less than the side constraint of 12.95%.

8.5 Compliance with pricing principles

This section demonstrates CitiPower's compliance with the pricing principles set out in clause 6.18.5 of the Rules, which requires CitiPower to ensure that the revenue recovered for each tariff class lies between:

- An upper bound, representing the stand-alone cost of serving the customers who belong to that class; and
- A lower bound, representing the avoidable cost of not serving those customers.

The Stand-alone and Avoidable cost methodologies are described in detail in Appendix H (confidential) of this Pricing Proposal. These approaches are used to calculate the revenues for each standard control services tariff class associated with each cost methodology. These costs are compared with the weighted average revenue

derived from CitiPower's proposed tariffs. The associated calculations are included as Appendix I (confidential).

8.5.1 Definition of Stand-alone and Avoidable costs

These two categories of cost may be defined as follows:

- The *Stand-alone cost* of serving a tariff class is defined as the cost of developing and operating distribution infrastructure in order to serve the tariff class in question. Standalone cost is a forward looking concept and considers the costs of entry based on current market conditions and technology. Where the network business recovers more revenue than the standalone cost of serving a tariff class, it follows that a hypothetical alternate supplier may enter the market and supply that particular tariff class. Prices above the standalone cost could not therefore be sustained in an effectively competitive market and may create the possibility of efficient bypass of the existing infrastructure; and
- The *Avoidable cost* for a tariff class is defined as the cost that would be avoided should the distribution business no longer serve that specific tariff class (whilst all other tariff classes remained supplied). If a tariff class were to be charged below the avoidable cost, it would be economically beneficial for the business to stop supplying that tariff class as the associated costs would exceed the revenue obtained from the customer. Further, where avoidable costs are higher than revenue recovered, the associated tariff levels may also result in inefficient levels of consumption, which therefore provides a rationale for having avoidable costs as a lower bound.

There are two alternative concepts that could be used to calculate these costs:

- To ignore the sunk nature of the existing network and estimate the costs which
 would be associated with an optimally designed network, constructed to supply
 standard control services to the tariff class(es) concerned; or
- To base the estimation of costs on existing network configuration, to provide standard control services to the tariff class(es) concerned.

The Rules do not prescribe the methodology that should be used to calculate the Stand-alone and Avoidable costs of tariff classes of the network. CitiPower has chosen to base its cost estimations on the second concept, with hypothetical modification of the existing network, rather than by devising and costing optimal new network structures. This has been done for two reasons:

- To avoid the very substantial resource requirements that would be involved in a full network redesign; and
- In recognition that the economic regulatory framework for distribution supports the existence and value of existing (sunk) network investments and does not support the optimisation of existing networks.

8.6 Stand-alone costs

Standalone costs comprise both the capital and operating costs of service provision. The stand-alone network capital cost for each tariff class was derived from an estimate of the proportions of the cost of providing network infrastructure that would need to remain in place to service the load in each of the tariff classes in turn if the other tariff classes were no longer required to be supplied. The standalone operating

cost for a tariff class has been estimated as the total of all operating cost less the avoidable operating costs of serving all the other tariff classes.

8.7 Avoidable costs

In similar manner to the stand-alone cost, the avoidable cost associated with each of the tariff classes were derived from an estimate made of the network cost that could be avoided, in the event that each of the tariff classes were no longer served.

8.8 Compliance with Rules clause 6.18.5(a)

The revenue expected to be recovered from each of CitiPower's tariff classes in 2015 is compared with the stand-alone and avoidable costs calculated in sections 8.6 and 8.7, in the following table.

Tariff class	Avoidable cost \$000, (nominal)	Tariff revenue \$000, (nominal)	Stand-alone cost \$000, (nominal)
Residential	51,668	87,279	216,334
Non-Residential	63,982	128,180	207,698
Large Low Voltage	21,215	76,313	118,654
High voltage	1,673	10,346	77,519
Subtransmission	209	1,104	54,083

Table 20 - Stand-alone and avoidable distribution network costs (\$'000)

8.9 Long Run Marginal Costs

LRMC is a measure of the change in the forward looking costs as output increases when all factors of production including plant and equipment are variable. The LRMC will relate broadly to the annualised cost of augmenting capacity (in case of electricity, at a particular voltage, at a particular location, at a particular time), generally per unit of additional capacity provided.

CitiPower has therefore estimated its LRMC for each tariff class by annualising its cost of augmenting capacity (measured by the marginal cost of reinforcement) and scale growth in operating and maintenance costs associated with network augmentation, per unit of additional capacity provided (MVA).

A comparison of the stand-alone, avoidable, LRMC and 2015 tariff rates for CitiPower's tariff classes is shown in following Figure 2⁷.

The stand-alone, 2014 tariff and avoidable tariff class rates are expressed as their \$ contribution divided by the forecast coincident peak kVA for CitiPower's system demand in 2014, with a 10% PoE.




Figure 2 - Cost comparison (\$/kVA per annum)

It can be noted that:

- The 2015 prices for each network tariff class fall well within the bounds of the stand-alone and avoidable costs and hence are subsidy-free; and
- The LRMC of each tariff class determined from the approach described above yields a cost that does not vary greatly from that expected to be recovered through the 2015 prices in the case of the major business and high voltage business tariff classes.

8.9.1 Application of the LRMC to price formulation

As required by clauses 6.18.5(b)(1) and 6.18.5(c) of the Rules, CitiPower has taken into account the calculated values of LRMC, in establishing the charging parameters for each of CitiPower's 2015 network tariffs.

Charging parameters of tariffs that are related to volume may be expected to influence customers' consumption decisions. Those parameters are:

- Monthly demand;
- Peak period energy; and
- To a much less significant extent, anytime energy.

CitiPower notes that the LRMC is less than the expected revenue for each tariff class. This indicates that tariffs are set in such a way that there is no concern to be raised regarding cross subsidies across tariff classes.

CitiPower's 2015 tariffs have therefore been established in compliance with the provisions of clauses 6.18.5(b)(1) and 6.18.5(c) of the Rules.

8.10 Transaction costs

Clause 6.18.5(b)(2)(i) of the Rules requires CitiPower have regard to the transaction costs arising from its network tariffs, by limiting the complexity of tariff structures and the number of charging parameters within each tariff. The charging parameters applicable to each tariff are provided in section 4 of this Pricing Proposal.

CitiPower has not introduced any new tariffs or tariff structures in 2015. Therefore this will have no impact on transaction costs.

8.11 Customer response to price signals

In accordance with clause 6.18.5(b)(2)(ii) of the Rules, CitiPower is required to have regard to the ability of customers to respond to the price signals provided by its network tariffs. The efficiency gains of marginal cost pricing are realised when a tariff based on the marginal cost of supply induces the customer to make behavioural change.

To the extent possible within the limitations imposed by network tariff structures and metering constraints, CitiPower signals the long run marginal cost of supply through those tariff charging parameters with the greatest price elasticity of demand, namely the variable consumption charges that are based on the customers energy use and maximum demand.

In relation to the operation of clause 6.18.5(c) of the Rules, it is noted that CitiPower's current estimate of LRMC falls above all of the price signalling charging parameters in each tariff class, as described in section 8.9 of this Pricing Proposal.

If the price signalling charging parameters alone (which were set taking into account the LRMC) were used, the revenue for each tariff class would be insufficient to recover the expected revenue. The revenue shortfall is recovered through the use of tariff components which would cause minimal distortion in efficient patterns of consumption, namely:

- Fixed charges; and
- Anytime energy charges during off peak periods.

CitiPower is therefore compliant with this Rules provision.

9 Designated pricing proposal charges

This section sets out the procedures that CitiPower will follow to enable the recovery of transmission related charges.

9.1 Regulatory Requirements

9.1.1 Rules requirements

The Rules requirements pertaining to Pricing Proposals that apply to transmission use of system services are as follows;

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (2) set out the proposed tariffs for each *tariff class*; and
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates; and
 - (6) set out how *designated pricing proposal charges* are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous *regulatory year*.

6.18.7 Recovery of designated pricing proposal charges

- (a) A pricing proposal must provide for tariffs designed to pass on to retail customers the designated pricing proposal charges to be incurred by the Distribution Network Service Provider for transmission use of system services.
- (b) The amount to be passed on to *retail customers* for a particular *regulatory year* must not exceed the estimated amount of the *designated pricing proposal charges* adjusted for over or under recovery in accordance with paragraph (c).
- (c) The over and under recovery amount must be calculated in a way that:
 - (1) subject to subparagraphs (2) and (3) below, is consistent with the method determined by the *AER* in the relevant distribution determination for the *Distribution Network Service Provider*:
 - (2) ensures a *Distribution Network Service Provider* is able to recover from *retail customers* no more and no less than the *designated pricing proposal charges* it incurs; and
 - (3) adjusts for an appropriate cost of capital that is consistent with the *allowed rate of return* used in the relevant distribution determination for the relevant *regulatory year*.
- (d) Notwithstanding anything else in this clause 6.18.7, a *Distribution Network Service Provider* may not recover charges under this clause to the extent these are:
 - (1) recovered through the *Distribution Network Service Provider's* annual revenue requirement;

- (2) recovered under clause 6.18.7A; or
- (3) recovered from another *Distribution Network Service Provider.*

9.1.2 Requirements of the AER's Final Decision

In its Final Decision the AER outlines a methodology for the recovery of transmission cost in section 4.4.2.

The format required for the details of calculations is set out in Appendix F of the Final Decision. The amounts provided for the most recently completed regulatory year (t-2) must be audited and the amounts for the current and next regulatory year will be regarded as estimates and forecast respectively.

CitiPower submits in this pricing proposal that the changes to the NER to address recover of designated pricing proposal charges encapsulates the recovery of transmission use of system services and that the recovery in accordance within the most recent version of the NER supersedes the EDPR requirements.

9.2 Maximum transmission revenue control

In accordance with Appendix F of the AER's Final Decision, 6.18.2(b)(6) and 6.18.7 of the Rules, Appendix E provides the information specific to compliance with these requirements.

This same control mechanism will be used for the recovery of designated pricing proposal charges rather than just transmission use of system services.

The total designated pricing proposal service charges allocated to network tariffs aligns with the total estimated designated pricing proposal charges to be paid by CitiPower, adjusted for any prior period corrections and adjusted for the time value of money.

9.3 Designated pricing proposal charges tariffs for 2015

CitiPower has prepared prices for 2015 in accordance with appendix F of the decision. Customers have had prices applied on a non-locational basis. The billing parameters available for that customer segment and the customer demand assumptions for that customer segment. For example, business customers on a demand tariff will incur a mixture of demand and energy charges for designated pricing proposal charges, whilst residential and small business customers will incur an energy-based charge.

10 Recovery of Jurisdictional Scheme Amounts

This section outlines the requirements and obligations in relation to the recovery of amounts relating to the jurisdictional scheme.

10.1 Regulatory Requirements

10.1.1 Rules requirements

The Rules requirement in relation to jurisdictional schemes are as follows:

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (6A) set out how *jurisdictional scheme amounts* for each *approved jurisdictional scheme* are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those amounts; and
 - (6B) describe how each approved jurisdictional scheme that has been amended since the last jurisdictional scheme approval date meets the jurisdictional scheme eligibility criteria.

6.18.6 Side constraints on tariffs for standard control services

- (d) In deciding whether the permissible percentage has been exceeded in a particular *regulatory year*, the following are to be disregarded:
 - (3) the recovery of revenue to accommodate pass through of *jurisdictional scheme amounts* for *approved jurisdictional schemes*.

6.18.7A Recovery of jurisdictional scheme amounts

Pricing Proposal

- (a) A pricing proposal must provide for tariffs designed to pass on to customers a Distribution Network Service Provider's jurisdictional scheme amounts for approved jurisdictional schemes.
- (b) The amount to be passed on to customers for a particular regulatory year must not exceed the estimated amount of jurisdictional scheme amounts for a Distribution Network Service Provider's approved jurisdictional schemes adjusted for over or under recovery in accordance with paragraph (c).
- (c) The over and under recovery amount must be calculated in a way that:
 - (1) subject to subparagraphs (2) and (3) below, is consistent with the method determined by the *AER* for *jurisdictional scheme amounts* in the relevant distribution determination for the *Distribution Network Service Provider*, or where no such method has been determined, with the method determined by the *AER* in the relevant distribution determination in respect of *designated pricing proposal charges*;

- (2) ensures a *Distribution Network Service Provider* is able to recover from customers no more and no less than the *jurisdictional scheme amounts* it incurs; and
- (3) adjusts for an appropriate cost of capital that is consistent with the *allowed rate of return* used in the relevant distribution determination for the relevant *regulatory year*.

Jurisdictional schemes

- (d) A scheme is a jurisdictional scheme if:
 - (1) the scheme is specified in paragraph (e); or
 - (2) the *AER* has determined under clause paragraph (1) that the scheme is a *jurisdictional scheme*,

and the AER has not determined under paragraph (u) that the scheme has ceased to be a *jurisdictional scheme*.

- (e) For the purposes of paragraph (d)(1), the following schemes are *jurisdictional schemes*:
 - (1) schemes established under the following laws of participating jurisdictions:
 - (i) Electricity Feed-in (Renewable Energy Premium) Act 2008 (ACT);
 - (ii) Division 3AB of the Electricity Act 1996 (SA);
 - (iii) Section 44A of the Electricity Act 1994 (Qld);
 - (iv) Electricity Industry Amendment (Premium Solar Feedin Tariff) Act 2009 (Vic);
 - (2) the Solar Bonus Scheme established under the Electricity Supply Act 1995 (NSW); and
 - (3) the Climate Change Fund established under the Energy and Utilities Administration Act 1987 (NSW).

AER Requested to determine that scheme is a jurisdictional scheme

- (f) Any person may request the *AER* to determine whether a scheme is a *jurisdictional scheme*.
- (g) A request made under paragraph (f) must contain the following information:
 - (1) the name and address of the person making the request;
 - (2) details of the law of a *participating jurisdiction* under which the relevant scheme is established;
 - (3) the commencement date of the relevant scheme; and
 - (4) an explanation of how the relevant scheme meets the *jurisdictional scheme eligibility criteria*.
- (h) The AER must as soon as practicable after receiving the request under paragraph (f) publish the request.

AER may assess whether a scheme is a jurisdictional scheme

- (i) The AER may at any time initiate an assessment of whether a scheme is a *jurisdictional scheme*.
- (j) If the *AER* decides to initiate an assessment under paragraph (i) it must *publish* details of the scheme it is considering and the reasons for initiating the assessment.

AER to determine whether a scheme is a jurisdictional scheme

- (k) Before making a determination under paragraph (1), the *AER* may consult with the relevant *Distribution Network Service Provider* and such other persons as the *AER* considers appropriate, on any matters arising out of the request or the assessment the *AER* considers appropriate.
- (1) The AER must within 20 business days of:
 - (1) receiving a request under paragraph (f); and
 - (2) publishing details of an assessment under paragraph (j),
 - determine in accordance with paragraph (n) if the relevant scheme is a *jurisdictional scheme* and *publish* its decision (including the reasons).
- (m) The *AER* may extend the time limit fixed in paragraph (l) if it considers that the difficulty of assessing whether a scheme is a *jurisdictional scheme*, or the complexity of the issues raised during any consultation under paragraph (k), justifies the extension.
- (n) The *AER* must only determine that a scheme is a *jurisdictional* scheme under paragraph (l) if it considers that the scheme meets the *jurisdictional scheme eligibility criteria*.

AER requested to determine that scheme should cease to be a jurisdictional scheme

- (o) Any person may request the *AER* to determine that a scheme is no longer a *jurisdictional scheme*.
- (p) A request made under paragraph (o) must contain the following information:
 - (1) the name and address of the person making the request;
 - (2) the law of a *participating jurisdiction* under which the relevant scheme is established:
 - (3) the commencement date of the relevant scheme; and
 - (4) an explanation of why the scheme no longer meets the *jurisdictional scheme eligibility criteria*.
- (q) The AER must as soon as practicable after receiving the request under paragraph (o) publish the request.

AER may assess whether a scheme should cease to a jurisdictional scheme

- (r) The AER may at any time consider whether a scheme should cease to be a *jurisdictional scheme*.
- (s) If the *AER* decides to initiate an assessment of whether a scheme should cease to be *jurisdictional scheme* under paragraph (r) it must *publish* details of the scheme it is considering and the reasons for initiating the assessment.

AER to determine whether a scheme should cease to be a jurisdictional scheme

- (t) Before making a determination under paragraph (u), the *AER* may consult with the relevant *Distribution Network Service Provider* and such other persons as the *AER* considers appropriate, on any matters arising out of the request or the assessment the *AER* considers appropriate.
- (u) The AER must within 20 business days of:
 - (i) receiving a request under paragraph (o); or
 - (ii) publishing details of an assessment under paragraph (s),

determine in accordance with paragraph (w) if the relevant scheme should cease to be a *jurisdictional scheme* and *publish* its decision (including the reasons).

- (v) The AER may extend the time limit fixed in paragraph (u) if it considers that the difficulty of assessing whether a scheme should cease to be a *jurisdictional scheme*, or the complexity of the issues raised during any consultation under paragraph (t), justifies the extension.
- (w) The AER must only determine that a scheme has ceased to be a *jurisdictional scheme* under paragraph (u) if it considers that the scheme no longer meets the *jurisdictional scheme eligibility criteria*.

Jurisdictional scheme eligibility criteria

- (x) The following are the *jurisdictional scheme eligibility criteria*:
 - (1) the jurisdictional scheme obligations require a Distribution Network Service Provider to:
 - (i) pay a person;
 - (ii) pay into a fund established under an Act of a participating jurisdiction;
 - (iii) credit against charges payable by a person; or
 - (iv) reimburse a person,

an amount specified in, or determined in accordance with, the *jurisdictional scheme obligations*;

(2) the *jurisdictional scheme obligations* are imposed on a *Distribution Network Service Provider* in its capacity as a *Distribution Network Service Provider*;

- (3) the amount referred to in subparagraph (1) is not in the nature of a fine, penalty or incentive payment for the *Distribution Network Service Provider*; and
- (4) except as provided in these Rules, the *Distribution Network Service Provider* has no right to recover the amount referred to in subparagraph (1) from any person.

10.1.2 Requirements of the AER's Final Decision

Section 16.6.7 the Final Decision confirms the NER rule changes as the instrument for the recovery of costs attributable to a Jurisdictional Scheme. Appendix F of the Final Decision provides the mechanism to recover these costs.

10.2 Jurisdictional scheme eligibility

In accordance with the rule requirement clause 6.18.7A(e)(1)(iv) CitiPower submits that the Victorian Premium Feed-in tariff (**PFiT**) scheme fulfils the criteria for eligibility as a jurisdictional scheme.

In the National Electricity (Victoria) Act 2005 the Victorian Transitional Feed-in tariff (TFiT) is considered a jurisdictional schemed in accordance with rule requirement clause 6.18.7A(d)(1). CitiPower submits that the Victorian Transitional Feed-in tariff (TFiT) scheme fulfils the criteria for eligibility as a jurisdictional scheme.

10.3 Jurisdictional scheme cost recovery tariff methodology

The key principles of CitiPower's JSCR tariff methodology are:

- The total JSCR allocated to network tariffs aligns with the total estimated charge to be paid by CitiPower, adjusted for any overs and unders from previous regulatory years and also adjusted for the time value of money; and
- Charges are allocated to tariffs in a manner that reflects the customers that the scheme serves.

10.4 Overs and unders true up

In accordance with clause 6.18.7A(b) of the Rules and Appendix F of the Final Decision, CitiPower submits an approach to jurisdictional scheme which settles under and over recovery from previous years (Refer to Appendix F of this Pricing Proposal for the detailed calculations).

10.5 Charging parameters for JSCR tariffs

CitiPower's jurisdictional scheme recovery tariffs are included in the bundled NUoS rates. The charging parameters associated with jurisdictional scheme cost recovery tariffs are shown in sections 4.3 to 4.7 of this Pricing Proposal.

Jurisdictional scheme cost recovery amounts are billed at the same frequency as the relevant tariff for standard control services.

10.6 Jurisdictional scheme recovery tariffs

CitiPower's recovery through jurisdictional scheme tariffs is forecast to increase, which results from an increase in CitiPower's forecast jurisdictional scheme payments.

CitiPower has prepared prices that recover the forecast jurisdictional scheme charges. Charges are applied on a non-locational basis.

11 Pass Through Costs

On 23 June 2011, the Victorian Government introduced the F-factor scheme which provides incentives for DNSPs to reduce the risk of fire starts and damages caused by fire starts. In accordance with clause 12(2) of the Order, the AER has made a determination for F-factor amounts to be passed through in the regulatory years that commence 1 January 2014 and 1 January 2015.

This section outlines the requirements and obligations in relation to the recovery of amounts relating to the pass through costs.

11.1 Regulatory Requirements

The requirements concerning the pass through costs are set out in clause 6.6.1 of the Rules and Chapter 16.7 and Appendix E3 of the AER's Final Decision.

11.1.1 Rules requirements

6.6.1 Cost Pass Through

- (a1) Any of the following is a *pass through event* for a distribution determination:
 - (1) a regulatory change event;
 - (2) a service standard event;
 - (3) a tax change event;
 - (4) a retailer insolvency event; and
 - (5) any other event specified in a distribution determination as a *pass* through event for the determination.
- (a) If a positive change event occurs, a Distribution Network Service Provider may seek the approval of the AER to pass through to Distribution Network Users a positive pass through amount.
- (b) If a negative change event occurs, the AER may require the Distribution Network Service Provider to pass through to Distribution Network Users a negative pass through amount as determined by the AER under paragraph (g).

Positive Pass through

- (c) To seek the approval of the AER to pass through a positive pass through amount, a Distribution Network Service Provider must submit to the AER, within 90 business days of the relevant positive change event occurring, a written statement which specifies:
 - (1) the details of the *positive change event*;
 - (2) the date on which the *positive change event* occurred;

- (3) the *eligible pass through amount* in respect of that *positive change event*;
- (4) the *positive pass through amount* the *Distribution Network Service Provider* proposes in relation to the *positive change event*;
- (5) the amount of the *positive pass through amount* that the *Distribution Network Service Provider* proposes should be passed through to *Distribution Network Users* in the *regulatory year* in which, and each *regulatory year* after that in which, the *positive change event* occurred;
- (6) evidence:
 - (i) of the actual and likely increase in costs referred to in subparagraph (3);
 - (ii) that such costs occur solely as a consequence of the *positive change event*; and
 - (iii) in relation to a retailer insolvency event, of:
 - (A) the amount to which the *Distribution Network Service* Provider is entitled under any relevant *credit support*;
 - (B) the maximum amount of *credit support* (if any) that the *Distribution Network Service* Provider was entitled to request the *retailer* to provide under the *credit support rules*; and
 - (C) any amount that the *Distribution Network Service* Provider is likely to receive on a winding-up of the *retailer*; and
- (7) such other information as may be required under any relevant *regulatory information instrument*.

11.1.2 Requirements of the AER's Final Decision

The calculation of the pass through factor is found in Appendix E3 of the AER's Final Decision.

E.3.2 Implementation mechanism

Maximum Pass through Revenue (MPRt)

1. *MPR*t is expressed by the formula as set out below:

$$MPR_t = PC_t - K_t$$

where:

 MPR_t (in ϕ) is the maximum revenue the DNSP is allowed to receive from its pass through tariffs from all distribution customers for the calendar year t;

 PC_t (in ϕ) is the aggregate amount of all positive and negative change events approved for pass through by the AER, during calendar year t; and K_t (in ϕ) is determined in accordance with clause E.3.3 of this appendix.

2. The *passthrough* factor in the WAPC and side constraint set out respectively in chapter 4 sections 4.5.1 and 4.5.2 of this final decision represent the incremental charges (incremental pass through charges) derived from *MPR* and the forecast quantities for year *t*.

11.2 Verification of Pass through event

Table 5.1 of the Final determination for the 'F-factor amount determinations for 2012 for Victorian electricity distribution network service providers' summarises the pass through amounts proposed by the AER allowed to be passed through CitiPower's 2015 distribution tariffs.

11.3 Calculation of MPR_t

CitiPower submits that it has satisfied the AER's MPR_t calculation requirements as demonstrated in Appendix M of the Pricing Proposal.

12 Customer tariff class assignment and reassignment

The requirements concerning the assignment and reassignment of customer to tariff classes are set out in clause 6.18.4 of the Rules and Chapter 2 and Appendix G of the AER's Final Decision.

12.1 Regulatory Requirements

12.1.1 Rules requirements

In making a distribution determination, the AER is required to formulate provisions for the assignment and reassignment of customers to tariff classes, in accordance with the principles set out in clause 6.18.4 of the Rules.

6.18.4 Principles governing assignment or re-assignment of retail customers to tariff classes and assessment and review of basis of charging

- (a) In formulating provisions of a distribution determination governing the assignment of *retail customers* to *tariff classes* or the reassignment of *retail customers* from one *tariff class* to another, the *AER* must have regard to the following principles:
 - (1) *retail customers* should be assigned to *tariff classes* on the basis of one or more of the following factors:
 - (i) the nature and extent of their usage;
 - (ii) the nature of their *connection* to the *network*;
 - (iii) whether remotely-read interval metering or other similar metering technology has been installed at the *retail* customer's premises as a result of a regulatory obligation or requirement;
 - (2) *retail customers* with a similar *connection* and usage profile should be treated on an equal basis;
 - (3) however, *retail customers* with micro-generation facilities should be treated no less favourably than *retail customers* without such facilities but with a similar load profile;
 - (4) a *Distribution Network Service Provider's* decision to assign a customer to a particular *tariff class*, or to re-assign a customer from one *tariff class* to another should be subject to an effective system of assessment and review.

Note:

If (for example) a customer is assigned (or reassigned) to a *tariff class* on the basis of the customer's actual or assumed *maximum demand*, the system of assessment and review should allow for the reassignment of a customer who demonstrates a reduction or increase in *maximum demand* to a *tariff class* that is more appropriate to the customer's *load* profile.(b) If the *charging parameters* for a particular tariff result in a basis of charge that varies according to the usage or load profile of the customer, a distribution determination must contain provisions for an effective system of assessment and review of the basis on which a customer is charged.

12.1.2 Requirements of the AER's Final Decision

In accordance with the principles in clause 6.18.4 of the Rules, Appendix G of the AER's Final Decision sets out the procedures to apply to assigning or reassigning customers to tariff classes. These provisions are in several parts, covering the following aspects:

- The initial assignment of customers at the commencement of the 2011-15 regulatory control period;
- Assignment of new customers to a tariff class during the next regulatory control period;
- Reassignment of existing customers to another existing or a new tariff during the next regulatory control period;
- Objections to proposed assignments and reassignments;
- System of assessment and review of the basis on which a customer is charged;
 and
- Installation of interval meters and assignment of customers to time of use (ToU) tariffs.

The initial assignment of existing standard control services customers to their existing tariffs was discussed in section 4.1.2. The remaining elements of the AER's Final Decision on tariff assignment and reassignment are set out below.

Assignment of new customers to a tariff class during the 2011-2015 regulatory control period

- 2. If, after 1 January 2011, a Victoria DNSP becomes aware that a person will become a customer of the DNSP, then the DNSP must determine the tariff class to which the new customer will be assigned.
- 3. In determining the tariff class to which a customer or potential customer will be assigned, or reassigned, in accordance with paragraphs 2 or 5 of this appendix, a DNSP must take into account one or more of the following factors:
 - (a) the nature and extent of the customer's usage
 - (b) the nature of the customer's connection to the network⁸
 - (c) whether remotely-read interval metering or other similar metering technology has been installed at the customer's premises as a result of a regulatory obligation or requirement.
- 4. In addition to the requirements under paragraph 3 of this appendix, a Victorian DNSP, when assigning or reassigning a customer to a tariff class, must ensure the following:

The AER interprets 'connection' to include the installation of any technology capable of supporting time based tariffs.

- (a) that customers with similar connection and usage profiles are treated equally
- (b) that customers which have micro-generation facilities are not treated less favourably than customers with similar load profiles without such facilities.

Reassignment of existing customers to another existing or a new tariff class during the 2011-15 regulatory control period

5. If a Victorian DNSP believes that an existing customer's load characteristics or connection characteristics (or both) have changed such that it is no longer appropriate for that customer to be assigned to the tariff class to which the customer is currently assigned or a customer no longer has the same or materially similar load or connection characteristics as other customers on the customer's existing tariff class, then it may reassign that customer to another tariff class. In determining the tariff class to which a customer will be reassigned, a DNSP must take into account paragraphs 3 and 4 of this appendix.

Objections to proposed assignments and reassignments

- 6. A Victorian DNSP must notify the customer concerned in writing of the tariff class to which the customer has been reassigned by it, prior to the assignment or reassignment occurring.
- 7. A notice under paragraph 6 must include advice that the customer may request further information from the DNSP and that the customer may object to the proposed reassignment. This notice must specifically include:
 - a. either a copy of DNSP's internal procedures for reviewing objections or the link to where such information is available on the DNSP's website
 - b. that if the objection is not resolved to the satisfaction of the customer under the DNSP's internal review system, then to the extent that resolution of such disputes are within the jurisdiction of the Energy and Water Ombudsman (Victoria) the customer is entitled to escalate the matter to such a body
 - c. that if the objection is not resolved to the satisfaction of the customer under the DNSP's internal review system and the ombudsman scheme noted in paragraph 7.b, then the customer is entitled to seek a decision of the AER through the dispute resolution process available under Part 10 of the NEL.
- 8. If, in response to a notice issued in accordance with paragraph 7, a Victorian DNSP receives a request for further information from a customer, then it must provide such information. If any of the information requested by the customer is confidential then it is not required to provide that information to the customer.
- 9. If, in response to a notice issued in accordance with paragraph 7, a customer makes an objection to a Victorian DNSP about the proposed reassignment, the relevant Victorian DNSP must

- reconsider the proposed reassignment, taking into consideration the factors in paragraphs 3 and 4 of this appendix, and notify the customer in writing of its decision and the reasons for that decision.
- 10. If a customer's objection to a tariff class reassignment is upheld by the relevant body noted in paragraphs 7b and c, then any adjustment which needs to be made to tariffs will be done by the Victorian DNSP as part of the next annual review of prices.
- 11. If a customer objects to a Victorian DNSP about a tariff class assignment the DNSP must provide the information set out in paragraph 7 of this appendix and adopt and comply with the arrangements set out in paragraphs 8, 9 and 10 in respect of requests for further information by the customer and resolution of the objection.

System of assessment and review of the basis on which a customer is charged

- 12. Where the charging parameters for a particular tariff result in a basis of charge that varies according to the customer's usage or load profile, the Victorian DNSP must set out in its annual pricing proposal a method by which it will review and assess the basis on which a customer is charged.
- 13. If the AER considers that the method provided under paragraph 12 does not provide for an appropriate system of assessment and review by the DNSP of the basis on which a customer is charged, the AER may, at any time, request additional information or request that the relevant Victorian DNSP submit a revised pricing method.
- 14. If the AER considers the DNSP's method for reviewing and assessing the basis on which a customer is charged (see paragraphs 12 and 13) is not reasonable it will advise the DNSP in writing.

Installation of interval meters and assignment of customers to TOU tariffs

15. If a DNSP installs an interval meter for an existing distribution customer the DNSP may reassign that distribution customer to a time of use distribution tariff subject to clause 9.1.14 of the Victorian Electricity Distribution Code in accordance with the AER's Final Decision: Interval Meter Reassignment Requirements published May 2009.

12.2 Assignment of new customers to a tariff class during the next regulatory control period

In this section of the Pricing Proposal, CitiPower describes the process it applies to the initial assignment of customers to tariff classes and to their reassignment. Notwithstanding that the individual tariffs have been grouped within tariff classes in this Pricing Proposal, the existing approach to managing tariff assignment and reassignment is demonstrated to align with the requirements established by the AER. Accordingly, no change is required to current practices.

The process whereby new customers are assigned to tariff classes and tariffs occurs following the receipt of a connection application by the customer or their retailer. In the application of this process, a customer that lodges an application to modify or

upgrade an existing network connection is treated in the same manner as a new customer.

Customers are assigned to a tariff class and then to an individual tariff. The process relies upon a systematic sequence of decisions based on the information provided with the customer's application for supply.

The two major decisions that determine the tariff class assessment are as follows:

- The nature of a customer's usage: (ie: residential or business); and
- For business customers only, the nature and extent of the associated connection to the network (the connection voltage, ie: low voltage, large low voltage, high voltage and subtransmission).

The process employed by CitiPower therefore appropriately takes account the factors in clause 3(a) and 3(b) of Appendix G in the AER's Final Decision.

In the event that remotely—read interval metering or other similar metering technology is installed at the customer's premises as a result of a regulatory obligation or requirement during the 2011-15 regulatory control period, it is not anticipated that a reassignment of a customer to an alternative tariff class will be necessary. This addresses the requirements of clause 3(c) of AER's Appendix G in the AER's Final Decision.

12.2.1 Customers with micro-generation

As CitiPower's tariff class assignment process is applied to the *net* customer energy on the network, it does not distinguish between customers that have micro-generation and those without. The only aspects of the connection process that distinguish customers with micro-generation are technical requirements (principally to ensure public and employee safety in the event of disconnection of supply to a site with generation) or to provide a feed-in tariff as required under a jurisdictional scheme.

CitiPower's tariff assignment process therefore ensures that the requirements in clause 4(a) and 4(b) of Appendix G in the AER's Final Decision are met.

12.3 Reassignment of existing customers to another existing or a new tariff class during the next regulatory control period

Within each tariff class, there has been and will continue to be movement between individual tariffs. This is particularly the case with the customers on the Low Voltage Business tariff class. Whilst there has been no active review process by CitiPower to ensure that customers whose consumption and usage profiles change are maintained on the most advantageous tariff, customers are eligible to apply for transfer between tariffs and do so if it is to their advantage. This has been the case with business customers that have transferred from the energy based tariff to capacity based tariffs and between different capacity-based tariffs. CitiPower considers that preserving this level of flexibility to permit customers the option of transferring to a tariff more appropriate to their operations within a tariff class is of great importance to customers.

The tariff classes that CitiPower has established are sufficiently broad to ensure that all the existing customers are within the appropriate tariff class and that it is unlikely that customers will seek to migrate or be reclassified to a different tariff class during the course of the determination. Transfer between tariff classes would be limited to circumstances where the nature of usage or level of consumption changed

significantly, for example where a residence was redeveloped to become a small business such as a medical surgery or office.

Notwithstanding that the reassignment of customers' tariff classes is unlikely during the 2011-15 regulatory control period, CitiPower would do so in accordance with the provisions of the AER's Final Decision, in particular clause 5 of Appendix G.

12.3.1 Obsolete tariffs

In addition to the current tariffs, in common with most utilities, CitiPower has a range of obsolete tariffs. No new customer connections will be assigned to these obsolete tariffs. Moreover, as the opportunity arises, customers will be transferred from obsolete tariffs to current tariffs within the same tariff class, with the longer-term objective being to transfer all customers away from the obsolete tariffs.

This is likely to be prevalent in the Victorian jurisdiction where the rollout of AMI metering is prevalent paving the way for the implementation of more efficient tariffs. Any such transfer will be made in accordance with the requirements of clause 3(d) and 4(b) of Appendix G in the AER's Final Decision.

When a customer is transferred from an obsolete tariff to one of the current tariffs, the choice of the appropriate tariff will follow the tariff assignment decision process in section 12.2 of this Pricing Proposal.

With the introduction of the Flexible Pricing tariffs the Victorian Government has indicated that existing legacy network tariffs should be available to customers that were assigned to them prior to the introduction of Flexible Pricing. The reversion to existing legacy network tariffs will only be for a set period of time, ceasing 1 April 2015, as outlined in the Victorian Governments policy.

12.4 Objections to proposed assignments and reassignments

The AER has established requirements that CitiPower must follow in assigning or reassigning customers to tariff classes and in responding to objections to CitiPower's tariff class assignments. These are set out in the Final Decision as clauses 7 to 10 of Appendix G in the AER's Final Decision.

The requirements for CitiPower are outlined in the following sections.

12.4.1 Information provided to customers concerning tariff class assignment and Reassignment

Where CitiPower notifies customers of a tariff class assignment or reassignment, such notification will include the following advice that:

- The customer may request further information from CitiPower's Pricing Manager;
- The customer may object in writing to CitiPower's Pricing Manager concerning the proposed tariff class assignment;

⁹ Essential Services Commission, Changes to regulatory instruments relating to flexible pricing of electricity, Final Decision, August 2013

- In the event that the customer is not satisfied with CitiPower's internal resolution of such an objection, the customer may be entitled to appeal to the Energy and Water Ombudsman (Victoria); and
- In the event that an objection is not resolved to the satisfaction of the customer under CitiPower's internal review system, then the customer is entitled to seek resolution via the dispute resolution process available under Part 10 of the NEL.

Upon receipt of a request for further information concerning a tariff class assignment or reassignment, CitiPower's Pricing Manager is to arrange the provision of relevant information to the customer concerning the tariff class assignment or reassignment, provided that such information is not confidential.

12.4.2 Internal review process of tariff class assignment and reassignment

Upon receipt of an objection by a customer to a tariff class assignment or reassignment, CitiPower's Pricing Manager will reconsider the relevant tariff class assignment or reassignment, having regard to the following:

- The basis of the customer's objection;
- The principles for tariff class assignment and reassignment set out in clauses 6.18.3 and 6.18.4 of the Rules; and
- The procedures for tariff class assignment and reassignment set out in Appendix G, of the AER's Final Decision;

The Pricing Manager will notify the customer of the outcome of CitiPower's internal review and the reasons for accepting or rejecting the customer's objection to the tariff class assignment or reassignment. The notification by the Pricing Manager will also advise that:

- In the event that the customer is not satisfied with CitiPower's internal resolution of such an objection, the customer may be entitled to appeal to the Energy and Water Ombudsman (Victoria); and
- In the event that an objection is not resolved to the satisfaction of the customer under CitiPower's internal review system, then the customer is entitled to seek resolution via the dispute resolution process available under Part 10 of the NEL.

12.4.3 External review of tariff class assignment and reassignment

If a customer's objection to a tariff class assignment or reassignment is upheld by a relevant external dispute resolution body, then any adjustment which needs to be made to prices will be done by CitiPower as part of the next annual review of prices.

12.5 System of assessment and review of the basis on which a customer is charged

Each year CitiPower undertakes significant analysis to devise efficient tariffs for its customers. This activity is somewhat ad-hoc in nature and depends on many circumstances such as regulatory matters, enabling technologies, modelling capabilities and data. These assessments culminate in the delivery of new tariffs which are submitted as a part of the annual tariff review process and developed in accordance with the requirements of Appendix E of the Final Decision.

12.6 Installation of interval meters and assignment of customers to time of use (TOU) tariffs

As a part of its AMI rollout procedures a number of communication letters are provided to customers, one such letter notifies the customer of the potential future tariff reassignment in accordance with the distribution code requirements. CitiPower believe this process meets the requirements of clauses 14 and 15 of Appendix G on the AER's Final Decision.

13 Alternative Control Services

In Chapters 19 & 20 of the Final Decision the AER has referred to clause 6.2.2(a) of the Rules where it classifies direct control services as standard control services or alternative control services.

This section of the Pricing Proposal sets out CitiPower's approach to the pricing of its alternative control services and demonstrates compliance with the Rules and the AER's Final Decision.

13.1 Regulatory Requirements

13.1.1 Rules requirements

The Rules requirements pertaining to Pricing Proposals that apply to direct control services are applicable to both standard control services and alternative control services. The requirements for items to be included in the pricing proposal specific to Alternative Control Services are as follows.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (1) set out the *tariff classes* that are to apply for the relevant *regulatory year*; and
 - (2) set out the proposed tariffs for each tariff class; and
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates; and
 - (5) set out the nature of any variation or adjustment to the tariff that could occur during the course of the *regulatory year* and the basis on which it could occur; and
 - (7) demonstrate compliance with the *Rules* and any applicable distribution determination; and
 - (8) describe the nature and extent of change from the previous *regulatory year* and demonstrate that the changes comply with the *Rules* and any applicable distribution determination.

6.18.3 Tariff classes

- (a) A pricing proposal must define the tariff classes into which retail customers for direct control services are divided.
- (b) Each customer for *direct control services* must be a member of 1 or more *tariff classes*.
- (c) Separate *tariff classes* must be constituted for *retail customers* to whom *standard control services* are supplied and *retail customers* to whom *alternative control services* are supplied (but a customer for both *standard control services* and *alternative control services* may be a member of 2 or more *tariff classes*).
- (d) A *tariff class* must be constituted with regard to:
 - (1) the need to group *retail customers* together on an economically efficient basis; and

(2) the need to avoid unnecessary transaction costs.

6.18.4 Principles governing assignment or re-assignment of retail customers to tariff classes and assessment and review of basis of charging

- (a) In formulating provisions of a distribution determination governing the assignment of *retail customers* to *tariff classes* or the reassignment of *retail customers* from one *tariff class* to another, the *AER* must have regard to the following principles:
 - (1) *retail customers* should be assigned to *tariff classes* on the basis of one or more of the following factors:
 - (i) the nature and extent of their usage;
 - (ii) the nature of their *connection* to the *network*;
 - (iii) whether remotely-read interval metering or other similar metering technology has been installed at the customer's premises as a result of a *regulatory obligation or requirement*;
 - (2) retail customers with a similar connection and usage profile should be treated on an equal basis;
 - (3) however, *retail customers* with micro-generation facilities should be treated no less favourably than *retail customers* without such facilities but with a similar load profile;
 - (4) a *Distribution Network Service Provider's* decision to assign a customer to a particular *tariff class*, or to re-assign a customer from one *tariff class* to another should be subject to an effective system of assessment and review.

Note:

If (for example) a customer is assigned (or reassigned) to a *tariff class* on the basis of the customer's actual or assumed *maximum demand*, the system of assessment and review should allow for the reassignment of a customer who demonstrates a reduction or increase in *maximum demand* to a *tariff class* that is more appropriate to the customer's *load* profile.

(b) If the charging parameters for a particular tariff result in a basis of charge that varies according to the usage or load profile of the customer, a distribution determination must contain provisions for an effective system of assessment and review of the basis on which a customer is charged.

6.18.5 Pricing principles

- (a) For each *tariff class*, the revenue expected to be recovered should lie on or between:
 - (1) an upper bound representing the stand alone cost of serving the *retail customers* who belong to that class; and
 - (2) a lower bound representing the avoidable cost of not serving those *retail customers*.

- (b) A tariff, and if it consists of 2 or more *charging parameters*, each *charging parameter* for a *tariff class*:
 - (1) must take into account the long run marginal cost for the service or, in the case of a *charging parameter*, for the element of the service to which the *charging parameter* relates; and
 - (2) must be determined having regard to:
 - (i) transaction costs associated with the tariff or each *charging parameter*; and
 - (ii) whether *retail customers* of the relevant *tariff class* are able or likely to respond to price signals.
- (c) If, however, as a result of the operation of paragraph (b), the *Distribution Network Service Provider* may not recover the expected revenue, the provider must adjust its tariffs so as to ensure recovery of expected revenue with minimum distortion to efficient patterns of consumption.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A Distribution Network Service Provider must maintain on its website:
 - (1) a statement of the provider's *tariff classes* and the tariffs applicable to each class; and
 - (2) for each tariff the *charging parameters* and the elements of the service to which each *charging parameter* relates; and
 - (3) a statement of expected price trends (to be updated for each regulatory year) giving an indication of how the Distribution Network Service Provider expects prices to change over the regulatory control period and the reasons for the expected changes.
- (b) The information for a particular *regulatory year* must, if practicable, be posted on the website 20 *business days* before the commencement of the relevant *regulatory year* and, if that is not practicable, as soon as practicable thereafter.

13.2 Alternative Control Services Tariff Classes

CitiPower has constituted a single separate tariff class named Alternative Control Services. This single tariff class has been defined to encompass all fee based and quoted services.

All customers for direct control services are members of the Alternative Control Services Tariff Class. There has therefore been no classification of customers as all charges apply to all customers. Thus the requirements of clause 6.18.3 of the Rules have been satisfied.

The tariff classes that are to apply for the 2015 regulatory year, the proposed tariffs for each tariff class, and for each proposed tariff, the charging parameters and the elements of service to which each charging parameter relates is set out in Appendix D

of this Pricing Proposal. This satisfies the requirements of clause 6.18.2(b)(1), (2), and (3) of the Rules.

13.3 Assignment and reassignment of customers to the alternative control service tariff class

CitiPower has assigned all of its Alternative Control Services customers to a single Alternative Control Services tariff class. Any new Alternative Control Services customers during the 2011-15 regulatory control period will be assigned to this tariff class.

As there is only a single tariff class proposed, there will be no requirement to reassign customers to another alternative control tariff class during the 2011-15 regulatory control period.

Thus the requirement of clause 6.18.4 of the Rules has been satisfied.

13.4 Pricing Principles

Clause 6.18.5 of the Rules sets out the pricing principles that must be complied with in respect of each tariff class, including a tariff class within the classification of alternative control services.

As noted in section 12.2 of this Pricing Proposal, CitiPower has established a single tariff class for its alternative control metering services.

13.4.1 Stand alone and avoidable costs of alternative control services

Clause 6.18.5(a) of the Rules requires the revenue of each tariff class to lie on or between the stand-alone and avoidable costs of serving the customers in the tariff class.

The 'bottom-up' methodology, used to determine the costs of alternative control services in respect of each of the tariffs, reflects the recovery of expected costs to provide a uniform service. The recovery consists entirely of variable costs. This methodology therefore delivers revenue from the alternative control services tariff class that reflects the cost that would be avoided by not serving those customers.

Furthermore, given that alternative control services customers are subject to variable services, stand-alone costs have been assessed as being equal to the revenue from the alternative control services metering services tariff class.

CitiPower's Alternative Control Services class therefore meets the requirements of clause 6.18.5(a) of the Rules.

13.4.2 Long run marginal costs and revenue recovery

Clause 6.18.5(b) of the Rules requires each charging parameter for a tariff class to take into account the LRMC of providing that service.

The non-public lighting Alternative Control Services are entirely Opex based, i.e. the price signalling reflects the short term expenditure incurred in providing the service. In essence there is no long run costs associated with the provision of these services. Additionally the charges have been developed using a bottom-up methodology which reflects the actual costs of providing the service, therefore the revenue directly reflects the costs of providing such services. This satisfies the requirement to reflect the long run marginal costs of providing the service.

The tariffs for alternative control services were determined having regard to the variable transaction costs associated with the services relevant to each tariff. As noted by the AER in the Final Determination, CitiPower created tariffs to ensure that the tariffs relevant to customers most likely to respond to price signals are explicitly cost reflective.

Thus the requirements of clause 6.18.5(b)(1) and (2) of the Rules have been satisfied.

CitiPower's alternative control services each have a single charging parameter that recovers the whole of the expected revenue. As a consequence, clause 6.18.5(c) of the Rules is not applicable.

13.5 Compliance with the AER Determination

In accordance with the decision made by the AER under clause 6.12.1(13) of the Rules, CitiPower has demonstrated compliance with the control mechanism for alternative control services by providing, as part of this proposal, the proposed tariffs that correspond to the price terms contained in the WAPC equation.

The WAPC equation applicable to CitiPower's alternative control services tariff class for the next regulatory control period is set out in section 20 of the AER's Final Decision. Appendix D sets out the tariffs that correspond to the price terms contained in the alternative control services WAPC equation.

Clause 6.18.2(b)(5) of the NER seeks advice on the nature of any adjustments to the tariffs during the course of the regulatory year. The structure of the tariffs disclosed in Appendix D has been set for the 2011 to 2015 regulatory period and CitiPower does not expect this structure to change. However, each year as part of the Annual Pricing Submission, tariffs are adjusted by an X factor and CPI which was approved by the AER in the Final Decision. Adjustments outside of those determined in the Final Decision are not expected during the regulatory period.

The price cap formula for the individual alternative control services set out in the Framework and approach paper is reproduced below:

$$p_t \le p_{t-1} \times (1 + CPI_t) \times (1 - X_t)$$

where:

regulatory year 't' is the regulatory year in respect of which the calculation is being made;

regulatory year 't-1' is the regulatory year immediately preceding regulatory year 't';

 p_t is the price cap for each individual alternative control service in regulatory year 't';

 CPI_t is calculated as follows:

The Consumer Price Index, All Groups Index Number (weighted average of eight capital cities) published by the Australia Bureau of Statistics for the September Quarter immediately preceding the start of regulatory year *t*;

divided by

The Consumer Price Index, All Groups Index Number (weighted average of eight capital cities) published by the Australia Bureau of Statistics for the September Quarter immediately preceding the start of regulatory year *t-1*; X to be determined using the building block approach.

The X Factor escalations following are as the Final Decision.

Year	2012	2013	2014	2015
X Factor	-37.38%	-27.19%	-0.29%	-0.22%

Table 21 - X Factor for fee based connection services (real)

Year	2012	2013	2014	2015
X Factor	-0.54%	-1.79%	-3.31%	-1.81%

Table 22 - X Factor for other fee based services (real)

Year	2012	2013	2014	2015
X Factor	-3.02%	-2.22%	-0.67%	-1.40%

Table 23 - X Factor for quoted services (real)

CitiPower has demonstrated compliance with the WAPC in the AER's template provided for the purpose, which is attached as Appendix K.

Finally clause 6.18.2(b)(8) of the Rules requires a description of changes from previous regulatory periods and how these changes comply with the Rules and the determination. There have been some significant changes from the previous regulatory period specific to Alternative Control Services due to the fact that these services had not been reviewed for a number of years; following is an extract from page 835 of the draft decision recognising this fact:

For most alternative control services currently provided, the Victorian DNSPs' prices have not been amended or escalated for some time. The ESCV's 2006 EDPR allowed some price increases for new connection services to provide for

the costs of installing interval meters as part of the ESCV's interval meter rollout program. 14 Prices for other alternative control services have not been adjusted by the ESCV in previous regulatory determinations except in relation to the introduction of the Commonwealth Goods and Services Tax in 2000. The Victorian DNSPs did not provide any information on the original basis and methodology used to set alternative control services prices when economic regulation of these services by the Office of the Regulator General 15 commenced in the mid 1990s.

13.6 Public Lighting Operation, Maintenance and Replacement

CitiPower has submitted its public lighting OM&R prices in accordance with the AER's instruction¹⁰ to update the limited building blocks model developed as part of the Final Decision with CPI. This model incorporates the nominal price increases as approved by the AER in the Re-Determination (Section 2.2, Table 1).

13.7 Publication of Tariff information

CitiPower has put in place mechanisms to ensure compliance with clause 6.18.9 of the Rules. Appendix D which contains the tariff classes that are to apply for the 2015 regulatory year, the proposed tariffs for each tariff class, and for each proposed tariff, the charging parameters and the elements of service to which each charging parameter relates will be available on CitiPower's website.

¹⁰ E-mail received from Craig Madden, 17 November 2010

14 Appendices

A Tariff schedules

NETWORK TARIFF SCHEDULE




(GST EXCLUSIVE)

1 JANUARY 2015 – 31 DECEMBER 2015

					Demand	Peak	Peak	Off-Peak	Summer ToU	Summer ToU	Summer ToU	Non- Summer	Non- Summer	Non- Summer
NUoS Tariff	Code	Available to new customers?	Minimum Demand	Standing charges	kW	Block1	Block 2	Block 1	Pk	Sh	Opk	Pk	Sh	Opk
				\$/cust pa	\$/kW pa	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh
	C1R	Yes		53.6369		6.9993	8.2564							
Č	C1RB	Yes		47.3152		4.1991	4.9534							
1 0	C13R	Yes		74.6126					12.4882	7.3236	1.9359	12.4882	7.3236	1.9359
Residential - flexible pricing bulk	C13RB	Yes		61.7208					12.1502	7.0971	1.8057	12.1502	7.0971	1.8057
Residential Two Rate 5d	C2R	No		122.5820		12.4869	12.4869	2.1582						
Residential Two Rate 5d - Bulk	C2RB	No		120.5203		9.7150	9.7150	1.4325						
Residential Interval	C3R	No		122.5820		12.4869	12.4869	2.1582						
Residential Interval - Bulk	C3RB	No		120.5203		9.7150	9.7150	1.4325						
Residential Two Rate 5d - Controlled Load	C2ROP	No						2.1582						
Residential Two Rate 5d - Bulk - Controlled Load	C2RBOP	No						1.4325						
Dedicated Circuit	CDS	No						2.3724						
Dedicated Circuit - Bulk	CDSB	No						1.5958						
Non-Residential Single Rate	C1G	Yes		121.9693		8.4807	8.4807							
Non-Residential Single Rate - Bulk	C1GB	Yes		103.8155		6.8850	6.8850							
Non-Residential Two Rate 5d	C2G5	No		303.8653		9.6639	9.6639	2.6661						
Non-Residential Two Rate 5d - Bulk	C2G5B	No		287.3354		7.3612	7.3612	1.6234						
Non-Residential Interval	C3G	No		303.8653		9.6639	9.6639	2.6661						
Non-Residential Interval - Bulk	C3GB	No		287.3354		7.3612	7.3612	1.6234						
Non-Residential	C14G	Yes		142.6108					13.4254	10.3748	2.9620	13.4254	10.3748	2.9620
Non-Residential - Bulk	C14GB	Yes		119.2226					10.8527	8.4834	2.4814	10.8527	8.4834	2.4814
Non-Residential Two Rate 7d	C2G7	No		263.0721		8.5344	8.5344	2.5014						
Non-Residential Two Rate 7d - Bulk	C2G7B	No		241.4715		6.7972	6.7972	1.9825						
Unmetered Supplies / Public Lighting	C2U	Yes				9.5861	9.5861	2.9774						
Large Two Rate 7d	C2L7	No		163.8422		10.1485	10.1485	2.8386						
Large Low Voltage Demand	C2DL	Yes	120		106.8095	3.8856	3.8856	2.4415						
Large Low Voltage Demand - Bulk	C2DLB	Yes	120		98.8174	3.2129	3.2129	2.3070						
Large Low Voltage Demand R	C2DLER	Yes	120		98.4705	3.3804	3.3804	2.2416						
Large Low Voltage Demand G	C2DLEG	Yes	120		113.9345	4.0804	4.0804	2.6395						
Large Low Voltage Demand - Bulk R	C2DLBER	Yes	120		90.9788	2.7475	2.7475	2.1015	Ī					
Large Low Voltage Demand - Bulk G	C2DLBEG	Yes	120		105.3671	3.3680	3.3680	2.4790						
High Voltage Demand	C2DH	Yes	1000		71.4188	2.7544	2.7544	1.4203						
High Voltage Demand D1	C2DHD1	No	40000		44.9467	1.7644	1.7644	0.9411						
High Voltage Demand R	C2DHER	Yes	1000		65.6202	2.3091	2.3091	1.2803	İ					
High Voltage Demand G	C2DHEG	Yes	1000		76.1097	2.8770	2.8770	1.5272						
	C2DT	Yes	10000		18.9615	2.7037	2.7037	0.9839						

B Tariff eligibility

The following appendix details the tariffs available to new and existing customers in 2015.



Tariffs Available to New and Existing Customers in 2015

All times are in Eastern Standard Time s unless otherwise specified.

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V) ¹¹	MIN BILL DEMAND (kW) ¹²	PEAK PERIODS	SHOULDER PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS					
EMBEDDED GENERATION												
GENR13	Embedded Generation	N/A	N/A	7 days, 24	N/A	N/A	- Must have a interval meter					
				hrs			- May be required for Feed-In tariffs (FiT), refer to retailer for details					
RESIDENTIAL	RESIDENTIAL CUSTOMERS											
C1R	Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	N/A	This is the default tariff for greenfield new connections where the retailer does not specify an alternative open tariff					
							- Residential customers only					
							- No controlled load					
C1RB	Residential Single Rate - Bulk	<1,000	<120	7 days, 24 hours	N/A	N/A	- Where the retailer does no specify an alternative open tariff, this is the default tariff for greenfield new connections supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation - Residential customers only					
							- No controlled load					

Where a customer requests to transfer from a capacity based tariff to an energy based tariff and the customer is capable of a greater supply capacity than the energy based tariff allows for, then a supply capacity control device is to be installed by the customer before the tariff reassignment can occur.

¹¹ The supply voltage is the first minimum criteria a customer must satisfy to be eligible for each tariff.

¹² Connection capacity is the determining factor in tariff selection not actual capacity.

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V) ¹¹	MIN BILL DEMAND (kW) ¹²	PEAK PERIODS	SHOULDER PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS
C13R	Flexible Pricing - Residential	<1,000	<120	Mon-Fri 1500-2100	Mon-Fri 0700- 1500 Mon-Fri 2100- 2200 Sat-Sun 0700- 2200	Mon-Sun 2200-0700	 Residential customers – General Power & Light Supply Require an active market interval read meter Times are in local time Riversion ceases 1 April 2015
C13RB	Flexible Pricing - Residential - Bulk	<1,000	<120	Mon-Fri 1500-2100	Mon-Fri 0700- 1500 Mon-Fri 2100- 2200 Sat-Sun 0700- 2200	Mon-Sun 2200-0700	Residential customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation – General Power & Light Supply Require an active market interval read meter Times are in local time Riversion ceases 1 April 2015
NON-RESIDE	NTIAL CUSTOMERS	•		<u>I</u>		ı.	
CIG	Non-Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- N/A	 Non-residential customers This is the default tariff for greenfield new connections where the retailer does not specify an alternative open tariff Builder's temporary supply
C1GB	Non-Residential Single Rate - Bulk	<1,000	<120	7 days, 24 hours	N/A	- N/A	 Where the retailer does no specify an alternative open tariff, this is the default tariff for greenfield new connections supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation Non-residential customers; or Builder's temporary supplies
C14G	Non Residential	<1,000	<120	Mon-Fri 0700-1900	Sat-Sun 0700- 1900	Mon-Sun 1900-0700	- Non-residential customers - Requires an AMI meter - Times are in local time.

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V) ¹¹	MIN BILL DEMAND (kW) ¹²	PEAK PERIODS	SHOULDER PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS
C14GB	Non Residential – Bulk	<1,000	<120	Mon-Fri 0700-1900	Sat-Sun 0700- 1900	Mon-Sun 1900-0700	 Non-Residential customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. Requires an AMI meter
							- Times are in local time
C2U	Public Lighting	<1,000	N/A	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Customers with an approved unmetered load Public Lighting to a public lighting customer Note: New customer connections are required to install a load-limiting device
LARGE LOW	VOLTAGE CONTRACT I	DEMAND CUST	TOMERS				
C2DL	Large Low Voltage Demand	<1,000	≥120	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Large customers
C2DLER	Large Low Voltage Demand Embedded Network Residential	<1,000	≥120	Mon-Sun 0700-2300	N/A	Mon-Sun 2300-0700	Embedded Network customers with demand greater than 120kW Connection points within the Embedded Network will be predominantly residential
C2DLEG	Large Low Voltage Demand Embedded Network Non- Residential	<1,000	≥120	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Embedded Network customers with demand greater than 120kW Connection points within the Embedded Network will be predominantly non-residential
C2DLB	Large Low Voltage Demand - Bulk	<1,000	≥120	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Large customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation
C2DLBER	Large Low Voltage Demand Embedded Network Residential - Bulk	<1,000	≥120	Mon-Sun 0700-2300	N/A	Mon-Sun 2300-0700	Embedded Network customers with demand greater than 120kW Customers supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation Connection points within the Embedded Network will be predominantly residential

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V) ¹¹	MIN BILL DEMAND (kW) ¹²	PEAK PERIODS	SHOULDER PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS
C2DLBEG	Large Low Voltage Demand Embedded Network Non- Residential - Bulk	<1,000	≥120	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Embedded Network customers with demand greater than 120kW - Customers supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation - Connection points within the Embedded Network will be predominantly non-residential
HIGH VOLTA	GE CONTRACT DEMAN	D CUSTOMER	S				
C2DH	High Voltage Demand	≥1,000 and <22,000	≥1,000	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers
C2DHER	High Voltage Demand Embedded Network Residential	≥1,000 and <22,000	≥1,000	Mon-Sun 0700-2300	N/A	Mon-Sun 2300-0700	High voltage customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence Connection points within the Embedded Network will be predominantly residential
C2DHEG	High Voltage Demand Embedded Network Non-Residential	≥1,000 and <22,000	≥1,000	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	High voltage customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence Connection points within the Embedded Network will be predominantly residential
SUBTRANSM	ISSION VOLTAGE DEMA	ND CUSTOME	ERS	•		•	
C2DT	Subtransmission Demand	≥22,000	≥10,000	Mon-Fri 0700-2300	N/A	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Subtransmission voltage customers

Tariffs Only Available to Existing Customers Already Assigned this Tariff @ 1 January 2015 (closed to new customers)

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBILE CUSTOMERS	ALLOWED CONTROLLED LOADS							
EMBEDD	EMBEDDED GENERATION													
PFIT	Premium Feed-in tariff	N/A	N/A	7 days, 24 hrs	N/A	 Must have a single element inteval meter Produces electricity from a qualifying photo voltaic generation unit Has a name-plate generation capacity <= 5kW Is not a part of an embedded network Customers taking up this tariff will have their GP&L load remain in its existing tariff unless otherwise advised by the retailer to move to an existing open tariff. If the customer has a controlled load hot water or slab heating then the customer will be automatically transferred to a ToU tariff Must meet other legislative eligibility criteria¹³ 	New or changed: - None Existing: - Controlled load tariffs CDS and CDSB must be forfeited.							

¹³ Eligibility criteria as specified in the "Electricity Industry Amendment (Premium Solar Feed-in Tariff) Act 2009"

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBILE CUSTOMERS	ALLOWED CONTROLLED LOADS
TFIT	Solar Feed-in tariff	N/A	N/A	7 days, 24 hrs	N/A	 Must have a compliant meter Produces electricity from a qualifying photo voltaic generation unit Has a name-plate generation capacity <= 5kW Is not a part of an embedded network Must forfeit controlled load Must meet other legislative eligibility criteria¹⁴ 	
GENR	Feed-in tariff	N/A	N/A	7 days, 24 hrs	N/A	- Must have a compliant meter - May be requred for Feed-In tariffs, refer to retailer for details	
C2R	TIAL CUSTOMERS Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Existing customers only	1-phase electric hot water service with a total load of <30Amps. Switching Times: Typically switching times will occur between 11pm and 7am. These times may vary depending on localised demand management activities.

¹⁴ Eligibility criteria as specified in the "National Electricity (Victoria) Act 2005"

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBILE CUSTOMERS	ALLOWED CONTROLLED LOADS
C2ROP	Residential Two Rate 5d – controlled load	<1,000	<120	N/A	7 Days, 24 hours	 Where GP&L is connected to C2R Applicable to hot water only Where metering permits 	1-phase electric hot water service with a total load of <30Amps. Switching Times: - Typically switching times will occur between 11pm and 7am. These times may vary depending on localised demand management activities.
C2RBOP	Residential Two Rate 5d – Bulk - controlled load	<1,000	<120	N/A	7 Days, 24 hours	 Where GP&L is connected to C2RB Applicable to hot water only Where metering permits 	1-phase electric hot water service with a total load of <30Amps. Switching Times: - Typically switching times will occur between 11pm and 7am. These times may vary depending on localised demand management activities.
C2RB	Residential Two Rate 5d - Bulk	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation Existing customers only	1-phase electric hot water service with a total load of <30Amps. Switching Times: - Typically switching times will occur between 11pm and 7am. These times may vary depending on localised demand management activities.

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBILE CUSTOMERS	ALLOWED CONTROLLED LOADS
C3R	Residential	<1,000	<120	Mon-Fri 0700 -2300	- Mon-Thurs 2300- 0700 Fri 2300 - Mon 0700	- Existing residential customers only	None
C3RB	Residential - Bulk	<1,000	<120	Mon-Fri 0700 -2300	- Mon-Thurs 2300- 0700 Fri 2300 - Mon 0700	Existing residential customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	None
CDS	Dedicated Circuit	<1,000	<120	N/A	7 days	Existing customers only Residential customers with a dedicated circuit connected to a controlled load	1-phase electric hot water service with a total load of <30Amps. Switching Times: - Typically switching times will occur between 11pm and 7am. These times may vary depending on localised demand management activities. Slab heating Typically switching times will may vary depending on localised demand management activities. - 12am and 7am. - An afternoon bosst between 1pm and 4pm may occur during winter.

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBILE CUSTOMERS	ALLOWED CONTROLLED LOADS
CDSB	Dedicated Circuit - Bulk	<1,000	<120	N/A	7 days	Existing customers only Residential customers with a dedicated circuit connected to a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	1-phase electric hot water service with a total load of <30Amps. Switching Times: - Typically switching times will occur between 11pm and 7am. These times may vary depending on localised demand management activities.
							Slab heating
							Typically switching times will may vary depending on localised demand management activities.
							- 12am and 7am.
							An afternoon bosst between 1pm and 4pm may occur during winter.
NON-RES	IDENTIAL CUSTOMERS						
C2G5	Non- Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Non-residential customers without a controlled load who requested a 2 rate tariff	None
C2G5B	Non- Residential Two Rate 5d – Bulk	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Non-residential customers who requested a 2 rate tariff Who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	None
C2G7	Non-Residential Two Rate 7d	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Non-residential customers who requested a 7-day, 2 rate tariff	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBILE CUSTOMERS	ALLOWED CONTROLLED LOADS
C2G7B	Non-Residential Two Rate 7d - Bulk	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	Non-residential customers who requested a 7-day, 2 rate tariff who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	None
C3G	Non-Residential Interval	<1,000	<120	Mon-Fri 0700 -2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Existing non-residential customers only Builder's temporary supplies	None
C3GB	Non-Residential Interval - Bulk	<1,000	<120	Mon-Fri 0700 -2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation and Existing non-residential customers; or Existing builder's temporary supplies	None
CDS	Dedicated Circuit	<1,000	<120	N/A	7 days	Non-residential customers with a dedicated circuit connected to a controlled load	None
CDSB	Dedicated Circuit – Bulk	<1,000	<120	N/A	7 days	Non-residential customers tariff with a dedicated circuit connected to a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	None
C2L7	Large Two Rate 7d	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	Large non-demand customers who requested a 7-day, 2 rate tariff Customers on this tariff prior to their AMI meter exchange will remain on this tariff	None
HIGH VO	HIGH VOLTAGE CONTRACT DEMAND CUSTOMERS						
C2DHD1	High Voltage Demand D1	≥1,000 and <22,000	≥40,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	High voltage customers connected at 11/6.6kV via 2 or more dedicated closed ring feeders without directional powerflow control and without auto/transfer capability	None

C Rate change

All prices in the following sections are NUoS and exclusive of GST.

C.1 Low Voltage Residential tariff class

C.1.1 Low voltage residential single rate tariff

Tariff	Residential Sir	igle Rate			
Tariff Code	C1R				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	39.7310	53.6369	13.9059
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	5.5679	6.9993	1.4314
Dook sharges	Block 2	c/kWh	6.5021	8.2564	1.7543
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Cummor	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Residential Sin	gle Rate - Bulk			
Tariff Code	C1RB				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	35.0483	47.3152	12.2669
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	4.7756	4.1991	-0.5765
Dook sharges	Block 2	c/kWh	5.1231	4.9534	-0.1697
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
C	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Na a Carana	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.1.2 Low voltage residential flexible pricing tariff

Tariff	Residential - fl	exible pricing			
Tariff Code	C13R				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	55.2686	74.6126	19.3440
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Deal, shawas	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	9.8342	12.4882	2.6540
Cumamaan	Shoulder	c/kWh	5.7676	7.3236	1.5560
Summer	Off-Peak	c/kWh	1.5253	1.9359	0.4106
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	9.8342	12.4882	2.6540
Non Commen	Shoulder	c/kWh	5.7676	7.3236	1.5560
Non-Summer	Off-Peak	c/kWh	1.5253	1.9359	0.4106
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Residential - fl	exible pricing b	oulk		
Tariff Code	C13RB				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	45.7191	61.7208	16.0017
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Dook sharges	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	9.5681	12.1502	2.5821
C	Shoulder	c/kWh	5.5893	7.0971	1.5078
Summer	Off-Peak	c/kWh	1.4228	1.8057	0.3829
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	9.5681	12.1502	2.5821
Nam Comani-	Shoulder	c/kWh	5.5893	7.0971	1.5078
Non-Summer	Off-Peak	c/kWh	1.4228	1.8057	0.3829
	n/a	c/kWh	0.0000	0.0000	0.0000

C.1.3 Low voltage residential ToU tariff

Tariff	Residential Tv	vo Rate 5d			
Tariff Code	C2R				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	90.8015	122.5820	31.7805
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	9.8332	12.4869	2.6537
Dook sharges	Block 2	c/kWh	9.8332	12.4869	2.6537
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.8186	2.1582	0.3396
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Cummor	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Residential T	wo Rate 5d - Bulk	(
Tariff Code	C2RB				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	89.2743	120.5203	31.2460
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	7.6506	9.7150	2.0644
Peak charges	Block 2	c/kWh	7.6506	9.7150	2.0644
Peak Charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.5613	1.4325	-0.1288
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Nam Communica	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Residential I	nterval			
Tariff Code	C3R				
Charging	parameter	UoM	2014	2015	Variance
Standing charg	es	\$/cust pa	90.8015	122.5820	31.7805
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	9.6035	12.4869	2.8834
Peak charges	Block 2	c/kWh	9.6035	12.4869	2.8834
Peak Charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.8186	2.1582	0.3396
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
C	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
N 6	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Tariff	Posidontial I	nterval - Bulk			
Tariff Code	C3RB	illervar - burk			
	parameter	UoM	2014	2015	Variance
Standing charg		\$/cust pa	89.2743	120.5203	31.2460
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
Charges	Block1	c/kWh	7.4689	9.7150	2.2461
	Block 2	c/kWh	7.4689	9.7150	2.246
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000		0.0000
Off Peak				0.0000	
	Block 1	c/kWh	1.5613	1.4325	-0.1288
charges	Block 2 Peak	c/kWh	0.0000	0.0000	0.0000
		c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	D I.		(1//////1	0.0000	0.0000
	Peak	c/kWh			
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer					0.0000

Tariff	Residential T	wo Rate 5d - Cor	trolled Load		
Tariff Code	C2ROP				
Charging p	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Dook sharges	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.9003	2.1582	0.2579
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Residential Tw	o Rate 5d - Bulk	c - Controlled Loa	d	
Tariff Code	C2RBOP				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Dook sharges	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.5613	1.4325	-0.1288
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non Common	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.1.4 Controlled load tariffs

Tariff	Dedicated Ci	rcuit			
Tariff Code	CDS				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Dook sharges	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.8690	2.3724	0.5034
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Name Comment	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Dedicated Ci	rcuit - Bulk			
Tariff Code	CDSB				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Dook sharges	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.7296	1.5958	-0.1338
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Cummor	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.2 Low Voltage Business tariff class

C.2.1 Low voltage business single rate tariff

Tariff Non-Resid		tial Single Rate			
Tariff Code	C1G				
Charging	parameter	UoM	2014	2015	Variance
Standing charg	es	\$/cust pa	90.3476	121.9693	31.6217
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	6.6787	8.4807	1.8020
Dook sharges	Block 2	c/kWh	6.6787	8.4807	1.8020
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
ivon-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Non-Residen	tial Single Rate -	Bulk		
Tariff Code	C1GB				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	76.9004	103.8155	26.9151
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	5.4223	6.8850	1.4627
Dook sharges	Block 2	c/kWh	5.4223	6.8850	1.4627
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.2.2 Low voltage business ToU tariffs

Tariff	Non-Residen	tial			
Tariff Code	C14G				
Charging	parameter	UoM	2014	2015	Variance
Standing charg	es	\$/cust pa	105.6376	142.6108	36.9732
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	0.0000	0.0000	0.0000
Dook charges	Block 2	c/kWh	0.0000	0.0000	0.0000
Peak Charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.0000	0.0000	0.0000
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	12.6986	13.4254	0.7268
C	Shoulder	c/kWh	9.8134	10.3748	0.5614
Summer	Off-Peak	c/kWh	2.8025	2.9620	0.1595
	n/a	c/kWh	105.6376 142.61 0.0000 0.00 0.0000 0.00 0.0000 0.00 0.0000 0.00 0.0000 0.00 0.0000 0.00 0.0000 0.00 0.0000 0.00 12.6986 13.42 9.8134 10.37 2.8025 2.96 0.0000 0.00 12.6986 13.42 9.8134 10.37 2.8025 2.96 0.0000 0.00 12.6986 13.42 9.8134 10.37 2.8025 2.96 0.0000 0.00	0.0000	0.0000
	Peak	c/kWh	12.6986	13.4254	0.7268
N 6	Shoulder	c/kWh	9.8134	10.3748	0.5614
Non-Summer	Off-Peak	c/kWh	2.8025	2.9620	0.1595
	n/a	c/kWh	0.0000	0.0000	0.0000
Towiff	Non Docidon	tial Dulk			
		udi - buik			
Charging parameter		HoM	2014	2015	Variance
	parameter	UoM \$/cust na		1	Variance
Standing charg	parameter es	\$/cust pa	88.3130	119.2226	30.9096
Standing charg Demand	parameter es kW	\$/cust pa \$/kW pa	88.3130 0.0000	119.2226 0.0000	30.9096 0.0000
Standing charg	es kW kVA	\$/cust pa \$/kW pa \$/kVa pa	88.3130 0.0000 0.0000	119.2226 0.0000 0.0000	30.9096 0.0000 0.0000
Standing charg Demand	es kW kVA Block1	\$/cust pa \$/kW pa \$/kVa pa c/kWh	88.3130 0.0000 0.0000 0.0000	119.2226 0.0000 0.0000 0.0000	30.9096 0.0000 0.0000
Demand charges Peak charges Off Peak charges Summer Non-Summer Tariff Tariff Code Charging p Standing charges Demand charges Peak charges Off Peak charges	es kW kVA Block1 Block 2	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000	119.2226 0.0000 0.0000 0.0000 0.0000	30.9096 0.0000 0.0000 0.0000
Standing charg Demand charges	es kW kVA Block1 Block 2 Block 3	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000	30.9096 0.0000 0.0000 0.0000 0.0000
Standing charg Demand charges Peak charges	es kW kVA Block1 Block 2 Block 3 Block 4	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	30.9096 0.0000 0.0000 0.0000 0.0000 0.0000
Standing charg Demand charges Peak charges Off Peak	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	30.9096 0.0000 0.0000 0.0000 0.0000 0.0000
Standing charg Demand charges Peak charges Off Peak	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1 Block 2	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	30.9090 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Standing charg Demand charges Peak charges Off Peak	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1 Block 2 Peak	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.7749	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.8527	30.9090 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000
Standing charg Demand charges Peak charges Off Peak charges	Block 3	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.8527 8.4834	30.9096 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0778 0.0609		
Standing charg Demand charges Peak charges Off Peak charges	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1 Block 2 Peak Shoulder Off-Peak	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.7749 8.4229 2.4643	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.8527 8.4834 2.4814	30.9099 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0776 0.0609
Standing charg Demand charges Peak charges Off Peak charges	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1 Block 2 Peak Shoulder Off-Peak n/a	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.7749 8.4229 2.4643 0.0000	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.8527 8.4834 2.4814 0.0000	30.909(0.000(0.000(0.000(0.000(0.000(0.000(0.000(0.017) 0.060(0.000(
Standing charg Demand charges Peak charges Off Peak charges	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1 Block 2 Peak Shoulder Off-Peak n/a Peak	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.7749 8.4229 2.4643 0.0000 10.7749	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.8527 8.4834 2.4814 0.0000 10.8527	30.909(0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0773 0.0603 0.0000 0.0777
Standing charg Demand charges Peak charges Off Peak charges	es kW kVA Block1 Block 2 Block 3 Block 4 Block 1 Block 2 Peak Shoulder Off-Peak n/a	\$/cust pa \$/kW pa \$/kVa pa c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh c/kWh	88.3130 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.7749 8.4229 2.4643 0.0000 10.7749 8.4229	119.2226 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 10.8527 8.4834 2.4814 0.0000 10.8527 8.4834	30.909(0.000(0.000(0.000(0.000(0.000(0.000(0.000(0.017) 0.060(0.000(

Tariff	Non-Residenti	al Two Rate 5d			
Tariff Code	C2G5				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	225.0854	303.8653	78.7799
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	9.9640	9.6639	-0.3001
Peak charges	Block 2	c/kWh	9.9640	9.6639	-0.3001
Peak Charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	2.1003	2.6661	0.5658
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
ivon-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Non-Residenti	al Two Rate 5d	- Bulk		
Tariff Code	C2G5B				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	212.8410	287.3354	74.4944
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	7.5901	7.3612	-0.2289
Dook sharges	Block 2	c/kWh	7.5901	7.3612	-0.2289
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.6748	1.6234	-0.0514
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non Cummor	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Non-Resident	tial Interval			
Tariff Code	C3G				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	225.0854	303.8653	78.7799
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	9.9640	9.6639	-0.3001
Dook charges	Block 2	c/kWh	9.9640	9.6639	-0.3001
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	2.1003	2.6661	0.5658
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Non-Residentia	al Interval - Bulk			
Tariff Code	C3GB				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	212.8410	287.3354	74.4944
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	7.5901	7.3612	-0.2289
Dook sharges	Block 2	c/kWh	7.5901	7.3612	-0.2289
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.6748	1.6234	-0.0514
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non Common	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Non-Residenti	al Two Rate 7d			
Tariff Code	C2G7				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	194.8682	263.0721	68.2039
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	6.7210	8.5344	1.8134
Dook charges	Block 2	c/kWh	6.7210	8.5344	1.8134
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.9706	2.5014	0.5308
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Non-Residentia	al Two Rate 7d	Bulk		
Tariff Code	C2G7B				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	178.8678	241.4715	62.6037
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	5.3531	6.7972	1.4441
Dook sharges	Block 2	c/kWh	5.3531	6.7972	1.4441
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.5620	1.9825	0.4205
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non Cummer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.2.3 Unmetered supply tariffs

Tariff	Unmetered Su	pplies / Public I	ighting		
Tariff Code	C2U				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	7.5491	9.5861	2.0370
Dealt shares	Block 2	c/kWh	7.5491	9.5861	2.0370
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	2.3454	2.9774	0.6320
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Cummor	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Nam Comanan	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.3 Large Low Voltage Business tariff class

Tariff	Large Two Rat	te 7d			
Tariff Code	C2L7				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	121.3646	163.8422	42.4776
Demand	kW	\$/kW pa	0.0000	0.0000	0.0000
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	7.9919	10.1485	2.1566
Dook sharges	Block 2	c/kWh	7.9919	10.1485	2.1566
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	2.2361	2.8386	0.6025
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non Cummer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Large Low Voltage Demand				
Tariff Code	C2DL				
Charging parameter		UoM	2014	2015	Variance
Standing charges		\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	84.1020	106.8095	22.7075
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	3.0605	3.8856	0.8251
Dook sharges	Block 2	c/kWh	3.0605	3.8856	0.8251
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.9234	2.4415	0.5181
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Large Low Voltage Demand - Bulk				
Tariff Code	C2DLB				
Charging parameter		UoM	2014	2015	Variance
Standing charges		\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	77.8090	98.8174	21.0084
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
Peak charges	Block1	c/kWh	2.5308	3.2129	0.6821
	Block 2	c/kWh	2.5308	3.2129	0.6821
	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.8175	2.3070	0.4895
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Large Low Volt	tage Demand R			
Tariff Code	C2DLER				
Charging p	parameter	UoM	2014	2015	Variance
Standing charges		\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	89.7122	98.4705	8.7583
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	3.2139	3.3804	0.1665
Peak charges	Block 2	c/kWh	3.2139	3.3804	0.1665
	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	2.0793	2.2416	0.1623
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Large Low Voltage Demand G				
Tariff Code	C2DLEG				
Charging parameter		UoM	2014	2015	Variance
Standing charges		\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	89.7122	113.9345	24.2223
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
Peak charges	Block1	c/kWh	3.2139	4.0804	0.8665
	Block 2	c/kWh	3.2139	4.0804	0.8665
	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	2.0793	2.6395	0.5602
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Large Low Voltage Demand - Bulk R		ulk R		
Tariff Code	C2DLBER				
Charging p	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	82.9662	90.9788	8.0126
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	2.6529	2.7475	0.0946
Dook sharges	Block 2	c/kWh	2.6529	2.7475	0.0946
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.9529	2.1015	0.1486
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Nam Communication	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	Large Low Vol	tage Demand - B	ulk G		
Tariff Code	C2DLBEG				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	82.9662	105.3671	22.4009
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	2.6529	3.3680	0.7151
Peak charges	Block 2	c/kWh	2.6529	3.3680	0.7151
Peak Charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.9529	2.4790	0.5261
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Non Comme	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.4 High Voltage Business tariff class

Tariff	High Voltage	Demand			
Tariff Code	C2DH				
Charging p	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	56.2353	71.4188	15.1835
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	2.1698	2.7544	0.5846
Dook sharges	Block 2	c/kWh	2.1698	2.7544	0.5846
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.1193	1.4203	0.3010
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Nam Communication	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	High Voltage	Demand D1			
Tariff Code	C2DHD1				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	41.6137	44.9467	3.3330
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	1.7554	1.7644	0.0090
Dook sharges	Block 2	c/kWh	1.7554	1.7644	0.0090
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.9313	0.9411	0.0098
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
C	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
Non Commen	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	High Voltage	High Voltage Demand R			
Tariff Code	C2DHER				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	59.9289	65.6202	5.6913
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	2.2663	2.3091	0.0428
Dook shares	Block 2	c/kWh	2.2663	2.3091	0.0428
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.2035	1.2803	0.0768
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

Tariff	High Voltage I	Demand G			
Tariff Code	C2 DHEG				
Charging	parameter	UoM	2014	2015	Variance
Standing charge	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	59.9289	76.1097	16.1808
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	2.2663	2.8770	0.6107
Dook sharges	Block 2	c/kWh	2.2663	2.8770	0.6107
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	1.2035	1.5272	0.3237
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

C.5 Sub-transmission tariff class

Tariff	Subtransmiss	Subtransmission Demand			
Tariff Code	C2DT				
Charging	parameter	UoM	2014	2015	Variance
Standing charg	es	\$/cust pa	0.0000	0.0000	0.0000
Demand	kW	\$/kW pa	14.9303	18.9615	4.0312
charges	kVA	\$/kVa pa	0.0000	0.0000	0.0000
	Block1	c/kWh	2.1299	2.7037	0.5738
Dook sharges	Block 2	c/kWh	2.1299	2.7037	0.5738
Peak charges	Block 3	c/kWh	0.0000	0.0000	0.0000
	Block 4	c/kWh	0.0000	0.0000	0.0000
Off Peak	Block 1	c/kWh	0.7757	0.9839	0.2082
charges	Block 2	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
Summer	Shoulder	c/kWh	0.0000	0.0000	0.0000
Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000
	Peak	c/kWh	0.0000	0.0000	0.0000
	Shoulder	c/kWh	0.0000	0.0000	0.0000
Non-Summer	Off-Peak	c/kWh	0.0000	0.0000	0.0000
	n/a	c/kWh	0.0000	0.0000	0.0000

D Alternative Control Service Charges

Alternative Control Services are a set of activities provided by CitiPower that fall under a particular reimage of regulation due to their monopoly or semi-monopoly nature.

Alternative Control Services are divided into two subclasses:

- 1. Fixed Rate Services Services are relatively fixed in nature. Charges are levied on a per activity basis; and
- 2. Quoted Services Services are highly variable. Charges are levied on a time and materials basis.

We endeavour to perform all Alternative Control Services within normal business hours, however if a circumstance arises where after hours activities are required this work can only be undertaken where resources are available. The charge applicable will be based on the resource utilised. After hours work includes weekends and public holidays.

All prices are exclusive of GST.

Business Hours	8am-5pm Monday to Friday (excluding public holidays) ¹⁵
After Hours	All other times and only where resources are available 16

Hours of Operation

The following sections will set out to list and describe the various charges classified as Fixed Rate and Quoted Alternative Control Services which apply throughout the area served by CitiPower.

¹⁵ Times for disconnections (Section D1.1.3) and reconnections (Section D1.1.4) differ from these times

¹⁶ Times for disconnections (Section D1.1.3) and reconnections (Section D1.1.4) differ from these times

D.1 Fee Based Alternative Control Services

Appendix B of the AER's Final Decision¹⁷, Service Classification, classifies the following service groupings as Alternative Control Services - fee based:

- Metering Services;
- Public Lighting Services; and
- Other Fee Based Services.

In some circumstances traffic management will be required to comply with the *Roads Management Act 2004 (VIC)* to provide the requested services. CitiPower can assist in arranging for traffic control and a pass through fee shall apply.

D.1.1 Metering Services

The charges for each service apply where uninhibited site access is granted. If access to the site is restricted then a service truck may be required therefore attracting a service truck fee.

D.1.1.1 Meter Investigation

A Meter Investigation charge applies when a request is received to investigate the metering at a given supply point. A need to investigate can arise in a number of situations, such as:

- Interval data analysis;
- Meter malfunction¹⁸;
- Wiring transposition investigation;
- Contestable metering investigation; and
- Meter tampering or bypass.

D.1.1.2 Meter Testing

A Meter Testing charge applies when a request is made to test the accuracy of a meter at a given supply point. Different charges apply depending on the type of meter being tested, if it is the first or subsequent meters and whether the meter is single or multiphase and whether the service is provided during or after business hours.

Refer to the Meter Investigation charge for metering issues other than accuracy testing.

¹⁷ http://www.aer.gov.au/content/index.phtml/itemId/740791

¹⁸ A malfunction is defined as a meter that is operating and not presenting fault alarms but delivering inaccurate data. If the meter malfunction is identified to be a faulty distributor owned asset the fee will be waived.

D.1.1.3 De-energisation of existing connections

A Disconnection (includes Disconnections for Non Payment (DNP)) charge applies when a request is received to disconnect at a supply point. The service requires that all supply assets remain at the customer's installation.

If at the time of disconnection it is discovered that the installation has been damaged or is defective and will be unsafe to energise if a future reconnection occurs, other charges may be applicable once the defect is repaired. These charges will be based on the nature of the works required.

In a normal instance a de-energisation is performed by a special reader. However, there are scenarios where a Service Truck Visit may be required in its place and accordingly a Service Truck Visit (Section D.1.3.1) charge will be applied.

Some examples where a truck or other resource may be required include:

- Special reader resource is not available after hours and an alternative time is not acceptable to the customer;
- No access to distribution equipment metering and main fuse, including a veranda restricting access to the main fuse;
- No isolation point, necessitating disconnection at the pole;
- Multiple NMI's fused at a common isolation point;
- CT metered site;
- Isolation point in restricted area substation;
- Safety disconnection for non-prescribed electrical works.

Where the request for disconnection is received by CitiPower before 3pm the disconnection will occur within 2 business days or the earliest permissible day thereafter.

D.1.1.4 Energisation of existing connections

An Energisation charge applies to customers moving into an existing premise where supply assets are installed and the site was previously de-energised.

Three options for energisation are available:

- 1. Reconnections (same day) business hours only;
- 2. Reconnections (incl. Customer Transfer) business hours; and
- 3. Reconnections (incl. Customer Transfer) after hours.

If the reconnection is required on the same day and CitiPower receive the request before 3pm, the 'Reconnections (same day) business hours' charge will be applied and the reconnection will occur that day.

If the reconnection is required on the same day as requested and received by CitiPower between 3pm and 9pm the 'Reconnections (incl. Customer Transfer) after hours' charge is applied.

If the reconnection is required for the next business day and CitiPower receive the request before 3pm on the previous business day the 'Reconnections (incl. Customer Transfer) business hours' charge is applied.

In the instance that a customer does not provide reasonable access or where equipment is not in a reasonable state, the customer will be charged for the requested service however, supply will not be re-energised. Before the service can be provided,

the customer may need to undertake rectification works. When the issue(s) have been resolved another request will need to be raised and a new charge will apply.

In a normal instance a re-energisation is performed by a special reader. However, there are scenarios where a Service Truck Visit may be required in its place and accordingly a Service Truck Visit (Section D.1.3.1) charge will be applied.

Some examples where a truck or other resource may be required include:

- Special reader resource is not available after hours and an alternative time is not acceptable to the customer;
- No access to distribution equipment metering and main fuse, including a veranda restricting access to the main fuse;
- No isolation point, necessitating disconnection at the pole;
- Multiple NMI's fused at a common isolation point;
- CT metered site;
- Isolation point in restricted area substation;
- Safety reconnection for non-prescribed electrical works.

The charge will not be applied when:

- The customer changes retailer on a scheduled read; or
- The customer changes name; and
- A field visit is not necessary.

D.1.1.5 Special Meter Reading

The Special Reading/Customer Transfer charge applies when a request for a Special Meter Read is to be performed by a Field Officer outside the scheduled meter reading cycle. Where customers have multiple metering installations, such as farms and units, a separate charge applies to each meter on the property.

In some cases interval data may be required that can be obtained from AMI records, in this situation a request for data re-send is more appropriate than a special read request. If unsatisfied with the resultant data then a meter test or meter investigation may be requested.

The Special Reading/Customer Transfer service is only available during business hours.

D.1.2 Public Lighting Services

Charges apply for public lighting services provided to public lighting customers in accordance with the Public Lighting Code. The following services are included:

- Operation of public lighting assets; including handling enquiries and complaints about public lighting and dispatching crews to repair public lighting assets; and
- Maintenance, repair and replacement of public lighting assets.

Where a public lighting customer requests the replacement of a light with another light of a different type, then the activities required to fulfil this request fall outside of

general OM&R activities. In this circumstance the following charges (rebates) are applied:

- Replacement luminaire WDV recovery (charge);
- Replacement luminaire avoided costs (rebate); and
- Installation costs of new light (refer to section on negotiated services).

D.1.3 Other Fee Based Services

The services classified under the service grouping Fee Based Services have been outlined in the following sub sections and discuss the nature of the fee and how it should be applied.

D.1.3.1 Service Truck Visit

Service truck visit charges apply when a service crew is requested for up to an hour.

A service truck visit charge is applied in a number of circumstances including:

- Disconnection of complex site (refer section D.1.1.3);
- Reconnection of complex site (refer section D.1.1.4);
- Metering Additions or Alternations; and
- Shutdowns.

In the situation that a service truck visit or other resource visit is required for larger scale works or when the crew are required for longer than 1 hour a Quoted Services charge will apply (refer to section D.2.12 'After hours truck by appointment').

In the situation where it is identified during works that additional work is required on the customer's installation which will take longer than 1 hour, a quoted service charge will apply.

A service truck visit charge is not applicable to an appointment made to upgrade a basic meter site to a CT meter site. In this situation a quoted service charge will apply.

Customers are not charged when a service truck is sent to attend emergency and fault calls, unless the customer is clearly at fault, for example, not checking that main switch or safety switch is on.

In the instance where a service truck visit is requested and the truck arrives to find the site is not ready for work to be carried out then a Wasted Truck Visit charge will apply (refer to section D.1.3.2).

D.1.3.2 Wasted Attendance

Where CitiPower receives a request for a service truck and:

- the crew arrives to find the site is not ready for the scheduled work within 15 minutes of arriving;
- the truck attendance is no longer required once on site;
- 24 hours notice is not provided for a cancellation;
- the site is locked with a non industry lock;
- asbestos removal or warning on site;
- scaffolding obstructing meter position;
- non adherence to VESI SIR's; or
- other issues associated with safety assessment of the site.

Then a Wasted Truck Visit charge will apply.

Once the site is ready for the Service Truck Visit another appointment needs to be booked and the normal Service Truck Visit charge applies.

Business hours and after hours charges apply where appropriate.

D.1.3.3 Reserve Feeder

A Reserve Feeder service is negotiated with customers specifically requesting continuity of electricity supply should the feeder providing normal supply to their connection experience interruption.

The reserve feeder capacity is made available from an alternative feeder that has the available capacity to facilitate the requirements that the customer has nominated. The feeder facilitating reserve capacity may emanate from another Zone sub or an alternative bus from the same Zone sub facilitating electricity supply to the substation on the customer site.

The fee covers the operation and maintenance of the service, it does not include the capital required to implement or replace the service as this is covered in the connection agreement.

The Reserve Feeder service will not be available to new customers from 1 January 2015.

D.1.3.4 PV Installation

The PV Installation charge applies prior to connection of small scale embedded generation to CitiPower's network. This charge specifically covers the inspection of the customer's site to ensure safe connection to the network and includes anti-islanding test.

D.1.3.5 Routine Connections – customers below 100 amps

These charges apply to persons connecting to new premises or requesting a temporary supply, additional charges may apply where augmentation is required to meet the customer's supply requirements.

Charges apply where a request is made for a new supply connection at a specified address (including unmetered supply sites), except where the supply is for security lighting ¹⁹ (also known as watchman lighting). This charge also applies where a builder wishes to provide permanent or temporary supply to new properties under construction.

For new premises an additional charge will apply for the checking of the installation for compliance to Service and Installations Rules and other related Connection Standards. Further, it does not include inspection of prescribed works for the purpose of issuing of a Certificate of Electrical Safety (CES); this should be organised by a Registered Electrical Contractor (REC)). Separate charges will apply for additional truck or field officer visits to complete connection works.

_

¹⁹ Watchman lighting is a contestable service.

²⁰ Customers requesting an additional inspection for a CES (Certificate of Electrical Safety) will incur a separate charge. Electrical inspection services are unregulated activities and carried out by Licensed Electrical Inspectors (LEI).

In some circumstances traffic management will be required to comply with the Roads Management Act to provide the requested services. CitiPower can assist in arranging for traffic control and a pass through fee shall apply.

On occasions when a 'Builders Temporary Supply' is installed and subsequently replaced with a permanent supply each new-connection is considered a distinct site visit and separate new-connection charges are applied, the first to the builder for establishing a new-connection for which the builder uses supply for construction purposes and a second new-connection charge to the customer for connecting the supply. This charge includes the removal/ disconnection of the overhead service / underground cable and meter supplying the temporary supply pole where applicable.

An additional attendance charge in the form of a Wasted Truck Visit charge is applied in those situations where CitiPower has been to the site and returned to complete works that have been delayed due to the fault of the responsible party or their representative. Where an application for supply is made and the site is found to be defective, the Wasted Truck Visit charge will be applied.

Where the determined maximum demand of any separately metered portion of an electrical installation exceeds 90 Amperes per active conductor, then CT metering will be required.

Customers moving from direct connect metering to CT metering due to an increase in load on site will attract a quoted service for the removal of the direct connect meter and service for a new CT site connection. This is in addition to the augmentation project costs to upgrade the supply assets in the street to supply the additional load.

D.2 Quoted Services

Appendix B of the AER's Final Decision, Service Classification, classifies the following services as Alternative Control Services – quoted services:

- Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets;
- Supply enhancement at customer request;
- Supply abolishment;
- Emergency recoverable works;
- Audit design and construction;
- Specification and design enquiry;
- Elective underground where above ground service currently exists;
- Damage to overhead service cables caused by high load vehicles;
- High load escorts lifting overhead lines;
- Covering of low voltage mains for safety reasons;
- Routine connections customers above 100 amps; and
- After hours truck by appointment.

Labour rates on which quotes are based on include:

- General line worker (BH & AH);
- Design/Survey (BH & AH); and
- Administration (BH only).

All Quoted Services are based on the greater of actual hours worked or minimum chargeable hours, multiplied by the approved labour rates plus materials used.

D.2.1 Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets

A Quoted Service charge is applied when a customer requests capital work for which the prime purpose is to satisfy a customer requirement other than new or increased supply, other than where Guideline 14 is applied Examples include:

- Vic Roads and Council requested asset relocations to allow for new road works;
 and
- Customer removal or relocation of service wire to allow work on private installation.

D.2.2 Supply enhancement at customer request

A Quoted Service charge is applied to requests for supply enhancement to a customer site, other than where Guideline 14 is applied.

D.2.3 Supply abolishment

A Quoted Service charge is applied to requests for supply abolishments; this involves the permanent removal of CitiPower's supply assets per site.

D.2.4 Emergency recoverable works

A Quoted Service charge is applied to recover the costs associated with works that are required to restore CitiPower's distribution network to its standard operating level following an incident caused by an identifiable 3rd party. This includes events where there is clear evidence of damage by a third party requiring the replacement of poles (including public lighting poles), transformers, services, cross-arms, switches, public lighting fixtures or contractors digging through cables.

D.2.5 Audit design and construction

This charge may be applied where CitiPower's review, approval or acceptance of works undertaken by third parties is requested by the third party or is deemed necessary by CitiPower.

The charge may be applied in situations including, but not limited to:

- customer provided buildings, conduits or ducts used to house CitiPower's electrical assets;
- customer provided connection facilities including switchboards used in the connection of an electricity supply to their installation;
- any electrical distribution work completed by a CitiPower approved contractor that has been engaged by a customer under Option 2 provisions;
- provision of system plans and system planning scopes, for Option 2 designers;
 and
- reviewing and/or approving plans submitted by Option 2 designers.

The charge may also be applied if CitiPower is requested to assess a contractor seeking VEDN or Option 2 contractor accreditation.

D.2.6 Specification and design enquiry

This charge may be applied where CitiPower determines an element of detailed design is required to fairly assess the costs so that an Offer for Connection Services can be issued to a customer as required under the Electricity Distribution Licence.

The charge is considered appropriate if uncertainty exists with respect to matters including, but not limited to:

- the route of the network extension required to reach the customer's property;
- the location of other utility assets;
- environmental considerations including tree clearing; and
- obtaining necessary permits from State and Local Government bodies.

The charge may also be applied where a customer requests CitiPower to provide information to assist them to undertake feasibility studies or to provide budget estimates.

D.2.7 Elective underground where above ground service currently exists

A Quoted Service charge applies where a customer with an existing overhead service requests an underground service, other than where Guideline 14 is applied.

D.2.8 Damage to overhead service cables caused by high load vehicles

A Quoted Service charge is applied to an identifiable 3rd party when overhead service cables require repairing because they have been damaged by high load vehicles pulling down cables.

D.2.9 High load escorts – lifting overheads

A Quoted Service charge applies when a 3rd party requires ensuring safe clearance of overhead lines to allow high load vehicles to pass along roads.

D.2.10 Covering of Low Voltage Mains for safety reasons

A Quoted Service charge applies where customers request coverage of powerlines for safety reasons. The charge applied will depend on the time taken to perform the service. Differing charges can arise as a result of the type of line being covered; street mains (two wires or all wire) or service cables.

D.2.11 Routine connections – customer above 100 amps

A Quoted Service charge is when customers above 100 amps request a routine connection, additional charges may apply where augmentation is required to meet the customer's supply requirements > than 40 amperes per phase.

Customers moving from direct connect metering to CT metering due to an increase in load on site will attract a quoted service for the removal of the direct connect meter and service for a new CT site connection. This is in addition to the augmentation project costs to upgrade the supply assets in the street to supply the additional load.

D.2.12 After hours truck by appointment

A Quoted Service charge is applied to larger scale works requiring an after hours Service Truck appointment longer than 1 hour in duration along with costs of other resources when necessary. Examples of types of works include:

- Disconnection of complex site (refer section 1.1.3);
- Reconnection of complex site (refer section 1.1.4);
- Metering Additions or Alternations; and
- Shutdowns (includes preparation works).

D.3 Alternative Control Service Rates for 2015

D.3.1 Metering Services Fee Based

Section Reference	Alternative Control Service	Business Hours GST Exclusive	After Hours GST Exclusive
D.1.1.1	Meter Investigation	\$290.47	\$317.41
D.1.1.2	Meter Accuracy Test - single phase	\$376.20	\$412.36
D.1.1.2	Meter Accuracy Test - Single phase additional		
	meter	\$167.95	n/a
D.1.1.2	Meter Accuracy Test - multi phase	\$492.24	\$540.94
D.1.1.2	Meter Accuracy Test - Multi phase additional		
	meter	\$289.25	n/a
D.1.1.2	Meter Accuracy Test - CT	\$480.88	\$528.33
D.1.1.2	Re-test of type 5 & 6 metering installations for		
	first tier customers with annual consumption		
	greater than 160MWh	\$369.55	\$407.82
D.1.1.3	Disconnection	\$25.31	n/a
D.1.1.3	Disconnection for non payment	\$25.31	n/a
D.1.1.4	Reconnections (incl Customer Transfer)	\$24.98	\$106.70
D.1.1.4	Reconnections (same day)	\$31.32	n/a
D.1.1.5	Special reading	\$19.36	n/a

D.3.2 Public Lighting Services Fee Based

Section Reference	Public Lighting Type	Annual \$ charge GST Exclusive
D.1.2	Fluorescent T5 (2 X 14W)	\$38.15
D.1.2	Replacement luminaire - WDV recovery	\$104.30
D.1.2	Replacement luminaire - avoided costs	-\$24.03
D.1.2	Fluorescent 20 watt	\$137.44
D.1.2	Fluorescent 40 watt	\$136.64
D.1.2	Mercury vapour 50 watt	\$98.07
D.1.2	Mercury vapour 80 watt	\$69.07
D.1.2	Mercury vapour 125 watt	\$109.12
D.1.2	Mercury vapour 250 watt	\$100.27
D.1.2	Mercury vapour 400 watt	\$101.47
D.1.2	Mercury vapour 700 watt	\$149.22
D.1.2	Sodium 70 watt	\$146.42
D.1.2	Sodium 100 watt	\$120.01
D.1.2	Sodium 150 watt	\$117.65
D.1.2	Sodium 220 watt	\$119.61
D.1.2	Sodium 250 watt	\$119.37
D.1.2	Sodium 360 watt	\$121.76
D.1.2	Sodium 400 watt	\$131.31
D.1.2	Sodium 1000 watt	\$236.36
D.1.2	Metal halide 70 watt	\$225.84
D.1.2	Metal halide 100 watt	\$184.72
D.1.2	Metal halide 150 watt	\$185.89
D.1.2	Metal halide 250 watt	\$143.25
D.1.2	Metal halide 400 watt	\$143.25
D.1.2	Metal halide 1000 watt	\$213.68

D.3.3 Other Fee Based Services

Section Reference	Alternative Control Service	Business Hours GST Exclusive	After Hours GST Exclusive
D.1.3.1	Service Truck Visit	\$436.95	\$480.36
D.1.3.2	Wasted Truck Visit	\$275.84	\$303.93
D.1.3.3	Reserve Feeder - Subtransmission - \$ per KVA pa	\$1.71	n/a
D.1.3.3	Reserve Feeder - High Voltage - \$ per KVA pa	\$3.59	n/a
D.1.3.3	Reserve Feeder - Low Voltage - \$ per KVA pa	\$8.87	n/a
D.1.3.4	PV Installation	\$265.15	\$284.02
	New Connections Responsible for metering		
D.1.3.5	Single phase	\$436.71	\$465.42
D.1.3.5	Multi phase DC	\$539.30	\$568.01
D.1.3.5	Multi phase CT	\$2,359.34	\$2,565.22
	New Connections Not Responsible for metering		
D.1.3.5	Single phase	\$366.31	\$395.02
D.1.3.5	Multi phase DC	\$468.92	\$497.61
D.1.3.5	Multi phase CT	\$2,288.96	\$2,494.84

D.3.4 Quoted Services Labour Rates

Section Reference	Alternative Control Service	Business Hours GST Exclusive	After Hours GST Exclusive
D.2	General line worker	\$141.87	\$157.18
D.2	Design/survey	\$134.95	\$158.94
D.2	Administration	\$58.32	n/a

CITIPOWER PTY'S 2015 PRICING PROPOSAL					
E CONFIDENTIAL - Maximum Transmission Revenue Control Calculation					
Refer Attachment 1					

F CONFIDENTIAL - Maximum Jurisdictional Scheme Revenue Control Calculation

G CONFIDENTIAL – Standalone, Avoidable and Long Run Marginal Cost Model

H CONFIDENTIAL - Long Run Marginal, Stand-alone and Avoided cost methodologies

I CONFIDENTIAL – AER Weighted Average Price Cap Compliance Model (Standard Control)

J	CONFIDENTIAL – Price Cap Compliance Model (A	lternative
	Control Services)	

K	CONFIDENTIAL – Public Lighting Operation, Matinenance	ıblic Lighting Operation, Matinenar	ıce
	and Replacement (limited building blocks model)	imited building blocks model)	

L CONFIDENTIAL – Changes from previous regulatory

M CONFIDENTIAL – Maximum Pass through Revenue Control Calculation