

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
<b>Residential</b>			
Only available to residential customers			
<b>A100 / F100<sup>a</sup> / T100<sup>b</sup></b>	<b>General Purpose</b>		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$66.833
	- Unit rate	¢/kWh	7.573
<b>A10X / F10X<sup>a</sup> / T10X<sup>b</sup></b>	<b>Flexible</b>		
	Available to customers with a remotely read AMI meter		
	<b>Summer period:</b> is the daylight savings period; <b>Non-summer period:</b> All other times		
	<i>Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays</i>		
	<i>Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays and 7 AM to 10 PM local time weekends</i>		
	<i>Off peak Summer/Non-summer: 10 PM to 7 AM local time all days</i>		
	- Standing charge	\$/customer pa	\$66.833
	<b>Summer rates</b>		
	- Peak Unit rate	¢/kWh	11.808
	- Shoulder Unit rate	¢/kWh	7.573
	- Off Peak Unit rate	¢/kWh	3.640
	<b>Non-summer rates</b>		
	- Peak Unit rate	¢/kWh	11.808
	- Shoulder Unit rate	¢/kWh	7.573
	- Off Peak Unit rate	¢/kWh	3.640
<b>A10D / F10D<sup>a</sup> / T10D<sup>b</sup></b>	<b>General Purpose - Demand</b>		
	Available to customers with a remotely read AMI meter		
	<i>Energy consumption - single rate all times</i>		
	<i>Demand charging window 3pm - 9pm work days; reset monthly</i>		
	- Standing charge	\$/customer pa	\$66.833
	- Unit rate	¢/kWh	3.562
	- Demand rate	\$/kW pa	\$59.091
<b>A10I / F10I<sup>a</sup> / T10I<sup>b</sup></b>	<b>Time of Use Interval Meter (closed to new entrants)<sup>c</sup></b>		
	Available to customers with an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$66.833
	- Peak Unit rate	¢/kWh	11.808
	- Off Peak Unit rate	¢/kWh	2.251

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
<b>A140</b>	<b>Time of Use</b> (closed to new entrants)		
This tariff is not available to existing customers that install an interval meter			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$87.276
	- Peak Unit rate	¢/kWh	10.133
	- Off Peak Unit rate	¢/kWh	2.561
<b>A180</b>	<b>Off Peak Heating Only</b> (dedicated circuit)		
Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.			
This tariff is not available to new or existing customers that install embedded generation <sup>d</sup>			
<i>11 PM to 7 AM AEST all days</i>			
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	2.593

## Small Business

Only available to non-embedded network customers  
with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

<b>A200 / F200<sup>a</sup> / T200<sup>b</sup></b>	<b>General Purpose</b>		
Only available to customer consuming < 40 MWh pa			
<i>Single rate all times</i>			
	- Standing charge	\$/customer pa	\$95.534
	- Unit rate	¢/kWh	9.905
<b>A20D / F20D<sup>a</sup> / T20D<sup>b</sup></b>	<b>General Purpose - Demand</b>		
Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa			
<i>Single rate all times</i>			
<i>Demand charging window 10am - 8pm work days</i>			
	- Standing charge	\$/customer pa	\$95.534
	- Unit rate	¢/kWh	7.984
	- Demand rate	\$/kW pa	\$57.272
<b>A210 / F210<sup>a</sup> / T210<sup>b</sup></b>	<b>Time of Use Weekdays</b>		
Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$151.860
	- Peak Unit rate	¢/kWh	12.102
	- Off Peak Unit rate	¢/kWh	2.625

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
<b>A230 / F230<sup>a</sup> / T230<sup>b</sup></b>	<b>Time of Use Weekdays - Demand</b>		
	Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$304.396
	- Peak Unit rate	¢/kWh	7.344
	- Off Peak Unit rate	¢/kWh	2.714
	- Demand rate	\$/kW pa	\$64.683
<b>A23N / F23N<sup>a</sup> / T23N<sup>b</sup></b>	<b>Time of Use - Opt-out</b>		
	Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$304.396
	- Peak Unit rate	¢/kWh	12.102
	- Off Peak Unit rate	¢/kWh	2.625
	- Demand rate	\$/kW pa	\$0.000
<b>A250 / F250<sup>a</sup> / T250<sup>b</sup></b>	<b>Time of Use Extended (closed to new entrants)</b>		
	Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$151.860
	- Peak Unit rate	¢/kWh	10.695
	- Off Peak Unit rate	¢/kWh	2.808
<b>A270 / F270<sup>a</sup> / T270<sup>b</sup></b>	<b>Time of Use Extended - Demand (closed to new entrants)</b>		
	Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$304.396
	- Peak Unit rate	¢/kWh	6.135
	- Off Peak Unit rate	¢/kWh	2.841
	- Demand rate	\$/kW pa	\$64.683
	Minimum Chargeable Demand	60 kW	
<b>A290</b>	<b>Unmetered Supply</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	11.053
	- Off Peak Unit rate	¢/kWh	2.829

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

## Large Business - LV

### Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers  
with annual consumption  $\geq 0.4$  GWh OR maximum demand  $\geq 120$  kVA

#### **A300 / F300<sup>a</sup> / T300<sup>b</sup> LV 0.4 - 0.8 GWh**

Only available to non-embedded network customers consuming  $\leq 0.8$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$2,299.068
- Peak Unit rate	¢/kWh	4.257
- Off Peak Unit rate	¢/kWh	1.779
- Demand rate	\$/kVA pa	\$97.685
Minimum Chargeable Demand	120 kVA	

#### **A30E LV<sub>EN</sub> Annual Consumption $\leq 0.8$ GWh**

Only available to embedded network customers consuming  $\leq 0.8$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$2,299.068
- Peak Unit rate	¢/kWh	4.286
- Off Peak Unit rate	¢/kWh	1.779
- Demand rate	\$/kVA pa	\$110.449
Minimum Chargeable Demand	120 kVA	

#### **A320 LV 0.8<sup>+</sup> - 2.2 GWh**

Only available to non-embedded network customers consuming  $> 0.8$  GWh pa BUT  $\leq 2.2$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$4,049.215
- Peak Unit rate	¢/kWh	3.806
- Off Peak Unit rate	¢/kWh	1.774
- Demand rate	\$/kVA pa	\$91.141
Minimum Chargeable Demand	250 kVA	

#### **A32E LV<sub>EN</sub> 0.8<sup>+</sup> - 2.2 GWh**

Only available to embedded network customers consuming  $> 0.8$  GWh pa BUT  $\leq 2.2$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$4,049.215
- Peak Unit rate	¢/kWh	3.658
- Off Peak Unit rate	¢/kWh	1.774
- Demand rate	\$/kVA pa	\$100.614
Minimum Chargeable Demand	250 kVA	

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
<b>A340</b>	<b>LV 2.2<sup>+</sup> - 6.0 GWh</b>		
	Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$6,945.780
	- Peak Unit rate	¢/kWh	3.762
	- Off Peak Unit rate	¢/kWh	1.656
	- Demand rate	\$/kVA pa	\$90.232
	Minimum Chargeable Demand	250 kVA	
<b>A34E</b>	<b>LV<sub>EN</sub> 2.2<sup>+</sup> GWh</b>		
	Only available to embedded network customers consuming > 2.2 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$6,945.780
	- Peak Unit rate	¢/kWh	3.391
	- Off Peak Unit rate	¢/kWh	1.652
	- Demand rate	\$/kVA pa	\$96.551
	Minimum Chargeable Demand	250 kVA	
<b>A34M</b>	<b>LV<sub>MS</sub> 2.2<sup>+</sup> - 6.0 GWh (closed to new entrants)<sup>e</sup></b>		
	Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	- Standing charge	\$/customer pa	\$4,807.191
	- Peak Unit rate	¢/kWh	3.987
	- Off Peak Unit rate	¢/kWh	1.649
	- Demand rate	\$/kVA pa	\$62.488
	Minimum Chargeable Demand	250 kVA	
<b>A370</b>	<b>LV 6.0<sup>+</sup> GWh</b>		
	Only available to non-embedded network customers consuming > 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$10,672.686
	- Peak Unit rate	¢/kWh	3.458
	- Off Peak Unit rate	¢/kWh	1.592
	- Demand rate	\$/kVA pa	\$86.905
	Minimum Chargeable Demand	450 kVA	
<b>A37M</b>	<b>LV<sub>MS</sub> 6.0<sup>+</sup> GWh (closed to new entrants)<sup>e</sup></b>		
	Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 6.0 GWh		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$7,828.385
	- Peak Unit rate	¢/kWh	3.564
	- Off Peak Unit rate	¢/kWh	1.592
	- Demand rate	\$/kVA pa	\$62.627
	Minimum Chargeable Demand	450 kVA	

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
<b>Large Business - HV</b>			
<b>High Voltage Tariffs (nominal voltage <math>\geq</math> 1000 Volts AND <math>\leq</math> 22,000 Volts)</b>			
<b>A400</b>	<b>HV</b>		
Only available to non-embedded network customers consuming < 55 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$13,283.536
	- Peak Unit rate	¢/kWh	3.374
	- Off Peak Unit rate	¢/kWh	1.124
	- Demand rate	\$/kVA pa	\$73.463
	Minimum Chargeable Demand	1,000 kVA	
<b>A40E</b>	<b>HV<sub>EN</sub></b>		
Only available to embedded network customers			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$13,283.536
	- Peak Unit rate	¢/kWh	3.202
	- Off Peak Unit rate	¢/kWh	1.124
	- Demand rate	\$/kVA pa	\$75.547
	Minimum Chargeable Demand	1,000 kVA	
<b>A40R</b>	<b>HV<sub>RF</sub> (closed to new entrants)<sup>e</sup></b>		
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$13,283.536
	- Peak Unit rate	¢/kWh	3.370
	- Off Peak Unit rate	¢/kWh	1.124
	- Demand rate	\$/kVA pa	\$70.997
	Minimum Chargeable Demand	1,000 kVA	
<b>A480</b>	<b>HV - Annual Consumption <math>\geq</math> 55 GWh</b>		
Only available to non-embedded customers consuming $\geq$ 55 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$13,660.542
	- Peak Unit rate	¢/kWh	3.146
	- Off Peak Unit rate	¢/kWh	1.040
	- Demand rate	\$/kVA pa	\$68.492
	Minimum Chargeable Demand	10,000 kVA	

# Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
<b>Large Business - Subtransmission</b>			
<b>Subtransmission Tariffs (nominal voltage &gt; 22,000 Volts)</b>			
<b>A500</b>	<b>Subtransmission</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$51,718.534
	- Peak Unit rate	¢/kWh	2.235
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$23.298
	Minimum Chargeable Demand	15,000 kVA	
<b>A50A</b>	<b>Subtransmission MA</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$51,718.534
	- Peak Unit rate	¢/kWh	2.235
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$23.398
	Minimum Chargeable Demand	15,000 kVA	
<b>A50E</b>	<b>Subtransmission EG</b>		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$34,380.835
	- Peak Unit rate	¢/kWh	2.259
	- Off Peak Unit rate	¢/kWh	0.641
	- Demand rate	\$/kVA pa	\$7.729
	Minimum Chargeable Demand	15,000 kVA	

<sup>a</sup> A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

<sup>b</sup> A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017. Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid.

<sup>c</sup> This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

<sup>d</sup> The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

<sup>e</sup> Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx>  
<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>

# Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

## Residential

Only available to residential customers

### **A100 / F100<sup>a</sup> / T100<sup>b</sup> General Purpose**

*Single rate all times*

- Standing charge	\$/customer pa	\$66.533
- Unit rate	¢/kWh	7.165

### **A10X / F10X<sup>a</sup> / T10X<sup>b</sup> Flexible**

Available to customers with a remotely read AMI meter

**Summer period:** is the daylight savings period; **Non-summer period:** All other times

*Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays*

*Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays  
and 7 AM to 10 PM local time weekends*

*Off peak Summer/Non-summer: 10 PM to 7 AM local time all days*

- Standing charge	\$/customer pa	\$66.533
<b>Summer rates</b>		
- Peak Unit rate	¢/kWh	11.625
- Shoulder Unit rate	¢/kWh	7.165
- Off Peak Unit rate	¢/kWh	3.518
<b>Non-summer rates</b>		
- Peak Unit rate	¢/kWh	11.625
- Shoulder Unit rate	¢/kWh	7.165
- Off Peak Unit rate	¢/kWh	3.518

### **A10D / F10D<sup>a</sup> / T10D<sup>b</sup> General Purpose - Demand**

Available to customers with a remotely read AMI meter

*Energy consumption - single rate all times*

*Demand charging window 3pm - 9pm work days; reset monthly*

- Standing charge	\$/customer pa	\$66.533
- Unit rate	¢/kWh	3.154
- Demand rate	\$/kW pa	\$59.091

### **A10I / F10I<sup>a</sup> / T10I<sup>b</sup> Time of Use Interval Meter (closed to new entrants)<sup>c</sup>**

Available to customers with an interval meter

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$66.533
- Peak Unit rate	¢/kWh	11.625
- Off Peak Unit rate	¢/kWh	1.765



**A140 Time of Use (closed to new entrants)**

This tariff is not available to existing customers that install an interval meter

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$86.976
- Peak Unit rate	¢/kWh	8.250
- Off Peak Unit rate	¢/kWh	1.443

**A180 Off Peak Heating Only (dedicated circuit)**

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation<sup>d</sup>

*11 PM to 7 AM AEST all days*

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.725

**Small Business**

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

**A200 / F200<sup>a</sup> / T200<sup>b</sup> General Purpose**

Only available to customer consuming < 40 MWh pa

*Single rate all times*

- Standing charge	\$/customer pa	\$94.773
- Unit rate	¢/kWh	9.021

**A20D / F20D<sup>a</sup> / T20D<sup>b</sup> General Purpose - Demand**

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

*Single rate all times*

*Demand charging window 10am - 8pm work days*

- Standing charge	\$/customer pa	\$94.773
- Unit rate	¢/kWh	7.100
- Demand rate	\$/kW pa	\$57.272

**A210 / F210<sup>a</sup> / T210<sup>b</sup> Time of Use Weekdays**

Only available to customers with two rate accumulation meter (or Interval meter) AND

consuming < 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$141.843
- Peak Unit rate	¢/kWh	10.649
- Off Peak Unit rate	¢/kWh	1.818

**A230 / F230<sup>a</sup> / T230<sup>b</sup> Time of Use Weekdays - Demand**

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	6.572
- Off Peak Unit rate	¢/kWh	2.121
- Demand rate	\$/kW pa	\$64.297

**A23N / F23N<sup>a</sup> / T23N<sup>b</sup> Time of Use - Opt-out**

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	10.649
- Off Peak Unit rate	¢/kWh	1.818
- Demand rate	\$/kW pa	\$0.000

**A250 / F250<sup>a</sup> / T250<sup>b</sup> Time of Use Extended (closed to new entrants)**

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times*

- Standing charge	\$/customer pa	\$141.843
- Peak Unit rate	¢/kWh	9.380
- Off Peak Unit rate	¢/kWh	1.970

**A270 / F270<sup>a</sup> / T270<sup>b</sup> Time of Use Extended - Demand (closed to new entrants)**

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times*

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	4.945
- Off Peak Unit rate	¢/kWh	2.261
- Demand rate	\$/kW pa	\$64.297
Minimum Chargeable Demand	60 kW	

**A290 Unmetered Supply**

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Peak Unit rate	¢/kWh	10.121
- Off Peak Unit rate	¢/kWh	1.888

## Large Business - LV

### Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers  
with annual consumption  $\geq 0.4$  GWh OR maximum demand  $\geq 120$  kVA

#### **A300 / F300<sup>a</sup> / T300<sup>b</sup> LV 0.4 - 0.8 GWh**

Only available to non-embedded network customers consuming  $\leq 0.8$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$2,231.165
- Peak Unit rate	¢/kWh	1.968
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$96.639
Minimum Chargeable Demand	120 kVA	

#### **A30E LV<sub>EN</sub> Annual Consumption $\leq 0.8$ GWh**

Only available to embedded network customers consuming  $\leq 0.8$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$2,231.165
- Peak Unit rate	¢/kWh	1.985
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$109.033
Minimum Chargeable Demand	120 kVA	

#### **A320 LV 0.8<sup>+</sup> - 2.2 GWh**

Only available to non-embedded network customers consuming  $> 0.8$  GWh pa BUT  $\leq 2.2$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$3,905.456
- Peak Unit rate	¢/kWh	1.343
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$89.327
Minimum Chargeable Demand	250 kVA	

#### **A32E LV<sub>EN</sub> 0.8<sup>+</sup> - 2.2 GWh**

Only available to embedded network customers consuming  $> 0.8$  GWh pa BUT  $\leq 2.2$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$3,905.456
- Peak Unit rate	¢/kWh	1.342
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$98.268
Minimum Chargeable Demand	250 kVA	

**A340****LV 2.2<sup>+</sup> - 6.0 GWh**

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$5,990.235
- Peak Unit rate	¢/kWh	1.229
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$88.362
Minimum Chargeable Demand	250 kVA	

**A34E****LV<sub>EN</sub> 2.2<sup>+</sup> GWh**

Only available to embedded network customers consuming > 2.2 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$5,990.235
- Peak Unit rate	¢/kWh	1.229
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$93.317
Minimum Chargeable Demand	250 kVA	

**A34M****LV<sub>MS</sub> 2.2<sup>+</sup> - 6.0 GWh (closed to new entrants)<sup>e</sup>**

Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$3,530.574
- Peak Unit rate	¢/kWh	1.216
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$59.988
Minimum Chargeable Demand	250 kVA	

**A370****LV 6.0<sup>+</sup> GWh**

Only available to non-embedded network customers consuming > 6.0 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$8,210.417
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.455
- Demand rate	\$/kVA pa	\$84.863
Minimum Chargeable Demand	450 kVA	

**A37M****LV<sub>MS</sub> 6.0<sup>+</sup> GWh (closed to new entrants)<sup>e</sup>**

Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 6.0 GWh

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$4,768.300
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.455
- Demand rate	\$/kVA pa	\$60.090
Minimum Chargeable Demand	450 kVA	

## Large Business - HV

### High Voltage Tariffs (nominal voltage $\geq 1000$ Volts AND $\leq 22,000$ Volts)

#### **A400 HV**

Only available to non-embedded network customers consuming  $< 55$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.797
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$71.142
Minimum Chargeable Demand	1,000 kVA	

#### **A40E HV<sub>EN</sub>**

Only available to embedded network customers

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.800
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$73.298
Minimum Chargeable Demand	1,000 kVA	

#### **A40R HV<sub>RF</sub> (closed to new entrants)<sup>e</sup>**

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.789
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$65.370
Minimum Chargeable Demand	1,000 kVA	

#### **A480 HV - Annual Consumption $\geq 55$ GWh**

Only available to non-embedded customers consuming  $\geq 55$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$5,669.403
- Peak Unit rate	¢/kWh	0.761
- Off Peak Unit rate	¢/kWh	0.184
- Demand rate	\$/kVA pa	\$63.119
Minimum Chargeable Demand	10,000 kVA	

## Large Business - Subtransmission

### Subtransmission Tariffs (nominal voltage > 22,000 Volts)

<b>A500</b>	<b>Subtransmission</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$39,040.500
	- Peak Unit rate	¢/kWh	0.149
	- Off Peak Unit rate	¢/kWh	0.045
	- Demand rate	\$/kVA pa	\$19.514
	Minimum Chargeable Demand	15,000 kVA	
<b>A50A</b>	<b>Subtransmission MA</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$39,040.500
	- Peak Unit rate	¢/kWh	0.149
	- Off Peak Unit rate	¢/kWh	0.045
	- Demand rate	\$/kVA pa	\$19.595
	Minimum Chargeable Demand	15,000 kVA	
<b>A50E</b>	<b>Subtransmission EG</b>		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$30,333.863
	- Peak Unit rate	¢/kWh	0.142
	- Off Peak Unit rate	¢/kWh	0.023
	- Demand rate	\$/kVA pa	\$3.360
	Minimum Chargeable Demand	15,000 kVA	

<sup>a</sup> A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

<sup>b</sup> A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017. Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid.

<sup>c</sup> This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

<sup>d</sup> The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

<sup>e</sup> Other terms and conditions apply.

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.asp>

<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>

# Jemena Electricity Networks (VIC) Ltd - TUOS and JS Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

## Residential

Only available to residential customers

### **A100 / F100<sup>a</sup> / T100<sup>b</sup> General Purpose**

*Single rate all times*

- Standing charge	\$/customer pa	\$0.300
- Unit rate	¢/kWh	0.408

### **A10X / F10X<sup>a</sup> / T10X<sup>b</sup> Flexible**

Available to customers with a remotely read AMI meter

**Summer period:** is the daylight savings period; **Non-summer period:** All other times

*Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays*

*Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays  
and 7 AM to 10 PM local time weekends*

*Off peak Summer/Non-summer: 10 PM to 7 AM local time all days*

- Standing charge	\$/customer pa	\$0.300
-------------------	----------------	---------

#### Summer rates

- Peak Unit rate	¢/kWh	0.183
- Shoulder Unit rate	¢/kWh	0.408
- Off Peak Unit rate	¢/kWh	0.122

#### Non-summer rates

- Peak Unit rate	¢/kWh	0.183
- Shoulder Unit rate	¢/kWh	0.408
- Off Peak Unit rate	¢/kWh	0.122

### **A10D / F10D<sup>a</sup> / T10D<sup>b</sup> General Purpose - Demand**

Available to customers with a remotely read AMI meter

*Energy consumption - single rate all times*

*Demand charging window 3pm - 9pm work days; reset monthly*

- Standing charge	\$/customer pa	\$0.300
- Unit rate	¢/kWh	0.408
- Demand rate	\$/kW pa	\$0.000

### **A10I / F10I<sup>a</sup> / T10I<sup>b</sup> Time of Use Interval Meter (closed to new entrants)<sup>c</sup>**

Available to customers with an interval meter

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$0.300
- Peak Unit rate	¢/kWh	0.183
- Off Peak Unit rate	¢/kWh	0.486

**A140 Time of Use (closed to new entrants)**

This tariff is not available to existing customers that install an interval meter

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$0.300
- Peak Unit rate	¢/kWh	1.883
- Off Peak Unit rate	¢/kWh	1.118

**A180 Off Peak Heating Only (dedicated circuit)**

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation<sup>d</sup>

*11 PM to 7 AM AEST all days*

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	0.868

**Small Business**

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

**A200 / F200<sup>a</sup> / T200<sup>b</sup> General Purpose**

Only available to customer consuming < 40 MWh pa

*Single rate all times*

- Standing charge	\$/customer pa	\$0.761
- Unit rate	¢/kWh	0.884

**A20D / F20D<sup>a</sup> / T20D<sup>b</sup> General Purpose - Demand**

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

*Single rate all times*

*Demand charging window 10am - 8pm work days*

- Standing charge	\$/customer pa	\$0.761
- Unit rate	¢/kWh	0.884
- Demand rate	\$/kW pa	\$0.000

**A210 / F210<sup>a</sup> / T210<sup>b</sup> Time of Use Weekdays**

Only available to customers with two rate accumulation meter (or Interval meter) AND

consuming < 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$10.017
- Peak Unit rate	¢/kWh	1.453
- Off Peak Unit rate	¢/kWh	0.807



**A230 / F230<sup>a</sup> / T230<sup>b</sup> Time of Use Weekdays - Demand**

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	<b>\$/customer pa</b>	<b>\$95.249</b>
- Peak Unit rate	<b>¢/kWh</b>	<b>0.772</b>
- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.593</b>
- Demand rate	<b>\$/kW pa</b>	<b>\$0.386</b>

**A23N / F23N<sup>a</sup> / T23N<sup>b</sup> Time of Use - Opt-out**

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	<b>\$/customer pa</b>	<b>\$95.249</b>
- Peak Unit rate	<b>¢/kWh</b>	<b>1.453</b>
- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.807</b>
- Demand rate	<b>\$/kW pa</b>	<b>\$0.000</b>

**A250 / F250<sup>a</sup> / T250<sup>b</sup> Time of Use Extended (closed to new entrants)**

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times*

- Standing charge	<b>\$/customer pa</b>	<b>\$10.017</b>
- Peak Unit rate	<b>¢/kWh</b>	<b>1.315</b>
- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.838</b>

**A270 / F270<sup>a</sup> / T270<sup>b</sup> Time of Use Extended - Demand (closed to new entrants)**

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times*

- Standing charge	<b>\$/customer pa</b>	<b>\$95.249</b>
- Peak Unit rate	<b>¢/kWh</b>	<b>1.190</b>
- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.580</b>
- Demand rate	<b>\$/kW pa</b>	<b>\$0.386</b>
Minimum Chargeable Demand	<b>60 kW</b>	

**A290 Unmetered Supply**

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Peak Unit rate	<b>¢/kWh</b>	<b>0.932</b>
- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.941</b>

## Large Business - LV

### **Low Voltage Tariffs (nominal voltage < 1000 Volts)**

Only available to embedded network customers OR non-embedded network customers  
with annual consumption  $\geq 0.4$  GWh OR maximum demand  $\geq 120$  kVA

#### **A300 / F300<sup>a</sup> / T300<sup>b</sup> LV 0.4 - 0.8 GWh**

Only available to non-embedded network customers consuming  $\leq 0.8$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$67.903
- Peak Unit rate	¢/kWh	2.289
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa	\$1.046
Minimum Chargeable Demand	120 kVA	

#### **A30E LV<sub>EN</sub> Annual Consumption $\leq 0.8$ GWh**

Only available to embedded network customers consuming  $\leq 0.8$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$67.903
- Peak Unit rate	¢/kWh	2.301
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa	\$1.416
Minimum Chargeable Demand	120 kVA	

#### **A320 LV 0.8<sup>+</sup> - 2.2 GWh**

Only available to non-embedded network customers consuming  $> 0.8$  GWh pa BUT  $\leq 2.2$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$143.759
- Peak Unit rate	¢/kWh	2.463
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kVA pa	\$1.814
Minimum Chargeable Demand	250 kVA	

#### **A32E LV<sub>EN</sub> 0.8<sup>+</sup> - 2.2 GWh**

Only available to embedded network customers consuming  $> 0.8$  GWh pa BUT  $\leq 2.2$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times*

- Standing charge	\$/customer pa	\$143.759
- Peak Unit rate	¢/kWh	2.316
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kVA pa	\$2.346
Minimum Chargeable Demand	250 kVA	

**A340 LV 2.2<sup>+</sup> - 6.0 GWh**

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$955.545
- Peak Unit rate	¢/kWh	2.533
- Off Peak Unit rate	¢/kWh	1.145
- Demand rate	\$/kVA pa	\$1.870
Minimum Chargeable Demand	250 kVA	

**A34E LV<sub>EN</sub> 2.2<sup>+</sup> GWh**

Only available to embedded network customers consuming > 2.2 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$955.545
- Peak Unit rate	¢/kWh	2.162
- Off Peak Unit rate	¢/kWh	1.141
- Demand rate	\$/kVA pa	\$3.234
Minimum Chargeable Demand	250 kVA	

**A34M LV<sub>MS</sub> 2.2<sup>+</sup> - 6.0 GWh (closed to new entrants)<sup>e</sup>**

Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$1,276.617
- Peak Unit rate	¢/kWh	2.771
- Off Peak Unit rate	¢/kWh	1.138
- Demand rate	\$/kVA pa	\$2.500
Minimum Chargeable Demand	250 kVA	

**A370 LV 6.0<sup>+</sup> GWh**

Only available to non-embedded network customers consuming > 6.0 GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$2,462.269
- Peak Unit rate	¢/kWh	2.264
- Off Peak Unit rate	¢/kWh	1.137
- Demand rate	\$/kVA pa	\$2.042
Minimum Chargeable Demand	450 kVA	

**A37M LV<sub>MS</sub> 6.0<sup>+</sup> GWh (closed to new entrants)<sup>e</sup>**

Only available to non-embedded network customer taking supply from multiple NMs on a single site AND the aggregated annual consumption from those NMs is > 6.0 GWh

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$3,060.085
- Peak Unit rate	¢/kWh	2.370
- Off Peak Unit rate	¢/kWh	1.137
- Demand rate	\$/kVA pa	\$2.537
Minimum Chargeable Demand	450 kVA	

## Large Business - HV

### High Voltage Tariffs (nominal voltage $\geq 1000$ Volts AND $\leq 22,000$ Volts)

#### **A400 HV**

Only available to non-embedded network customers consuming  $< 55$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.577
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$2.321
Minimum Chargeable Demand	1,000 kVA	

#### **A40E HV<sub>EN</sub>**

Only available to embedded network customers

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.402
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$2.249
Minimum Chargeable Demand	1,000 kVA	

#### **A40R HV<sub>RF</sub> (closed to new entrants)<sup>e</sup>**

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.581
- Off Peak Unit rate	¢/kWh	0.887
- Demand rate	\$/kVA pa	\$5.627
Minimum Chargeable Demand	1,000 kVA	

#### **A480 HV - Annual Consumption $\geq 55$ GWh**

Only available to non-embedded customers consuming  $\geq 55$  GWh pa

*Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times*

- Standing charge	\$/customer pa	\$7,991.139
- Peak Unit rate	¢/kWh	2.385
- Off Peak Unit rate	¢/kWh	0.856
- Demand rate	\$/kVA pa	\$5.373
Minimum Chargeable Demand	10,000 kVA	

## Large Business - Subtransmission

### Subtransmission Tariffs (nominal voltage > 22,000 Volts)

<b>A500</b>	<b>Subtransmission</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	<b>\$/customer pa</b>	<b>\$12,678.034</b>
	- Peak Unit rate	<b>¢/kWh</b>	<b>2.086</b>
	- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.609</b>
	- Demand rate	<b>\$/kVA pa</b>	<b>\$3.784</b>
	Minimum Chargeable Demand	<b>15,000 kVA</b>	
<b>A50A</b>	<b>Subtransmission MA</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	<b>\$/customer pa</b>	<b>\$12,678.034</b>
	- Peak Unit rate	<b>¢/kWh</b>	<b>2.086</b>
	- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.609</b>
	- Demand rate	<b>\$/kVA pa</b>	<b>\$3.803</b>
	Minimum Chargeable Demand	<b>15,000 kVA</b>	
<b>A50E</b>	<b>Subtransmission EG</b>		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	<b>\$/customer pa</b>	<b>\$4,046.972</b>
	- Peak Unit rate	<b>¢/kWh</b>	<b>2.117</b>
	- Off Peak Unit rate	<b>¢/kWh</b>	<b>0.618</b>
	- Demand rate	<b>\$/kVA pa</b>	<b>\$4.369</b>
	Minimum Chargeable Demand	<b>15,000 kVA</b>	

<sup>a</sup> A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate  
Tariff reassig Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

<sup>b</sup> A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate.  
Transitional Feed-In-Tariff rebate is no longer applicable from 2017  
Existing customers will remain on "T" tariffs until they / retailers choose to move to another tariff;  
however, no Transitional Feed-In-Tariff rebate will be paid

<sup>c</sup> This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit  
controlled by Jemena.

<sup>d</sup> The installation of an embedded generation by an existing customer is considered a change in load characteristic  
and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has  
additional regulated requirements to that of a standard site. It is not technically feasible to meet these  
requirements and at the same time be able to separately measure, control and bill a load controlled heating.

<sup>e</sup> Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand*  
form part of the terms and conditions related to these prices. These documents can be viewed or downloaded  
from the following Website:

<http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.asp>

<http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx>