Jemena Electricity Networks (Vic) Ltd **2019 JEN Pricing Proposal** 2019 Pricing Proposal **Public**



An appropriate citation for this paper is:

2019 JEN Pricing Proposal

Contact Person

James Osborne GM Commercial Planning & Analytics Ph: 03 91738626 James.Osborne@jemena.com.au

Jemena Electricity Networks (Vic) Ltd

ABN 82 064 651 083 Level 16, 567 Collins Street Melbourne VIC 3000

Postal Address

PO Box 16182 Melbourne VIC 3000 Ph: (03) 9713 7000 Fax: (03) 9173 7516

TABLE OF CONTENTS

Glos	sary			۰۰۰۰۰۰۰۰۰۰۰۱		
1.	Intro	duction		1		
	1.1	Submission	n purpose	1		
	1.2	JEN's prici	ng	1		
	1.3	Submission	n structure and rule compliance	1		
		1.3.1	Pricing model	2		
		1.3.2	Specific rule compliance			
		1.3.3	Submission values and terminology			
2.	Tariff classes					
	2.1		f classes			
		2.1.1	Distribution use of system services			
		2.1.2	User requested services			
	2.2	_	cient tariff classes			
3.	Effic	-	ounds			
	3.1	Rule requir	rements	10		
	3.2	Estimating	stand alone and avoidable cost	10		
4.	Prici	ng paramete	ers and tariffs	12		
	4.1	Pricing goa	als	12		
	4.2	Long run m	narginal cost	12		
		4.2.1	Application of LRMC	13		
	4.3	Other relev	/ant pricing principles	13		
		4.3.1	Impact on retail Customers	13		
5.	prici	ng proposal	requirements	14		
	5.1	Rule requir	rements	14		
	5.2	2 Compliance with tariff structure statement				
	5.3	2019 pricing proposal and indicative NUOS prices provided in the tariff structure statement				
	5.4	Updated in	dicative price levels for the remaining years of the regulatory period	15		
	5.5	Price varia	tion elements	15		
6.	Desi	gnated Prici	ng Proposal, pass throughs and jurisdictional scheme recoveries	17		
	6.1					
		6.1.1	Rule requirements			
		6.1.2	Potential tariff variation for pass throughs	17		
	6.2	Designated	d Pricing Proposal Costs	18		
		6.2.1	Rule requirements	18		
		6.2.2	Designated pricing Proposal Charges	18		
	6.3	Jurisdiction	nal scheme recoveries	18		
		6.3.1	Rule requirements			
		6.3.2	Relevant jurisdictional scheme			
		6.3.3	Jurisdictional scheme tariffs			
7.		-	novements by tariff class			
8.			sed tariff schedules			
9.	JEN	2019 propos	sed alternative control services and public lighting charges	49		

GLOSSARY

AER Australian Energy Regulator
AMI Advanced metering infrastructure

CPI Consumer Price Index

CROIC Cost Recovery Order in Council (AMI)

DNSP Distribution Network Service Provider

DUOS
Distribution Use of System
JEN
Jemena Electricity Networks
LRMC
Long Run Marginal Cost
NEL
National Electricity Law
NER or the Rules
Nucleon National Electricity Rules
Nucleon Network Use of System

O&M Operation and Maintenance
PUOS Pass Through Use of System.

SCS Standard Control Services
TFIT Transitional Feed-in Tariff
TSS Tariff Structure Statement

1. INTRODUCTION

1.1 SUBMISSION PURPOSE

The National Electricity Rules (**NER or the Rules**) rule 6.18.2(a)(2) requires that Jemena Electricity Network Ltd (Vic) (**JEN**) submit an annual pricing proposal to the Australian Energy Regulator (**AER**) three months before the commencement of the second and each subsequent regulatory year of the regulatory control period. This submission is made in accordance with this requirement.

1.2 JEN'S PRICING

JEN has established efficient tariffs reflecting its different customer classes. In accordance with the Rule requirements¹, JEN established its tariff classes and the tariff structures within its Tariff Structure Statement² approved by the AER.³

This annual pricing proposal applies those approved tariff structures to 2019 tariffs and establishes tariff levels (prices) that meet the network pricing objective⁴ and pricing principles.⁵

1.3 SUBMISSION STRUCTURE AND RULE COMPLIANCE

JEN has structured this submission to demonstrate compliance with each of the requirements of rule 6.18.2(b) of the NER and the AER's 2016 Final Decision.⁶ The submission dedicates a chapter to each of the key areas of rule compliance:

- Chapter 2 Tariff classes
- Chapter 3 Efficient pricing bounds for each Distribution Use of System (DUOS) tariff class
- Chapter 4 Pricing parameters and tariffs
- Chapter 5 Pricing proposal requirements
- Chapter 6 Designated pricing proposal, pass throughs and jurisdictional scheme recoveries
- Chapter 7 Price movements by tariff class
- Chapter 8 Proposed network tariffs
- Chapter 9 Proposed alternative control services charges.

¹ NER, cl 6.18.1A

² JEN, *Tariff Structure Statement*, 29 April 2016.

³ AER, Final Decision – Victorian distribution businesses – Tariff Structure Statement 2017-20, 24 August 2016.

⁴ NER, cl 6.18.5(a).

⁵ NER, cl 6.18.5(e)-(j).

⁶ AER, Final Decision, Jemena distribution determination 2016 to 2020, May 2016.

1 — INTRODUCTION

1.3.1 PRICING MODEL

This submission also includes JEN's 2019 proposed tariffs in the AER approved model (Attachment 1).

1.3.2 SPECIFIC RULE COMPLIANCE

Table 1-1 sets out the specific rule requirement and where in this pricing proposal JEN has demonstrated compliance.

Table 1-1: Rule compliance submission references

Topic	Relevant rules	Submission reference
Pricing Proposal elements	6.18.2(b)(2) of the NER requires that the pricing proposal set out the proposed tariffs for each tariff class;	Attachment 1
	6.18.2(b)(3) of the NER requires that the pricing proposal set out, for each proposed tariff, the charging parameters and the elements of service to which each charging parameter relates;	Attachment 2
	6.18.2(b)(4) of the NER requires that the pricing proposal set out, for each tariff class related to standard control services, the expected weighted average revenue for the relevant regulatory year and also for the current regulatory year;	Attachment 1
	6.18.2(b)(5) of the NER requires that the pricing proposal set out the nature of any variation or adjustment to the tariff that could occur during the course of the regulatory year and the basis on which it could occur;	Section 7.1
	6.18.2(b)(6) of the NER requires that the pricing proposal set out how designated pricing proposal charges are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous regulatory year;	Attachments 1 and 2, and section 7.2
	6.18.2(b)(6A) of the NER requires that the pricing proposal set out how jurisdictional scheme amounts for each approved jurisdictional scheme are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those amounts;	Attachment 1
	6.18.2(b)(6B) of the NER requires that the pricing proposal describe how each approved jurisdictional scheme that has been amended since the last jurisdictional scheme approval date meets the jurisdictional scheme eligibility criteria;	Section 7.3
	6.18.2(b)(7) of the NER requires that the pricing proposal demonstrates compliance with the Rules and any applicable distribution determination;	All
	6.18.2(b)(7A) of the NER requires that the pricing proposal demonstrates how each proposed tariff is consistent with the corresponding indicative pricing levels for the relevant regulatory year as set out in the relevant indicative pricing schedule, or explain any material differences between them;	Chapter 5
	6.18.2(b)(8) of the NER requires that the pricing proposal describe the nature and extent of change from the previous regulatory year and demonstrate that the changes comply with the Rules and any applicable distribution determination.	Chapter 5

Topic	Relevant rules	Submission reference
	6.18.2(e) of the NER requires that Where the Distribution Network Service Provider submits an annual pricing proposal, the revised indicative pricing schedule referred to in paragraph (d) must also set out, for each relevant tariff under clause 6.18.1C, the indicative price levels for that relevant tariff for each of the remaining regulatory years of the regulatory control period, updated so as to take into account that pricing proposal.	Attachment 7
Pricing principles	6.18.5(a) of the NER describes that the network pricing objective is that the tariffs that a Distribution Network Service Provider charges in respect of its provision of direct control services to a retail customer should reflect the Distribution Network Service Provider's efficient costs of providing those services to the retail customer	Chapter 4
	6.18.5(e) of the NER describes that the revenue for each tariff class is expected to be recovered should lie on or between:	Chapter 3
	 an upper bound representing the stand alone cost of serving the customers who belong to that class; and 	
	(2) a lower bound representing the avoidable cost of not serving those customers.	
	6.18.5(f) of the NER describes that each tariff must be based on the long run marginal cost of providing the service to which it relates to the retail customers assigned to that tariff with the method of calculating such cost and the manner in which that method is applied to be determined having regard to:	Chapter 4
	(1) the costs and benefits associated with calculating, implementing and applying that method as proposed;	
	(2) the additional costs likely to be associated with meeting demand from retail customers that are assigned to that tariff at times of greatest utilisation of the relevant part of the distribution network; and	
	(3) the location of retail customers that are assigned to that tariff and the extent to which costs vary between different locations in the distribution network.	
	6.18.5 (g) of the NER requires the revenue expected to be recovered from each tariff must:	Chapter 4
	(1) reflect the Distribution Network Service Provider's total efficient costs of serving the retail customers that are assigned to that tariff;	
	(2) when summed with the revenue expected to be received from all other tariffs, permit the Distribution Network Service Provider to recover the expected revenue for the relevant services in accordance with the applicable distribution	
	6.18.5(h) of the NER requires a Distribution Network Service Provider to consider the impact on retail customers of changes in tariffs from the previous regulatory year and may vary tariffs from those that comply with paragraphs (e) to (g) to the extent the Distribution Network Service Provider considers reasonably necessary having regard to:	Chapter 4
	(1) the desirability for tariffs to comply with the pricing principles referred to in paragraphs (f) and (g), albeit after a reasonable period of transition (which may extend over more than one regulatory control period);	

1 — INTRODUCTION

Topic	Relevant rules	Submission reference
	(2) the extent to which retail customers can choose the tariff to which they are assigned; and	
	(3) the extent to which retail customers are able to mitigate the impact of changes in tariffs through their usage decisions.	
	6.18.5 (j) of the NER requires tariffs to comply with the Rules and all applicable regulatory instruments.	Chapter 5
Side constraint	Figure 14.2 of the final decision ⁷ requires a side constraint to apply to each tariff class related to the provision of standard control services.	Attachment 1
	The expected weighted average revenue to be raised from a tariff class for a regulatory year must not exceed the corresponding expected weighted average revenue for the preceding regulatory year by more than the permissible percentage provided in the following formula $\frac{(\sum\limits_{t=1}^{n}\sum\limits_{j=1}^{m}d_{t}^{y}q_{t}^{y})}{\sum\limits_{t=1}^{m}\sum\limits_{j=1}^{m}d_{t}^{y}q_{t}^{y})} \leq (1+\Delta CPI_{t})\times (1-X_{t})\times (1+2\%)\times (1+S_{t})+I_{t}^{'}+I_{t}^{'}+B_{t}^{'}$	
	6.18.6(d) of the NER states that in deciding whether the permissible percentage has been exceeded in a particular regulatory year, the following are to be disregarded:	Attachment 1
	(1) the recovery of revenue to accommodate a variation to the distribution determination under rule 6.6 or 6.13;	
	(2) the recovery of revenue to accommodate pass through of designated pricing proposal charges to customers;	
	(3) the recovery of revenue to accommodate pass through of jurisdictional scheme amounts for approved jurisdictional schemes;	
	(4) the recovery of revenue to accommodate any increase in the Distribution Network Service Provider's annual revenue requirement by virtue of an application of a formula referred to in clause 6.5.2(I).	
Designated Pricing Proposal Charges (includes	6.18.7(a) of the NER requires a pricing proposal to provide for tariffs designed to pass on to customers the designated pricing proposal charges to be incurred by the Distribution Network Service Provider.	Attachments 1 and 2
recovery for transmission charges, inter DB charges and avoided	6.18.7(b) of the NER determines that the amount to be passed on to customers for a particular <i>regulatory year</i> must not exceed the estimated amount of the <i>designated pricing proposal charges</i> adjusted for over or under recovery in accordance with paragraph (c)	Attachment 1
transmission payments)	6.18.7(c) of the NER requires the over and under recovery amount to be calculated in a way that::	Attachment 1
	(1) subject to subparagraphs (2) and (3) below, is consistent with the method determined by the AER in the relevant distribution determination for the Distribution Network Service Provider;	

⁷ AER, Final Decision, Jemena distribution determination 2016 to 2020, Attachment 14, Control mechanisms, May 2016.

Topic	Relevant rules	Submission reference
	(2) ensures a Distribution Network Service Provider is able to recover from customers no more and no less than the designated pricing proposal charges it incurs; and.	
	(3) adjusts for an appropriate cost of capital that is consistent with the rate of return used in the relevant distribution determination for the relevant regulatory year	
Jurisdictional scheme	6.18.7A(a) of the NER requires a pricing proposal to provide for tariffs designed to pass on to customers a Distribution Network Service Provider's jurisdictional scheme amounts for approved jurisdictional schemes.	Attachments 1 and 2
	(b) The amount to be passed on to customers for a particular regulatory year (year t) must not exceed the estimated amount of jurisdictional scheme amounts for a Distribution Network Service Provider's approved jurisdictional schemes for year t adjusted for over or under recovery in accordance with paragraph 6.18.7(c).	Attachment 1

1.3.3 SUBMISSION VALUES AND TERMINOLOGY

This submission employs the following standards:

- All cost estimates and revenues are expressed in \$2019 unless otherwise stated
- All prices are expressed in \$2019
- The term 'customer' should be interpreted as an end user of electricity rather than an electricity retailer.

2. TARIFF CLASSES

In this section JEN sets out its tariff classes for 2019, which are those outlined in our Tariff Structure Statement (TSS)⁸.

2.1 JEN'S TARIFF CLASSES

2.1.1 DISTRIBUTION USE OF SYSTEM SERVICES

JEN retains its existing tariff classes for standard control DUOS services as set out in our TSS. Table 2-1 sets out JEN's 2017 DUOS tariff classes and the tariffs that are categorised within each of these.

Table 2-1: Tariff classes for standard control DUOS services

Tariff class	Relevant tariffs ⁹	Class definition
Residential	A100 / F100 / T100 General Purpose A10X / F10X / T10X Flexible A10I / F10I / T10I Time of Use Interval Meter A10D / F10D / T10D General purpose – demand (opt-in) A140 Time of Use A180 Off Peak Heating Only (dedicated circuit)	Only available to residential customers
Small business ¹⁰	A200 / F200 / T200 General Purpose A210 / F210 / T210 Time of Use Weekdays A20D / F20D / T20D General purpose – demand (opt-in) A230 / F230 / T230 Time of Use Weekdays – Demand A23N/F23N/T23N Time of Use Opt out A250 / F250 / T250 Time of Use Extended A270 / F270 / T270 Time of Use Extended – Demand A290 Unmetered Supply	Only available to non-embedded network customers: with annual consumption < 0.4 GWh AND maximum demand < 120 kVA
Large business - low voltage	A300 / F300 / T300 LV 0.4 - 0.8 GWh A30E LV _{EN} Annual Consumption 0.8 GWh A320 LV 0.8+ - 2.2 GWh A32E LVEN 0.8+ - 2.2 GWh A340 LV 2.2+ - 6.0 GWh	Only available to embedded network customers OR non-embedded network customers: with annual consumption >= 0.4 GWh or maximum demand >= 120 kVA

BEN, Tariff Structure Statement 2016-20, 8 Sep 2017. Available here: http://jemena.com.au/documents/price-reviews/electricity/our-2016-plan/tariff-structure-statement-jemena-electricity-netw.aspx

Some of these tariffs are closed to new entrants. Please refer to the Clause 9 –JEN 2016 proposed network tariffs for tariff criteria details.

Small business includes medium business.

Tariff class	Relevant tariffs ⁹	Class definition
	A34E LVEN 2.2+ GWh	
	A34M LVMS 2.2+ - 6.0 GWh	
	A370 LV 6.0+ GWh	
	A37M LVMS 6.0+ GWh	
Large business	A400 HV	Only available to customers taking High
- high voltage	A40E HV _{EN}	Voltage supply (nominal voltage >=
	A40R HV _{RF}	1000 volts AND <= 22,000 volts)
	A480 HV - Annual Consumption >= 55 GWh	
Large business	A500 Sub-transmission	Only available to customers taking
- sub-transmission	A50A Sub-transmission MA	supply form a nominal voltage > 22,000
	A50E Sub-transmission EG	volts

2.1.2 USER REQUESTED SERVICES

JEN retains its existing alternative control services tariff class as set out in our TSS. Table 2-2 sets out the fee based, quoted, metering and public lighting service groupings of alternative control services.

Table 2-2: Alternative control services tariff classes

Service	Relevant services	Definition
Fee based	Manual energisation of new premises (fuse insert)	Services for which the AER
services	Manual re-energisation of existing premises (fuse insert)	has applied a cap on the
	Manual de-energisation of existing premises (fuse removal)	price per service.
	Remote meter re-configuration	
	Remote de-energisation	
	Remote re-energisation	
	Temporary disconnect – reconnect for non-payment	
	Manual special meter read	
	Connection – temporary supply (overhead supply with coincident abolishment)	
	Service vehicle visits	
	Wasted service vehicle visit (not DNSP fault)	
	Fault response (not DNSP fault)	
	Retest of types 5 and 6 metering installations for first tier customers < 160 MWh	
	Retest of types 5 and 6 metering installations for first tier customers > 160 MWh	
	Temporary supply single phase	
	Temporary supply three phase	
	Routine new connections where JEN is the responsible person for metering customers < 100 amps	
	Connection – single phase service connection to new premises	
	Connection – three phase service connection to new premises with direct connected metering	

2 — TARIFF CLASSES

Service	Relevant services	Definition
	Routine new connections where JEN is not the responsible person for metering customers < 100 amps	
	Connection – single phase service connection to new premises	
	Connection – three phase service connection to new premises with direct connected metering	
Metering	Single phase single element meter	Customers consuming
	Single phase single element meter with contactor	<160MWh per year
	Three phase direct connected meter	
	Three phase Current transformer connected meter	
Quoted services	Routine new connections for customers requiring greater than 100	Services for which the AER
	amps including current transformers (CTs)	has placed a cap on the applicable labour rates
	Temporary covering of low voltage mains and service lines	(inclusive of margins and all
	Elective undergrounding where an existing overhead service exists	overheads) 11.
	High load escorts—lifting of overhead lines	
	Restoration of overhead service cables pulled down by transport vehicles transporting high loads	
	Supply abolishment > 100 amps	
	Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting services	
	Reserve feeder	
Public lighting	Mercury Vapour 80 watt	Services for public lighting
	Sodium High Pressure 150 watt	for which the AER has
	Sodium High Pressure 250 watt	applied a cap on the price per lighting type.
	55W Ind	per lighting type.
	Fluorescent 20 watt	
	Fluorescent 40 watt	
	Fluorescent 80 watt	
	Mercury Vapour 50 watt	
	Mercury Vapour 125 watt	
	Mercury Vapour 250 watt	
	Mercury Vapour 400 watt	
	Sodium High Pressure 50 watt	
	Sodium Low Pressure 90 watt	
	Sodium High Pressure 100 watt	
	Sodium High Pressure 400 watt	
	Metal Halide 70 watt	
	Metal Halide 150 watt	
	Metal Halide 250 watt	
	Incandescent 100 watt	
	Incandescent 150 watt	

Cap does not apply to materials and contracts. Figure 16.2 of the AER, *Final Decision, Jemena distribution determination 2016 to 2020, Attachment 14, Control mechanisms*, May 2016, Attachment 16.

Service	Relevant services	Definition
	Sodium High Pressure 250 watt (24 hrs)	
	Metal Halide 100 watt	
	T5 2X14W	
	T5 (2x24W)	
	LED 18W	
	Compact Fluoro 32W	
	Compact Fluoro 42W	

2.2 SETTING EFFICIENT TARIFF CLASSES

JEN's approved TSS sets out how we established efficient tariff classes¹².

¹² Chapter 6 of the Tariff Structure Statement.

EFFICIENT PRICE BOUNDS

3.1 RULE REQUIREMENTS

Rule 6.18.5(e) requires that revenues from each tariff class for direct control distribution services must lie between economically efficient bounds, specifically:

- (e) For each tariff class, the revenue expected to be recovered should lie on or between:
 - an upper bound representing the stand alone cost of serving the customers who belong to that class;
 and
 - (2) a lower bound representing the avoidable cost of not serving those customers.

The purpose of applying stand alone and avoidable cost bounds on expected tariff class revenues is to ensure that, for each tariff class, the Distribution Network Service Provider (**DNSP**) is not pricing outside the bounds defined by economic efficiency. These stand alone and avoidable cost bounds are the highest and lowest theoretical prices that a distributor could charge a customer class without imposing costs on other classes. That is, pricing outside these efficient bounds implies cross subsidisation between customer classes if the business is recovering its costs.

3.2 ESTIMATING STAND ALONE AND AVOIDABLE COST

Our TSS outlines JEN's approach to estimating, and calculation of, stand alone and avoidable costs for standard control services (**SCS**). JEN has not changed its approach to calculating stand alone and avoidable costs from the approach outlined in the TSS. Refer to Appendix D of our TSS for the detailed explanation of the methodology we used to calculate stand alone and avoidable cost.

Table 3-1 presents the standalone estimates and the 2019 expected revenue results for each tariff class. It can be observed that the estimate of standalone costs exceeds the expected revenue for each tariff class.

Table 3-1: Standalone costs (SCS) compared to expected revenue¹³

Tariff class	Stand alone estimate	Expected revenue (\$,2019)
Residential	297,053,247	112,537,088
Small business	169,349,770	58,156,800
Large business - low voltage	78,547,904	63,860,525
Large business - high voltage	46,287,606	18,646,471
Large business - sub-transmission	3,513,302	2,238,166

Table 3-2 presents the avoidable costs and 2019 expected revenue for each tariff class. It can be observed that the expected revenue for each tariff class exceeds the estimate of avoidable costs.

Costs are annualised stand alone.

Table 3-2: Avoidable costs (SCS) compared to expected revenue¹⁴

Tariff class	Avoidable estimate	Expected revenue \$,(2019)
Residential	19,858,164	112,537,088
Small business	6,154,420	58,156,800
Large business - low voltage	3,186,575	63,860,525
Large business - high voltage	1,326,490	18,646,471
Large business – sub-transmission	41,799	2,238,166

Our Alternative Control Services are priced at costs as these services are incremental to the distribution business. The costing was reviewed and approved by the AER as part of the 2016-20 Electricity Distribution Price Review. Therefore, Alternative Control Services fit within the bounds of stand alone and avoidable costs.

¹⁴ Costs are annualised avoidable costs.

4 — PRICING PARAMETERS AND TARIFFS

4. PRICING PARAMETERS AND TARIFFS

4.1 PRICING GOALS

We have considered our pricing goals set out in our TSS when forming our tariff levels for the 2019 regulatory period. These are:

- Recover efficient costs of operation—that we have sufficient funding to provide a safe and reliable electricity network service now and into the future
- Drive economic efficiency—set prices that are cost reflective and empower customers to make efficient electricity consumption decisions
- Treat customers equitably—our tariff classes and tariffs ensure similar customers pay similar prices
- Facilitate simplicity and transparency—our customers can understand our tariffs and respond to price signals
- Provide predictability—our prices remain relatively stable over time to support customers' ability to make longterm decisions.

These goals reflect the requirements of the National Electricity Law (**NEL**) and the Rules (that includes the 'network pricing objective' ¹⁵ and pricing principles ¹⁶)—including the requirement to promote the long-term interests of customers. They reflect our understanding of what customers want from their electricity service, as well as supporting our ability to deliver on these expectations over the long-term.

Our TSS, which we consulted on with our customers and stakeholders, explains each of these goals in more detail. It also explains how we balance competing goals.

4.2 LONG RUN MARGINAL COST

Appendix E of our TSS describes our approach to estimating Long Run Marginal Cost (LRMC) for each tariff and subsequently to setting tariff levels.

Table 4–1 sets out the LRMC estimates JEN has developed, using the methodology in our TSS. We have updated the LRMC values stated in the TSS. ¹⁷

Table 4–1: JEN long run marginal cost estimates

Tariff class	Unit	LRMC
Residential	\$/kW	59.091
Small business	\$/kW	57.272
Large business - low voltage	\$/kVA	56.845
Large business - high voltage	\$/kVA	29.108
Large business – sub-transmission	\$/kVA	32.230

¹⁵ NER, cl 6.18.5(a).

¹⁶ NER, cl 6.18.5(e)-(j).

Because we base our price levels on LRMC (NER 6.18.5(f)), we need to escalate the LRMC, which was originally calculated in \$2015.

4.2.1 APPLICATION OF LRMC

Rule 6.18.5(f) requires our tariffs are to be based on LRMC. Our LRMC has been calculated based on our cost driver, which is capacity (kW or kVA). We have therefore sought to include a demand tariff component to the extent allowed by the Rules and legislation. This has meant an opt-in tariff with a demand tariff component for small customers and a demand tariff component for all large business customers. The demand tariff component for small customers is based on the LRMC level we have calculated as set out in Appendix E of our TSS. This provides a direct link between the LRMC levels and our tariff levels (or prices).

For our non-demand flat tariffs, we have sought to maintain cost-reflectivity by ensuring that we set our 2019 prices so that an average customer's network bill is equivalent whether they are on a demand tariff or flat tariff. The tariffs (and the prices for the usage and fixed components) will still, therefore, be set to best reflect the LRMC values and revenue we would obtain had a demand charge applied.

More information on how we set up our prices can be found in our TSS.

4.3 OTHER RELEVANT PRICING PRINCIPLES

As required by the Rules and in considering our pricing goals set out in section 4.1, JEN has had regard to a number of other relevant pricing principles when determining our 2019 tariff levels.

4.3.1 IMPACT ON RETAIL CUSTOMERS

JEN has considered the impact on retail customers (NER cl 6.18.5(h) of changes in tariffs from the previous regulatory year, the impact of our 2019 tariffs on any customer is limited to movements in X-factor, S-factor, Consumer Price Index (**CPI**), the unders/overs calculation¹⁹ and rebalancing permitted through the side-constraint. In addition we note that the final customer bill impacts are subject to the actions undertaken by the retailers. For example, retailers may choose not to pass network price reductions in full.

Attachment 2 describes the customer eligibility criteria for each individual tariff class and tariff.

The Victorian Government updated its Advanced Metering Infrastructure Order in Council on 14 April 2016 to require that small customers (that is all residential customers and those small business customers under 40MWh per annum) must opt in to receive a demand tariff.

Detailed explanation of the variation parameters is provided in Table 5 2: JEN Annual SCS Price Variation Elements of this document.

5 — PRICING PROPOSAL REQUIREMENTS

5. PRICING PROPOSAL REQUIREMENTS

5.1 RULE REQUIREMENTS

The Rules require that a DSNP's pricing proposal must:

Demonstrate compliance with the Rules and any applicable distribution determination, including the Distribution Network Service Provider's tariff structure statement for the relevant regulatory control period²⁰;

Demonstrate how each proposed tariff is consistent with the corresponding indicative pricing levels for the relevant regulatory year as set out in the relevant indicative pricing schedule, or explain any material differences between them²¹;

Describe the nature and extent of change from the previous regulatory year and demonstrate that the changes comply with the Rules and any applicable distribution determination²²;

At the same time as a Distribution Network Service Provider submits a pricing proposal under paragraph (a), the Distribution Network Service Provider must submit to the AER a revised indicative pricing schedule which sets out, for each tariff and for each of the remaining regulatory years of the regulatory control period, the indicative price levels determined in accordance with the Distribution Network Service Provider's tariff structure statement for that regulatory control period and updated so as to take into account that pricing proposal²³

5.2 COMPLIANCE WITH TARIFF STRUCTURE STATEMENT

Our 2019 prices apply to the tariff structures and tariff classes approved by the AER in JEN's TSS. We have been consistent with the price setting principles as described in Appendix E of the TSS These are discussed in sections 5.3 to 5.5.

5.3 2019 PRICING PROPOSAL AND INDICATIVE NUOS PRICES PROVIDED IN THE TARIFF STRUCTURE STATEMENT

Our TSS outlines the assumptions we used to forecast indicative Network Use of System (**NUOS**) prices. We noted that our indicative NUOS prices would prove to be different to the actual 2019 proposed NUOS prices and this has proven to be the case. The differences between our indicative 2019 NUOS prices and those provided with this proposal are primarily driven by changes in:

²⁰ NER, 6.18.2(b)(7).

²¹ NER, 6.18.2(b)(7A).

²² NER, 6.18.2(b)(8).

²³ NER, 6.18.2(e).

PRICING PROPOSAL REQUIREMENTS — 5

- X-factor—In the absence of the AER's final decision, our indicative NUOS prices provided with the TSS had
 assumed X-factors of zero for 2017-2020. This was done to take the ambiguity of the final decision outcomes
 out of indicative price impacts. The actual X-factor applicable to 2019prices is --1.19%²⁴, which represents an
 average price increase—in the absence of any other factors—compared to the indicative prices
- CPI—We used a forecast for 2019 CPI of 2.50% as per the AER's preliminary decision for our previous indicative NUOS prices. Actual CPI applicable to 2019 prices is 2.08%, which represents an average price decrease compared to the indicative NUOS prices
- S-factor—Indicative NUOS prices in the TSS exclude the S-factor adjustment. The actual S-factor applicable
 to 2019 prices is 0.7% which represents an average price increase—in the absence of any other factors—
 compared to the indicative NUOS prices
- Under/over recovery—Indicative NUOS prices in the TSS assumed zero over/under recovery for prior years.
 This 2019 pricing proposal includes an adjustment of \$11.3M for over-recovery for CY17, which represents an average price decrease—in the absence of any other factors—compared to the indicative NUOS prices²⁵
- Other cost recoveries—a 13.9% decrease in pass through costs comparing to CY2018 primarily driven by the
 decrease in Transmission and Jurisdictional scheme tariffs driven by the over-recovery in prior years, which
 represents an average price decrease compared to the indicative NUOS prices.

The net impact of the above variations is a 1.2% decrease for 2019 proposed prices compared to the indicative NUOS prices provided as part of our TSS.

5.4 UPDATED INDICATIVE PRICE LEVELS FOR THE REMAINING YEARS OF THE REGULATORY PERIOD

Attachment 7 of the Pricing Proposal sets out the indicative NUOS price levels for the remaining year of the regulatory period (2020).

5.5 PRICE VARIATION ELEMENTS

The variables that influence the SCS prices are:

- Approved revenue path for the regulatory year (X-factor)²⁶;
- · Service target performance incentive scheme (S-Factor);
- · Annual percentage change in the CPI
- Annual adjustment f-factor scheme amount (I term);
- Carryover amount from the application of the Demand Management Incentive Scheme (T term);

Under the CPI–X framework, the X factor measures the real rate of change in annual expected revenue from one year to the next. A negative X factor represents a real increase in revenue.

Over-recovery is driven by colder than anticipated winter and higher new customer connections.

AER, Final Decision, Jemena Electricity Networks (Victoria) Ltd Distribution determination 2016-2020, Attachment 1, Annual revenue requirement, May 2016.

5 — PRICING PROPOSAL REQUIREMENTS

 Under or over recovery of actual revenue collected through DUoS charges in prior years + recovery of license fee charges (B term);

Table 5-1 shows the price variations for each variable in JEN's 2019 annual pricing proposal.

Table 5-1: JEN Annual SCS Price Variation Elements

Price Variation Elements	Percentage
X factor ²⁷	-1.19%
S factor	0.7%
СРІ	2.08%
1	\$117K
Т	\$0K
В	-\$11.3M

Table 7-1 shows the impacts of those price variation elements on the individual distribution tariffs for 2019

JEN applied the inputs provided by the AER on 11 September 2018 to update the return on debt for 2019 network prices. This included a portfolio return on debt for 2018 of 5.34% and an X-factor for 2019 of -1.19% for standard control services. Jemena independently verified these inputs prior to including them in the pricing proposal.

6. DESIGNATED PRICING PROPOSAL, PASS THROUGHS AND JURISDICTIONAL SCHEME RECOVERIES

6.1 TARIFF VARIATION FOR PASS THROUGHS

6.1.1 RULE REQUIREMENTS

Rule 6.18.2(b)(5) requires that a DNSP's pricing proposal must:

set out the nature of any variation or adjustment to the tariff that could occur during the course of the regulatory year and the basis on which it could occur

6.1.2 POTENTIAL TARIFF VARIATION FOR PASS THROUGHS

6.1.2.1 Possible pass through events

Chapter 10 of the Rules specifies that the following pass through events are applicable to all distribution determinations:

- · regulatory change event
- · a service standard event
- · a tax change event
- a terrorism event.

In addition to the pass through events and provisions set out in the Rule, the AER has determined the following pass through events are also applicable to JEN:

- · an insurance cap event
- · an insurer credit risk event
- · a natural disaster event
- · a terrorism event
- a retailer insolvency event²⁸

In line with the AER's Final Decision, the F-factor scheme is no longer treated as a pass through tariff. F-factor will be treated as a part of DUOS in the 2016 – 2020 regulatory period.

²⁸ AER, Final Decision, Jemena distribution determination 2016-2020, Attachment 15, Pass through events, May 2016.

6 — DESIGNATED PRICING PROPOSAL, PASS THROUGHS AND JURISDICTIONAL SCHEME RECOVERIES

6.2 DESIGNATED PRICING PROPOSAL COSTS

6.2.1 RULE REQUIREMENTS

Rule 6.18.2(b)(6) requires that a DNSP's pricing proposal must:

set out how designated pricing proposal charges are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous regulatory year

6.2.2 DESIGNATED PRICING PROPOSAL CHARGES

JEN has set out a schedule of its proposed Designated Pricing Proposal Charges (incorporating TUOS tariffs) in Chapter 8 of this document. These tariffs are set to recover JEN's required transmission revenues as calculated in accordance with the maximum transmission revenue example, specified in the AER's preliminary determination.²⁹

As shown in Table 6–1, the expected TUOS revenue decrease from 2018 to 2019 is -9%.

Table 6–1: Estimated TUOS Revenue Decrease (\$M, Nominal)

	2018	2019
Grid Fee Forecast	\$59.8	\$57.2
Over/under recovery from previous year	\$3.2	\$6.4
Actual/Allowed Revenue current year (grid fees less over recovery)	\$56.6	\$50.7
Estimated Revenue collected	\$56.6	\$50.7
		-9.0%

6.3 JURISDICTIONAL SCHEME RECOVERIES

6.3.1 RULE REQUIREMENTS

Rules 6.18.2(b)(6A) and 6.18.2(b)(6B) require that a DNSP's pricing proposal must:

- (6A) set out how jurisdictional scheme amounts for each approved jurisdictional scheme are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those amounts; and
- (6B) describe how each approved jurisdictional scheme that has been amended since the last jurisdictional scheme approval date meets the jurisdictional scheme eligibility criteria

²⁹ AER, Final Decision, Jemena distribution determination 2016 to 2020, Attachment 14, Control mechanisms, May 2016

DESIGNATED PRICING PROPOSAL, PASS THROUGHS AND JURISDICTIONAL SCHEME RECOVERIES — 6

6.3.2 RELEVANT JURISDICTIONAL SCHEME

Both the Premium Solar Feed in Tariff (**PFIT**) and the Transitional Feed-in Tariff (**TFIT**) are now closed to new entrants.

PFIT tariffs have been closed to new entrants from 1 January 2012 as per the Minister for Energy and Resources announcement on 1 September 2011. Eligible properties with an effective PFIT contract will continue to receive this rate until 2024.

6.3.3 JURISDICTIONAL SCHEME TARIFFS

JEN has set out a schedule of its proposed tariffs to recover costs incurred through relevant jurisdiction schemes in Chapter 8 of this document. These tariffs are set to recover JEN's required jurisdictional scheme revenues as calculated in accordance with the jurisdictional scheme revenue example, specified in the AER's Final Decision.³⁰

Table 7-1 shows the impacts of the combined variations of distribution, transmission, and jurisdictional costs on the individual tariff classes for 2019.

³⁰ AER, Final Decision, Jemena distribution determination 2016 to 2020, Attachment 14, Control mechanisms, May 2016

7 — JEN 2019 PRICE MOVEMENTS BY TARIFF CLASS

7. JEN 2019 PRICE MOVEMENTS BY TARIFF CLASS

Table 7-1 shows the average percentage change of the DUOS³¹, PUoS³², and NUoS³³ price for each tariff class from 2018 to 2019.

Table 7-1: JEN Weighted Average Price Movement by Tariff Class (SCS)³⁴

Tariff Class	DUOS % price movement	PUoS % price movement	NUoS % price movement
Residential	1.9%	-36.6%	-1.0%
Small Business	1.9%	-18.7%	-0.9%
Large Business - low voltage	2.4%	-9.8%	-1.4%
Large Business - high voltage	2.7%	-8.0%	-1.7%
Large Business - sub-transmission	3.0%	-5.1%	-2.9%

Distribution Use of System (includes F-factor)

Pass Through Use of System (PUOS). PUoS price = transmission prices plus jurisdictional prices

Network Use of System. NUoS price = DUOS prices plus PUoS prices

NUOS % price movement cannot be calculated as a simple sum of % price movements in DUOS and PUOS. This is due to the difference in the proportion of the DUOS and PUOS components in the NUOS price.

8. JEN 2019 PROPOSED TARIFF SCHEDULES

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2019 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100 ^a / T100 ^b	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$66.833
	- Unit rate	¢/kWh	7.573

A10X / F10Xa / T10Xb Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$66.833
Summer rates		
- Peak Unit rate	¢/kWh	11.808
- Shoulder Unit rate	¢/kWh	7.573
- Off Peak Unit rate	¢/kWh	3.640
Non-summer rates		
- Peak Unit rate	¢/kWh	11.808
- Shoulder Unit rate	¢/kWh	7.573
- Off Peak Unit rate	¢/kWh	3.640

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$66.833
- Unit rate	¢/kWh	3.562
- Demand rate	\$/kW pa	\$59.091

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$66.833
- Peak Unit rate	¢/kWh	11.808
- Off Peak Unit rate	¢/kWh	2.251



Tariff Class Code	Tariff Name	Units	Rate

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$87.276 - Peak Unit rate \$/kWh 10.133 - Off Peak Unit rate \$\psi/kWh 2.561

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate \$\(\psi/k\text{Wh}\) 2.593

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa \$95.534 - Unit rate \$/kWh 9.905

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

 - Standing charge
 \$/customer pa
 \$95.534

 - Unit rate
 ¢/kWh
 7.984

 - Demand rate
 \$/kW pa
 \$57.272

A210 / F210a / T210b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$151.860 - Peak Unit rate \$\(\psi/k\text{Wh}\) 12.102 - Off Peak Unit rate \$\(\psi/k\text{Wh}\) 2.625



Tariff Class Code	Tariff Name	Units	Rate

A230 / F230a / T230b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$304.396
- Peak Unit rate	¢/kWh	7.344
- Off Peak Unit rate	¢/kWh	2.714
- Demand rate	\$/kW pa	\$64.683

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$304.396
- Peak Unit rate	¢/kWh	12.102
- Off Peak Unit rate	¢/kWh	2.625
- Demand rate	\$/kW pa	\$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$151.860
- Peak Unit rate	¢/kWh	10.695
- Off Peak Unit rate	¢/kWh	2.808

A270 / F270a / T270b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$304.396
- Peak Unit rate	¢/kWh	6.135
- Off Peak Unit rate	¢/kWh	2.841
- Demand rate	\$/kW pa	\$64.683
Minimum Chargeable Demand	60 kW	

A290	Unmetered Supply		
	Peak: 7 AM to 11 PM AEST "Mo	on - Fri" ; Off peak all other times	
	- Peak Unit rate	¢/kWh	11.053
	- Off Peak Unit rate	¢/kWh	2.829



Tariff Class Code Tariff Name Units Rate

Large Business - LV

A320

A32E

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption \geq 0.4 GWh OR maximum demand \geq 120 kVA

A300 / F300a / T300b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming \leq 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,299.068
- Peak Unit rate	¢/kWh	4.257
- Off Peak Unit rate	¢/kWh	1.779
- Demand rate	\$/kVA pa	\$97.685
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming < 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,299.068
- Peak Unit rate	¢/kWh	4.286
- Off Peak Unit rate	¢/kWh	1.779
- Demand rate	\$/kVA pa	\$110.449
Minimum Chargeable Demand	120 kVA	

LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$4,049.215
- Peak Unit rate	¢/kWh	3.806
- Off Peak Unit rate	¢/kWh	1.774
- Demand rate	\$/kVA pa	\$91.141
Minimum Chargeable Demand	250 kVΔ	

LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$4,049.215
- Peak Unit rate	¢/kWh	3.658
- Off Peak Unit rate	¢/kWh	1.774
- Demand rate	\$/kVA pa	\$100.614

Minimum Chargeable Demand 250 kVA



Turni Oluss Code Turni Nume	Tariff Class Code	Tariff Name	Units	Rate
-----------------------------	-------------------	-------------	-------	------

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$6,945.780
- Peak Unit rate	¢/kWh	3.762
- Off Peak Unit rate	¢/kWh	1.656
- Demand rate	\$/kVA pa	\$90.232
Minimum Chargeable Demand	250 kVA	

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$6,945.780
- Peak Unit rate	¢/kWh	3.391
- Off Peak Unit rate	¢/kWh	1.652
- Demand rate	\$/kVA pa	\$96.551
Minimum Chargeable Demand	250 kVA	

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

- Standing charge	\$/customer pa	\$4,807.191
- Peak Unit rate	¢/kWh	3.987
- Off Peak Unit rate	¢/kWh	1.649
- Demand rate	\$/kVA pa	\$62.488
Minimum Chargeable Demand	250 kVA	

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$10,672.686
- Peak Unit rate	¢/kWh	3.458
- Off Peak Unit rate	¢/kWh	1.592
- Demand rate	\$/kVA pa	\$86.905
Minimum Chargeable Demand	450 kVA	

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,828.385
- Peak Unit rate	¢/kWh	3.564
- Off Peak Unit rate	¢/kWh	1.592
- Demand rate	\$/kVA pa	\$62.627
Minimum Chargeable Demand	450 kVA	



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$13,283.536

- Peak Unit rate ¢/kWh 3.374

- Off Peak Unit rate ¢/kWh 1.124

- Demand rate \$/kVA pa \$73.463

Minimum Chargeable Demand 1,000 kVA

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$13,283.536
- Peak Unit rate ¢/kWh 3.202
- Off Peak Unit rate ¢/kWh 1.124
- Demand rate \$/kVA pa \$75.547
Minimum Chargeable Demand 1,000 kVA

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$13,283.536

- Peak Unit rate ¢/kWh 3.370

- Off Peak Unit rate ¢/kWh 1.124

- Demand rate \$/kVA pa \$70.997

Minimum Chargeable Demand 1,000 kVA

A480 HV - Annual Consumption \geq 55 GWh

Only available to non-embedded customers consuming \geq 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa
 \$13,660.542

 - Peak Unit rate
 ¢/kWh
 3.146

 - Off Peak Unit rate
 ¢/kWh
 1.040

 - Demand rate
 \$/kVA pa
 \$68.492

Minimum Chargeable Demand 10,000 kVA



Tariff Class Code	Tariff Name	Units	Rate	
-------------------	-------------	-------	------	--

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	"; Off peak all other tim	es
	- Standing charge	\$/customer pa	\$51,718.534
	- Peak Unit rate	¢/kWh	2.235
	- Off Peak Unit rate	¢/kWh	0.654
	- Demand rate	\$/kVA pa	\$23.298
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	"; Off peak all other tim	es
	- Standing charge	\$/customer pa	\$51,718.534

- Standing charge	\$/customer pa	\$51,718.534
- Peak Unit rate	¢/kWh	2.235
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kVA pa	\$23.398
Minimum Chargeable Demand	15,000 kVA	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$34,380.835
- Peak Unit rate	¢/kWh	2.259
- Off Peak Unit rate	¢/kWh	0.641
- Demand rate	\$/kVA pa	\$7.729
Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate
Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

The Deemed Distribution Contract and Jemena Electricity Networks' Policy for Resetting Contract Demand form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

http://jemena.comau/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx http://jemena.comau/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate.

Transitional Feed-In-Tariff rebate is no longer applicable from 2017

Existing customers will remain on "T" tariffs untill they / retailers choose to move to another tariff;

however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

Other terms and conditions apply

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2019 Calendar Year (Exclusive of GST) Jemena

Tariff Class Code Tariff Name Units Rate

Residential

Only available to residential customers

A100 / F100 ^a / T100 ^b	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$66.533
	- Unit rate	¢/kWh	7.165

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time week days

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$66.533
Summer rates		
- Peak Unit rate	¢/kWh	11.625
- Shoulder Unit rate	¢/kWh	7.165
- Off Peak Unit rate	¢/kWh	3.518
Non-summer rates		
- Peak Unit rate	¢/kWh	11.625
- Shoulder Unit rate	¢/kWh	7.165
- Off Peak Unit rate	¢/kWh	3.518

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$66.533
- Unit rate	¢/kWh	3.154
- Demand rate	\$/kW pa	\$59.091

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$66.533
- Peak Unit rate	¢/kWh	11.625
- Off Peak Unit rate	¢/kWh	1.765

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2019 Calendar Year (Exclusive of GST) Jemena

Units Tariff Class Code **Tariff Name** Rate

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$86.976 - Peak Unit rate ¢/kWh 8.250 - Off Peak Unit rate 1.443 ¢/kWh

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge \$0.000 \$/customer pa - Off Peak Unit rate ¢/kWh 1.725

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$94,773 \$/customer pa - Unit rate ¢/kWh 9.021

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge \$/customer pa \$94.773 - Unit rate ¢/kWh 7.100 - Demand rate \$/kW pa \$57.272

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$141.843 - Peak Unit rate 10.649 ¢/kWh - Off Peak Unit rate ¢/kWh 1.818

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2019 Calendar Year (Exclusive of GST) Jemena

Tariff Class Code	Tariff Name	Units	Rate

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	6.572
- Off Peak Unit rate	¢/kWh	2.121
- Demand rate	\$/kW pa	\$64,297

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	10.649
- Off Peak Unit rate	¢/kWh	1.818
- Demand rate	\$/kW pa	\$0.000

A250 / F250a / T250b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$141.843
- Peak Unit rate	¢/kWh	9.380
- Off Peak Unit rate	¢/kWh	1.970

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$209.147
- Peak Unit rate	¢/kWh	4.945
- Off Peak Unit rate	¢/kWh	2.261
- Demand rate	\$/kW pa	\$64.297
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Peak Unit rate	¢/kWh	10.121
- Off Peak Unit rate	¢/kWh	1.888



Tariff Class Code Tariff Name Units Rate

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption \geq 0.4 GWh OR maximum demand \geq 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,231.165
- Peak Unit rate	¢/kWh	1.968
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$96.639

Minimum Chargeable Demand 120 kVA

A₃₀E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming < 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,231.165
- Peak Unit rate	¢/kWh	1.985
- Off Peak Unit rate	¢/kWh	0.639
- Demand rate	\$/kVA pa	\$109.033

Minimum Chargeable Demand 120 kVA

LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,905.456
- Peak Unit rate	¢/kWh	1.343
- Off Peak Unit rate	¢/kWh	0.628
- Demand rate	\$/kVA pa	\$89.327

Minimum Chargeable Demand 250 kVA

LV_{EN} 0.8+ - 2.2 GWh A32E

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

\$/customer pa	\$3,905.456
¢/kWh	1.342
¢/kWh	0.628
\$/kVA pa	\$98.268
	¢/kWh ¢/kWh

Minimum Chargeable Demand 250 kVA

Tariff Class Code	Tariff Name	Units	Rate

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$5,990.235
- Peak Unit rate	¢/kWh	1.229
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$88.362
Minimum Chargeable Demand	250 kVA	

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$5,990.235
- Peak Unit rate	¢/kWh	1.229
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$93.317
Minimum Chargeable Demand	250 kVA	

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT \leq 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,530.574
- Peak Unit rate	¢/kWh	1.216
- Off Peak Unit rate	¢/kWh	0.511
- Demand rate	\$/kVA pa	\$59.988
Minimum Chargeable Demand	250 kVA	

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$8,210.417
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.455
- Demand rate	\$/kVA pa	\$84.863
Minimum Chargeable Demand	450 kVA	

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

- Standing charge	\$/customer pa	\$4,768.300
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.455
- Demand rate	\$/kVA pa	\$60.090
Minimum Chargeable Demand	450 kVA	



Tariff Class Code Tariff Name Units Rate	Tariff Class Code	Tariff Name	Units	Rate
--	-------------------	-------------	-------	------

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 ΗV

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.797
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$71.142
Minimum Chargeable Demand	1 000 kVΔ	

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$6,069.360
- Peak Unit rate	¢/kWh	0.800
- Off Peak Unit rate	¢/kWh	0.237
- Demand rate	\$/kVA pa	\$73.298
Minimum Chargeable Demand	1.000 kVA	

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri": Off peak all other times

, on pount an other	
\$/customer pa	\$6,069.360
¢/kWh	0.789
¢/kWh	0.237
\$/kVA pa	\$65.370
1,000 kVA	
	¢/kWh ¢/kWh \$/kVA pa

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming ≥ 55 GWh pa

- Standing charge	\$/customer pa	\$5,669.403
- Peak Unit rate	¢/kWh	0.761
- Off Peak Unit rate	¢/kWh	0.184
- Demand rate	\$/kVA pa	\$63.119
Minimum Chargeable Demand	10.000 kVA	



Tariff Class Code Tariff Name	Units	Rate
-------------------------------	-------	------

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - F	ri"; Off peak all othe	er times
	- Standing charge	\$/customer pa	\$39,040.500
	- Peak Unit rate	¢/kWh	0.149
	- Off Peak Unit rate	¢/kWh	0.045
	- Demand rate	\$/kVA pa	\$19.514
	Minimum Chargeable Demand	15.000 kVA	

A50A Subtransmission MA

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$39,040.500
- Peak Unit rate	¢/kWh	0.149
- Off Peak Unit rate	¢/kWh	0.045
- Demand rate	\$/kVA pa	\$19.595
Minimum Chargeable Demand	15,000 kVA	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

	<u>, </u>	
- Standing charge	\$/customer pa	\$30,333.863
- Peak Unit rate	¢/kWh	0.142
- Off Peak Unit rate	¢/kWh	0.023
- Demand rate	\$/kVA pa	\$3.360
Minimum Chargeable Demand	15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

The Deemed Distribution Contract and Jemena Electricity Networks' Policy for Resetting Contract Demand form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017 Existing customers will remain on "T" tariffs untill they/retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^dThe installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^eOther terms and conditions apply



Tariff Class Code Tariff Name Units Rate	Tariff Class Code	Tariff Name	Units	Rate
--	-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100 ^a / T100 ^b	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$0.300
	- Unit rate	¢/kWh	0.299

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$0.300
Summer rates		
- Peak Unit rate	¢/kW h	0.074
- Shoulder Unit rate	¢/kW h	0.299
- Off Peak Unit rate	¢/kW h	0.017
Non-summer rates		
- Peak Unit rate	¢/kW h	0.074
- Shoulder Unit rate	¢/kW h	0.299
- Off Peak Unit rate	¢/kW h	0.017

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times.

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$0.300
- Unit rate	¢/kWh	0.299
- Demand rate	\$/kW pa	\$0.000

A10I / F10Ia / T10Ib Time of Use Interval Meter (closed to new entrants)c

Available to customers with an interval meter

- Standing charge	\$/customer pa	\$0.300
- Peak Unit rate	¢/kW h	0.074
- Off Peak Unit rate	¢/kWh	0.381



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$0.300 - Peak Unit rate ¢/kWh 1.774 - Off Peak Unit rate ¢/kWh 1.013

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate \$\psi/kWh\$ 0.765

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa \$0.761 - Unit rate \$\psi/kW h\$ 0.755

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge \$/customer pa \$0.761

- Unit rate ¢/kWh 0.755

- Demand rate \$/kW pa \$0.000

A210 / F210a / T210b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$10.017 - Peak Unit rate ¢/kWh 1.324 - Off Peak Unit rate ¢/kWh 0.695



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$95.249
- Peak Unit rate	¢/kWh	0.643
- Off Peak Unit rate	¢/kWh	0.481
- Demand rate	\$/kW pa	\$0.386

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$95.249
- Peak Unit rate	¢/kWh	1.324
- Off Peak Unit rate	¢/kWh	0.695
- Demand rate	\$/kW pa	\$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$10.017
- Peak Unit rate	¢/kWh	1.186
- Off Peak Unit rate	¢/kWh	0.726

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$95.249
- Peak Unit rate	¢/kWh	1.061
- Off Peak Unit rate	¢/kWh	0.468
- Demand rate	\$/kW pa	\$0.386
Minimum Chargeable Do	emand 60 kW	

Minimum Chargeable Demand 60 kW

A290 Unmetered Supply

- Peak Unit rate	¢/kWh	0.803
- Off Peak Unit rate	¢/kWh	0.829



Tariff Class Code Tariff Name Units Rate

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300a / T300b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$67.903 - Peak Unit rate ¢/kWh 2.144 - Off Peak Unit rate ¢/kWh 1.021 - Demand rate \$/kVA pa \$1.046

Minimum Chargeable Demand 120 kVA

A₃₀E LV_{EN} Annual Consumption \leq 0.8 GWh

Only available to embedded network customers consuming < 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$67.903 - Peak Unit rate ¢/kWh 2.156 - Off Peak Unit rate ¢/kWh 1.021 - Demand rate \$/kVA pa \$1.416

Minimum Chargeable Demand 120 kVA

LV 0.8+ - 2.2 GWh A320

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$143.759 - Peak Unit rate ¢/kWh 2.318 - Off Peak Unit rate ¢/kWh 1.027 - Demand rate \$/kVA pa \$1.814 Minimum Chargeable Demand 250 kVA

A32E LV_{EN} 0.8+ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$143.759
- Peak Unit rate	¢/kWh	2.171
- Off Peak Unit rate	¢/kWh	1.027
- Demand rate	\$/kVA pa	\$2.346

Minimum Chargeable Demand 250 kVA



Tariff Class Code	Tariff Name	Units	Rate

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$955.545
- Peak Unit rate	¢/kWh	2.388
- Off Peak Unit rate	¢/kWh	1.026
- Demand rate	\$/kVA pa	\$1.870
Minimum Chargeable De	emand 250 kVA	

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$955.545
- Peak Unit rate	¢/kWh	2.017
- Off Peak Unit rate	¢/kWh	1.022
- Demand rate	\$/kVA pa	\$3.234
Minimum Chargeable De	emand 250 kVA	

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$1,276.617
- Peak Unit rate	¢/kWh	2.626
- Off Peak Unit rate	¢/kWh	1.019
- Demand rate	\$/kVA pa	\$2.500
Minimum Chargeable De	emand 250 kVA	

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,462.269	
- Peak Unit rate	¢/kWh	2.119	
- Off Peak Unit rate	¢/kWh	1.018	
- Demand rate	\$/kVA pa	\$2.042	
Minimum Chargeable Demand 450 kVA			

A37M LV_{MS} 6.0+ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

- Standing charge	\$/customer pa	\$3,060.085	
- Peak Unit rate	¢/kWh	2.225	
- Off Peak Unit rate	¢/kWh	1.018	
- Demand rate	\$/kVA pa	\$2.537	
Minimum Chargeable Demand 450 kVA			



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.424
- Off Peak Unit rate	¢/kWh	0.757
- Demand rate	\$/kVA pa	\$2.321
Minimum Channachla D	d 4 000 Id/A	

Minimum Chargeable Demand 1,000 kVA

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,214.176	
- Peak Unit rate	¢/kWh	2.249	
- Off Peak Unit rate	¢/kWh	0.757	
- Demand rate	\$/kVA pa	\$2.249	
Minimum Chargeable Demand 1,000 kVA			

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,214.176
- Peak Unit rate	¢/kWh	2.428
- Off Peak Unit rate	¢/kWh	0.757
- Demand rate	\$/kVA pa	\$5.627
Minimum Chargeable De	emand 1.000 kVA	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming \geq 55 GWh pa

- Standing charge	\$/customer pa	\$7,991.139
- Peak Unit rate	¢/kWh	2.232
- Off Peak Unit rate	¢/kWh	0.726
- Demand rate	\$/kVA pa	\$5.373
Minimum Chargeable Demand 10,000 kVA		



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
7.000	Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times		
	- Standing charge - Peak Unit rate	\$/customer pa	\$12,678.034
		¢/kWh	1.955
	- Off Peak Unit rate	¢/kWh	0.499
	- Demand rate	\$/kVA pa	\$3.784
	Minimum Chargeable D	emand 15,000 kVA	
4504	Outstand and and are NAA		
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times		
	 Standing charge 	\$/customer pa	\$12,678.034
	- Peak Unit rate	¢/kWh	1.955
	- Off Peak Unit rate	¢/kWh	0.499
	- Demand rate	\$/kVA pa	\$3.803
	Minimum Chargeable D	emand 15,000 kVA	
A50E	Subtransmission EG		
	Peak: 7 AM to 11 PM AEST		
	- Standing charge	\$/customer pa	\$4,046.972
	- Peak Unit rate	¢/kWh	1.986
	- Off Peak Unit rate	¢/kWh	0.508
	- Demand rate	\$/kVA pa	\$4.369
	Minimum Chargeable D	emand 15,000 kVA	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassi_i Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

The Deemed Distribution Contract and Jemena Electricity Networks' Policy for Resetting Contract Demand form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

 $\frac{\text{http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx.}{\text{http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx.}}$

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017

Existing customers will remain on "T" tariffs untill they/retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^eOther terms and conditions apply



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100 ^a / T100 ^b	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$0.000
	- Unit rate	¢/kWh	\$0.109

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$0.000
Summer rates		
- Peak Unit rate	¢/kWh	0.109
- Shoulder Unit rate	¢/kWh	0.109
- Off Peak Unit rate	¢/kWh	0.105
Non-summer rates		
- Peak Unit rate	¢/kWh	0.109
- Shoulder Unit rate	¢/kWh	0.109
- Off Peak Unit rate	¢/kWh	0.105

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$0.000
- Unit rate	¢/kWh	0.109
- Demand rate	\$/kW pa	\$0.000

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.109
- Off Peak Unit rate	¢/kWh	0.105



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$0.000 - Peak Unit rate ¢/kWh 0.109 - Off Peak Unit rate ¢/kWh 0.105

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate 0.103 ¢/kWh

Small Business

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa \$0.000 - Unit rate ¢/kWh 0.129

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge \$/customer pa \$0.000 - Unit rate ¢/kWh 0.129 - Demand rate \$/kW pa \$0.000

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.129
- Off Peak Unit rate	¢/kWh	0.112

Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.129
- Off Peak Unit rate	¢/kWh	0.112
- Demand rate	\$/kW pa	\$0.000

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.129
- Off Peak Unit rate	¢/kWh	0.112
- Demand rate	\$/kW_pa	\$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.129
- Off Peak Unit rate	¢/kWh	0.112

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.129
- Off Peak Unit rate	¢/kWh	0.112
- Demand rate	\$/kW pa	\$0.000
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

- Peak Unit rate	¢/kWh	0.129
- Off Peak Unit rate	¢/kWh	0.112



Tariff Class Code Tariff Name Units Rate

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption \geq 0.4 GWh OR maximum demand \geq 120 kVA

A300 / F300a / T300b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming \leq 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	120 kVΔ	

A30E LV_{EN} Annual Consumption ≤ 0.8 GW h

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8⁺ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT \leq 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	250 kVΔ	



Tariff Class Code	Tariff Name	Units	Rate

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT \leq 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	250 kVA	

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	250 kVA	

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT \leq 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargoable Domand	250 1//4	

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	450 kVA	

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single

site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

can rring to rring teer men	ii , oii pouit un ouiioi tiiiioo	
- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.145
- Off Peak Unit rate	¢/kWh	0.119
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	450 kVA	



Tariff Class Code	Tariff Name	Units	Rate

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A 400	111/
A400	HV
ATUU	110

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.153
- Off Peak Unit rate	¢/kWh	0.130
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demar	1 1 100 kVA	

A40E HV_{EN}

Only available to embedded network customers

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.153
- Off Peak Unit rate	¢/kWh	0.130
- Demand rate	\$/kVA pa	\$0.000
Minimum Observation Description	4 000 13/4	

Minimum Chargeable Demand 1,000 kVA

A40R HV_{RF} (closed to new entrants)^e

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

04	^ /	** ***
- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.153
- Off Peak Unit rate	¢/kWh	0.130
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	1 000 kVA	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming \geq 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$0.000
- Peak Unit rate	¢/kWh	0.153
- Off Peak Unit rate	¢/kWh	0.130
- Demand rate	\$/kVA pa	\$0.000
Minimum Chargeable Demand	10,000 kVA	

47

Tariff Class Code	Tariff Name	Units	Rate

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission			
	Peak: 7 AM to 11 PM AEST "Mon - F	Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times		
	- Standing charge	\$/customer pa	\$0.000	
	- Peak Unit rate	¢/kWh	0.131	
	- Off Peak Unit rate	¢/kWh	0.110	
	- Demand rate	\$/kVA pa	\$0.000	
	Minimum Chargeable Demand	15,000 kVA		
A50A	Subtransmission MA			
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times			
	- Standing charge	\$/customer pa	\$0.000	
	- Peak Unit rate	¢/kWh	0.131	
	- Off Peak Unit rate	¢/kWh	0.110	
	- Demand rate	\$/kVA pa	\$0.000	
	Minimum Chargeable Demand	15,000 kVA		
A50E	Subtransmission EG			
	Peak: 7 AM to 11 PM AEST "Mon - F	ri" ; Off peak all other times		
	- Standing charge	\$/customer pa	\$0.000	
	- Peak Unit rate	¢/kWh	0.131	
	- Off Peak Unit rate	¢/kWh	0.110	
	- Demand rate	\$/kVA pa	\$0.000	
	Minimum Chargeable Demand	15,000 kVA		

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassi Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

The Deemed Distribution Contract and Jemena Electricity Networks' Policy for Resetting Contract Demand form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate.

Transitional Feed-In-Tariff rebate is no longer applicable from 2017

Existing customers will remain on "T" tariffs untill they/retailers choose to move to another tariff;

however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

Other terms and conditions apply

9. JEN 2019 PROPOSED ALTERNATIVE CONTROL SERVICES AND PUBLIC LIGHTING CHARGES

Jemena Electricity Networks (Vic) Ltd (JEN)
Commonly Requested Distribution Services
Schedule of charges for 2019 (effective from 1 January 2019)

Distribution services Business Hours After Hours Price Price Price Price Routine new connections where JEN is the including excluding including excluding responsible for metering customers < 100 amps **GST GST GST GST** Connection - single phase service \$614.84 \$614.84 \$676.33 \$676.33 Connection - three phase service with direct connected metering \$796.69 \$876.36 \$796.69 \$876.36 Connection – three phase service greater than 100 amps requiring Quoted Quoted Quoted Quoted current transformer (CT) metering Routine new connections where JEN is not the responsible for metering customers < 100 amps Connection - single phase service \$614.84 \$676.33 \$676.33 \$614.84 Connection - three phase service with direct connected metering \$796.69 \$876.36 \$796.69 \$876.36 Connection – three phase service greater than 100 amps requiring Quoted Quoted Quoted Quoted current transformer (CT) metering. **Temporary Supply** Single-Phase Temporary supply – overhead supply with coincident \$598.85 \$658.74 \$598.85 \$658.74 Three-Phase Temporary supply - overhead supply with coincident \$766.33 \$842.97 \$766.33 \$842.97 abolishment **Field Officer Visits** Manual energisation of new premises (fuse insert) \$41.30 \$59.67 \$65.64 \$37.55 Manual re-energisation of existing premises (fuse insert) \$37.55 \$41.30 \$59.67 \$65.64 Manual de-energisation of existing premises (fuse removal) \$57.94 \$63.73 \$76.08 \$83.69 Temporary disconnect - reconnect for non-payment \$71.06 \$78.17 \$79.34 \$87.27 Manual special meter read \$33.54 \$36.89 NA NA Service vehicle visits Service vehicle visit \$613.42 \$674.76 \$466.68 \$513.35 Wasted service vehicle visit (not JEN's fault) \$432.81 \$476.09 \$613.41 \$674.75 \$513.35 Fault response (not JEN's fault) \$466.68 \$613.42 \$674.76 After hours service truck by appointment NA NΑ Quoted Quoted

^{1.} Metering Coordinator has the meaning given in the National Electricity Rules

9 — JEN 2019 PROPOSED ALTERNATIVE CONTROL SERVICES AND PUBLIC LIGHTING CHARGES

Jemena Electricity Networks (Vic) Ltd (JEN) Commonly Requested Distribution Services Schedule of charges for 2019 (effective from 1 January 2019)

Schedule of charges for 2019 (effective from 1 January 2019)				
Distribution services	Busines	s Hours	After	Hours
Meter installation test				
Retest of types 5 and 6 metering installations for first tier customers	\$395.29	\$434.82	\$650.57	\$715.62
Miscellaneous distribution services				
Temporary covering of low voltage mains and service lines	Quoted	Quoted	Quoted	Quoted
Elective undergrounding where an existing overhead service exists	Quoted	Quoted	Quoted	Quoted
High load escorts—lifting of overhead lines	Quoted	Quoted	Quoted	Quoted
Restoration of overhead service cables pulled down by transport vehicles transporting high loads	Quoted	Quoted	Quoted	Quoted
Supply abolishment	Quoted	Quoted	Quoted	Quoted
Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting services	Quoted	Quoted	Quoted	Quoted
Reserve feeder				
Reserve feeder - \$/kW per annum	\$16.06	\$17.67	NA	NA
Meter data services				l I
Type 7 metering (meter data service)	\$0.640	\$0.70	NA	NA
AMI Meter Charges(per annum per meter) Customers consuming <160 MWh per annum				
Single Phase Non-Off Peak per meter/pa	\$79.84	\$87.82	NA	NA
Single Phase Off-Peak per meter/pa*	\$79.84	\$87.82	NA	NA
Multi Phase Direct Connect per meter/pa	\$96.94	\$106.63	NA	NA
Multi Phase CT per meter/pa	\$108.05	\$118.86	NA	NA
Remote AMI Metering Services				
Remote meter re-configuration	\$53.09	\$58.39	NA	NA
Remote de-energisation	\$10.15	\$11.16	NA	NA
Remote re-energisation	\$10.15	\$11.16	NA	NA
Remote Special Meter Read	\$0.00	\$0.00	NA	NA
AMI Metering Exit Fees				
Single Phase	\$559.13	\$615.0	NA	NA
Single Phase, Two element	\$559.10	\$615.0	NA	NA
Olligie Fliase, Two element				
Three Phase Direct Connect	\$588.85	\$647.7	NA	NA

Jemena Electricity Networks (Vic) Ltd (JEN)

Public Lighting OMR (operation, maintenance & repair) charges per annum (effective from 1 January 2019)

Light Type	OMR charge	OMR charge
Light Type	(excluding GST)	(including GST)
Mercury Vapour 80 watt	\$55.05	\$60.55
Sodium High Pressure 150 watt	\$101.11	\$111.22
Sodium High Pressure 250 watt	\$102.36	\$112.59
55W Ind	\$68.81	\$75.69
Fluorescent 20 watt	\$68.81	\$75.69
Fluorescent 40 watt	\$68.81	\$75.69
Fluorescent 80 watt	\$68.81	\$75.69
Mercury Vapour 50 watt	\$68.81	\$75.69
Mercury Vapour 125 watt	\$80.92	\$89.01
Mercury Vapour 250 watt	\$98.26	\$108.09
Mercury Vapour 400 watt	\$110.54	\$121.60
Sodium High Pressure 50 watt	\$126.38	\$139.02
Sodium Low Pressure 90 watt	\$107.17	\$117.89
Sodium High Pressure 100 watt	\$138.52	\$152.37
Sodium High Pressure 400 watt	\$136.13	\$149.75
Metal Halide 70 watt	\$141.47	\$155.62
Metal Halide 150 watt	\$224.46	\$246.90
Metal Halide 250 watt	\$220.06	\$242.07
Incandescent 100 watt	\$85.87	\$94.46
Incandescent 150 watt	\$107.34	\$118.08
Sodium High Pressure 250 watt (24 hrs)	\$159.67	\$175.64
Metal Halide 100 watt	\$224.46	\$246.90

Energy Efficient Lights	OMR charge (excluding GST)	OMR charge (including GST)
T5 (2x14W)	\$37.68	\$41.45
T5 (2x24W)	\$42.44	\$46.68
LED 18W	\$24.54	\$26.99
Compact Fluoro 32W	\$32.50	\$35.75
Compact Fluoro 42W	\$36.66	\$40.32