

SA Power Networks

Pricing Proposal 2018/19



April 2018

This page is intentionally left blank


Executive summary

This Annual Pricing Proposal (APP), which has been prepared by SA Power Networks under the requirements of the National Electricity Rules (NER), provides details of SA Power Networks' proposed 2018-19 distribution and metering services charges, and comprehensive information on the tariffs for each type and size of customer.

SA Power Networks' revenue for operating and maintaining the distribution network for the period 1 July 2018 to 30 June 2019 has been set by the Australian Energy Regulator. This results in a \$22 (1.1%) increase in retail electricity prices for the average residential customer.

Residential customers received a \$135 reduction in SA Power Networks' distribution prices in 2015-16 with smaller increases of about \$25 in each subsequent year. The net effect is that SA Power Networks' distribution charges during the current five year regulatory period will be lower in both nominal and real terms through to 2019-20 than they were in 2014-15.

The chart below shows SA Power Networks' distribution charges for the average South Australian residential customer (in nominal terms including GST):



SA Power Networks' distribution charges are only one aspect of the electricity bill paid by customers and have not been the reason for the significant increases in customers' electricity bills in recent years. There are other charges including transmission charges, government solar schemes and retail/energy charges that make up the total electricity bill to customers. Retail/energy costs are determined by retailers and are not regulated. They are not covered in this proposal.


As required by the AER, this proposal includes pricing of other charges. These do not relate to SA Power Networks' costs for our distribution and metering services and are not revenue earned by SA Power Networks. These are charges that are 'passed-through' by the distribution provider to customers.

The other charges included in total network charges apart from SA Power Networks' distribution charges are:

- Transmission network charges of transmission operators ElectraNet and MurrayLink. For the average residential customer there will be a \$3 increase in transmission charges in 2018/19;
- 2. Collection of monies to fund the South Australian Government's Photo-voltaic Feed-in Tariff (PV FiT) scheme, which is paid to retailers to be applied to the accounts of the owners of qualifying solar photo-voltaic (PV) electricity generators. For the average residential customer, the cost increase of the PV FiT Scheme will be \$11 in 2018/19.

The following Chart and Table provide a comparison of the average residential customers' annual cost for these three components. It reflects the total costs charged to residential customers divided by the number of residential customers, ie it is the 'average' of all residential customers for each year.

As retail prices for 2018-19 have not been published we have used 2017/18 energy/retail prices including an estimated retailer discount of 14.2% on energy usage prices to calculate increases. On this basis, the retail bill for the average customer will increase by \$22 (1.1%) due to SA Power Networks' distribution and metering charges. Other charges (recovery of transmission charges and the SA Government's PV FiT Scheme costs) will increase the retail bill by \$14 (0.7%). The total of these charges results in a \$36 (1.8%) increase in the average residential customer's retail bill.



		2014-15	2015-16	2016-17	2017-18	2018-19	Increase	Retail Bill
Residential Electricity Charges per Customer \$nominal incl GST							18-19 v 17-18	Impact
Distribution (SAPN)	\$ pa	\$645	\$524	\$534	\$568	\$588	\$19.62	1.0%
Metering (SAPN)	\$ pa	\$36	\$22	\$28	\$31	\$33	\$2.43	0.1%
SA Power Networks	\$ pa	\$681	\$546	\$562	\$599	\$621	\$22.04	1.1%
Transmission	\$ pa	\$142	\$167	\$144	\$145	\$148	\$2.45	0.1%
PV FiT (JSO)	\$ pa	\$117	\$91	\$81	\$57	\$68	\$11.54	0.6%
Total	\$ pa	\$940	\$805	\$787	\$801	\$837	\$36.03	1.8%
Retail/Energy after Discount	\$ pa				\$1,200			
Average Residential Bill	\$ pa				\$2,001			

Relationship with Tariff Structure Statement (TSS)

The total revenue that distribution businesses like SA Power Networks can recover is set by the Australian Energy Regulator (AER) for a five year period¹. Accordingly, our tariffs represent the way that we allocate these total costs to our diverse customer base.

The way we allocate these costs to customers is changing. Since late 2014, the National Electricity Rules (NER) require us to develop what can be referred to as a more 'user pays' approach to the way we price for use of the distribution network² i.e. our pricing needs to become more 'cost-reflective' over time.

Our long term approach to implementing these NER pricing reforms is incorporated into our TSS³. Our initial TSS outlines our proposed tariff structure changes over the three year period from July 2017 to June 2020. This APP sets out changes required to our pricing for July 2018, however we have endeavoured to ensure the pricing changes are aligned with the direction of the new pricing rules as explained in our TSS. These tariffs are passed onto retailers who incorporate them into customer retail bills. How these charges are combined into a customer's electricity bill is at the discretion of retailers.

¹ The AER released its final determination for the 2015-20 regulatory period in October 2015.

² Distribution Network Pricing Arrangements Rule Change ERC0161 <u>www.aemc.gov.au/Rule-Changes/Distribution-Network-Pricing-Arrangements</u>

³ <u>www.aer.gov.au/networks-pipelines/determinations-access-arrangements/pricing-proposals-tariffs/sa-power-networks-tariff-structure-statement-2015</u> Further information is also available on our Talking Power website: <u>http://talkingpower.com.au/your-views/tariff-structure-statement-consultation/</u>

This page is intentionally left blank

Contents

Exe	cutive	summary2
1.	Intro	duction8
1	.1	Our business
1	.2	Network tariff objectives
1	.3	Summary of key changes in this APP
1	.4	Summary of changes versus TSS forecasts 10
1	.5	Structure of this document
1	.6	Confidential information
2.	Tarif	f classes and tariffs12
2	.1	How we recover revenue
2	.2	Standard control services tariff classes14
2	.3	Tariff structure
2	.4	Pricing variations from 2017/1825
3.	Stan	dard control services charges28
3	.1	Distribution charges
3	.2	Transmission charges
3	.3	Jurisdictional scheme obligations (JSO) for PV-FiT
3	.4	Pricing for 2018/19 – 2019/20 compared to the TSS 40
4	Alter	native control services charges
4	.1	Annual metering charges
Арр	endix	A: Standard control services tariff schedules
Арр	endix	B: Alternative control services tariff schedules
Арр	endix	C: Shortened forms
Арр	endix	D: List of attachments

This page is intentionally left blank

1. Introduction

The NER requires SA Power Networks to submit a Pricing Proposal to the AER at least three months before the commencement of each regulatory year of the regulatory control period. This Pricing Proposal is for the 2018/19 regulatory year and has been prepared in accordance with the requirements of the NER⁴, the AER's 2015-20 revenue determination⁵ and AER-approved 2017-20 TSS⁶.

The Pricing Proposal sets out proposed prices for all of SA Power Networks' standard control services tariffs and alternative control services (ie metering) for the 2018/19 regulatory year.

1.1 Our business

SA Power Networks is a Distribution Network Service Provider (**DNSP**) which operates within the National Electricity Market (**NEM**).

Our distribution network serves the State of South Australia, with a service territory of about 178,200 km2, with a coastline of over 5,000 km. The network's route length is 82,000km (circuit length 89,000km), with approximately 20% underground. The network includes 416 zone substations, 77,800 distribution transformers, approximately 745,000 poles and 1.1 million meters. The extent of SA Power Networks' operations in South Australia is shown in Figure 1.

Except for much of the coastal area and the Adelaide Hills, South Australia is very sparsely settled. Approximately 70% of customers reside in Adelaide, including the great majority of business and commercial customers. However, the extensive area serviced by the distribution network results in 70% of the network infrastructure delivering energy to the remaining 30% of customers. Compared with other states, South Australia has relatively few regional centres, and they are generally small and sparsely located. As a result, the average customer density across the State is very low.

Our primary role is operating, building, extending, maintaining and upgrading South Australia's distribution network. In this capacity, SA Power Networks plays an important role in supporting the achievement of South Australia's economic, community and social objectives.

We are committed to delivering on our regulated obligations, including high levels of service, reliability, safety and efficiency for the South Australian community. The key services we provide include:

- Delivering electricity from ElectraNet's transmission network, through the distribution poles and wires, to homes and businesses;
- Maintaining the reliability and safety of the distribution network of substations, poles, wires and transformers;
- Extending and upgrading the distribution network to meet changing needs; and
- Providing an emergency response in the event of power outages.



Figure 1: SA Power Networks' service area

⁴ Version 106, February 2018

⁵ AER, Final Decision – SA Power Networks determination 2015-16 to 2019-20, October 2015.

⁶ AER, Final Decision – SA Power Networks Tariff Structure Statement 2017-20, February 2017.

We also monitor and read electricity meters⁷ and maintain street lights. These two services are provided under separate pricing arrangements to our standard control services.

1.2 Network tariff objectives

Our network tariffs have been developed in accordance with Rules 6.18.2(b)(2) to (8). The methodologies described in our AER-approved 2017-20 TSS are designed to allow for recovery of efficient regulated costs of providing distribution services to our customers.

1.3 Summary of key changes in this APP

This section sets out the key changes and movements in prices for 2018/19 compared to 2017/18.

- Average residential distribution and metering charges are \$20 higher in 2018/19 than in 2017/18. This equates to a 1.1% increase on the total retail price for these customers. Note that the annual consumption by these customers is forecast to reduce further in 2018/19 from customer investment in energy efficient appliances, solar PV and the price elasticity response to large retail energy price increases during 2017/18. Usage prices have increased by more than average customer charges.
- 2. Average residential transmission and PV FIT (JSO) recovery charges (also referred to as 'other network costs') are \$14 higher in 2018/19 than in 2017/18. This equates to a 0.7% increase on the total retail price for these customers. Usage prices have increased by more than average customer charges.
- 3. The difference in the residential inclining blocks has been reduced in 2018/19, as foreshadowed in the TSS. The TSS proposed that the two blocks would be merged in 2019/20, which will require a similar adjustment next year. In 2017/18 the distribution component for block 1 (usage to 4 MWh pa) was 11.6 c/kWh and for block 2 14.1 c/kWh a 2.5 c/kWh difference. That difference has been halved in 2018/19 with block 1's distribution component now 12.8 c/kWh and block 2 14.0 c/kWh. In 2019/20 with price increases, we forecast a single price of 13.8 c/kWh for distribution.
- 4. The large business actual demand transition tariff will be in its last year of transition in 2018/19, with the tariff at 83% of actual demand and 17% of business 2-rate. In 2019/20, that tariff will have completely transitioned to the actual demand tariff, as proposed in the TSS.
- 5. The negotiated service tariffs for generator connections (LVN and HVN) have been amended to exclude the usage charges. These tariffs comprise a fixed charge and an agreed demand (at the additional demand rate) covering use of local assets reflecting shallow connection. These tariffs will be available for any solar/battery generation systems enabling battery recharging without incurring additional network usage costs. The tariff assumes that the battery and house supply demand will not be causing congestion at times of extreme summer demand on upstream (non-diversified) networks.
- 6. Actual demand charges for business and residential customers have been calculated as per the TSS. In last year's APP, we highlighted concerns that the demand component seemed lower than expected. Actual sales quantities for 2016/17 have shown that our concerns were unfounded, so we have retained the TSS-determined prices. These actual demand tariffs have reduced in price over the last two years because of the TSS calculations.
- 7. Non-locational major customers have their own tariff in this APP, including any revenue cap fixed charges for distribution assets used to connect to their major customer connection. 2017/18 and 2018/19 prices are shown in the (year t) vs (year t-1) comparison.
- 8. Trial tariffs have been proposed for a small percentage of large customers in the Riverland, on a "can't lose" basis. The trial tariff is based on the agreed demand arrangements, but measures peak demand over a four hour window on extreme days only (above 40 degrees at Renmark). Other

⁷ Changes to the NER, from 1 December 2017, mean that Retailers will be responsible for installing all new and replacement electricity meters in South Australia. SA Power Networks will continue to be responsible for the monitoring and reading of the existing meters until they are replaced.

details are set out in section 2.3.6. The trial will shadow the existing agreed demand tariff which will continue to apply through retailers. Any 'win' by a trial participant will be calculated by SA Power Networks by comparing the trial tariff with the agreed demand tariff, and paying the trial participant directly during 2018/19.

9. Transmission prices were tweaked in the balance between the exit and transmission capacity prices (charged as demand in our demand-based prices), and the general transmission and common service prices (charged as usage in our demand-based prices). Following the preliminary decision for ElectraNet and Murraylink, the transmission prices for exits and locational transmission were reduced. However, general transmission prices were increased (due to less discount being available as settlement residue proceeds have declined). We will assess the allocation of transmission costs further as part of the TSS 2020-25 preparation, and incorporate any changes that result from the final 2018-23 Reset decisions for ElectraNet and Murraylink (due later this year). The tweak in transmission pricing is discussed further in section 3.4.1.

1.4 Summary of changes versus TSS forecasts

This section sets out the differences between the indicative prices that were published in our 2017-20 TSS and the prices published in this APP. For more information, refer to Section 3.4.

Standard control services prices

The standard control services pricing for 2018/19 have been set in-line with our TSS methodology, and vary minimally from the 2018/19 indicative prices. Compared to the TSS forecast prices for 2018/19, distribution prices are 3.8% higher, transmission prices are 3.2% higher and JSO (**PV FiT**) prices are 9.2% lower than indicated in the TSS. Overall, total network charges are \$4M lower (-0.4%) than the TSS forecast for 2018/19.

Compared to the overall average change in network prices, residential network prices increased by 0.3% whilst business network prices were 0.3% lower than the average increase. Note that while individual tariff elements changed at rates different to the average, the pricing proposed in this APP is in-line with the indicative prices published in our TSS. By using the TSS indicative prices as our basis for the 2018/19 prices, we have ensured compliance with the pricing principles which were assessed by the AER when approving our TSS in February 2017.

For transparency, we have updated the indicative prices for 2019/20. Overall the future prices have generally required a slight increase in price outlook from that indicated in the TSS as sales volumes have reduced with continued take-up of PV solar and energy efficient appliances. We have included an estimate for the 2019/20 Service Incentive Scheme at 2018/19 tariff levels, as this should give a better indication of the likely 2019/20 prices. Total network charges forecast for 2019/20 are \$5M (-0.5%) lower than the TSS forecast. Movement in each tariff's total network prices (NUoS) is set out in section 3.4, enabling a direct comparison for each tariff's 2017/18 actual price, 2018/19 proposed price, the TSS forecast price for 2018/19 and the current forecast price for 2019/20.

Alternative control services prices

The alternative control services (metering) pricing for 2018/19 have been updated in-line with the AER's price cap arrangements. The pricing changes set out below are a direct outcome of that price cap formula and the latest CPI movement.

Note that the AER formulae also sets a price for upfront capital fees for new and upgraded meters. The provision of these meters is now the responsibility of retailers through their metering co-ordinators since December 2017 when metering contestability commenced. These upfront capital charges are now redundant.

1.5 Structure of this document

This Pricing Proposal has been structured to demonstrate compliance with the specific requirements of the Rules and the AER's revenue determination for 2015-20. The substantive sections of the Pricing Proposal are set out in Table 1.

Sectio	n	Purpose	Rule Clause
1	Introduction	Introduces the Pricing Proposal and provides background information	-
2	Tariff classes and tariffs	Explains how we recover revenue from our customers and outlines our tariff classes, tariff structures and their charging parameters	6.18.1(b) (2-3,8); 6.18.3
3	Standard control services charges	Demonstrates compliance with the Rules and the AER's Final Decision with respect to the control mechanism, the revenue X factors, side constraints and the NER pricing principles. Sets out our cost recovery for DUoS, TUOS and JSO	6.18.2(b) (4-8);6.18.5; 6.18.6; 6.18.7 and 6.18.7A
4	Alternative control services	Sets out our tariffs for alternative control services (metering) as per the AER's requirements described in its revenue determination	6.18.2(a)(2)
Appen	dices		
Α	Standard control services tariff schedules	Sets out our standard control services tariff schedules	6.18.2(d)(e)
В	Alternative control services tariff schedules	Sets out our alternative control services tariff schedules for metering	6.18.2(d)(e)
С	Shortened forms	Provides a description of the shortened forms used within this document	-
D	List of attachments	Lists attachments to this Pricing Proposal	-

Table 1: Structure of SA Power Networks' Pricing Proposal

1.6 Confidential information

Clause 6.19.2 of the Rules classifies as confidential all network pricing information about a Distribution Network User used by a DNSP for the purposes of network pricing. SA Power Networks has nominated 'Attachment A – Revenue cap model' which constitutes part of this Pricing Proposal, as confidential.

SA Power Networks requests that the AER does not disclose the information contained in Attachment A to any person outside of the AER.

2. Tariff classes and tariffs

This section describes SA Power Networks' standard control service tariff classes and related tariff structures. It sets out the way in which they have been constructed to comply with the requirements of the Rules and the AER's revenue determination.

2.1 How we recover revenue

SA Power Networks' NUoS tariffs are an aggregation of DUoS tariffs, metering services tariffs, transmission cost recovery tariffs and the SA Government's jurisdictional service obligation (**JSO**) scheme for solar Photo Voltaic Feed-in Tariffs (**PV FiT**).

Retailers may pass through the components of SA Power Networks' network tariffs to customers directly, or modify their structure by bundling with the retail component, which includes the cost of purchasing wholesale energy from the NEM and retail costs. This is at the retailers discretion.

This section outlines the distribution tariff structures, which are designed to recover the cost of providing standard control services to customers.

Section 4 of this Pricing Proposal outlines the arrangements for SA Power Networks' alternative control services (ie metering) tariffs which, in accordance with clause 6.18.3(c) of the Rules, have been constituted as a separate tariff class with separate charging parameters.

The process by which SA Power Networks recovers the SA Government solar PV-FiT payments through the Jurisdictional Scheme Obligation (JSO) is described in Section 3.3. These amounts are paid to retailers to be applied to the accounts of the owners of qualifying PV electricity generators.

The Rules require tariff structures to have two main functions:

- to send a price signal for efficient consumption via the retailer; and
- to recover revenue from customers in a way that as much as possible reflects the total efficient cost of supplying those customers without distorting the efficient price signal.

Our allocation of revenue requirements to tariff classes and then tariffs is illustrated below in Figure 2. It is a three-stage process, involving determining the allowed revenue, splitting that revenue across the five tariff classes (and their tariffs) and finally setting prices for each tariff parameter to recover from customers the revenue allocated to that tariff class (and their tariffs).

Figure 2: Allocation of revenue to tariff classes/tariffs and to tariff parameters

	Revenue
S/	A Power Networks' revenue is calculated using an economic building block approach (covering the five year regulatory period) and is approved by the Australian Energy Regulator.
	SA Power Networks cannot recover more than what the Regulator has approved.
	Tariff Classes
	Tariff classes are groups of 'like' customers based on the characteristics of their energy usage and connection to the network.
Foi	each tariff class, revenue is recovered through one or more network tariffs which are a combination of network charges (distribution and transmission) and Solar PV Feed-in-Tariff Scheme charges.
ustomers co	siness customers onnected at 33kV and kV from a substation HV Business Customers connected at 11kV DTF Business Customers connected to a distribution transformer distribution transformer UV Business Customers connected to the low voltage network the low voltage network
	Tariff Structure
	Tariff classes have one or more different tariffs and each tariff has the following structure:
	Fixed supply charge* (eg \$/day) Peak demand charge (\$kVA or kW/month) Volume (energy and residual) charge (\$/kWh)

The grouping of customers into standard control services tariff classes and the tariffs therein has historically distinguished between customers based on the following factors:

- The nature and extent of usage of different types of customer;
- For business customers, the nature of connection to the network, including the voltage of connection;
- Whether the customer also receives a controlled load service; and
- The type of meter installed at the premises (for large LV business customers).

2.2 Standard control services tariff classes

SA Power Networks' network tariff classes and tariffs for 2017-20 are summarised in Table 2 below. The tariff classes have been constituted with regard to the provisions of clause 6.18.3(d) of the Rules concerning economic efficiency and transaction costs.

The suite of tariffs provides:

- A range of tariffs which are dependent upon a customer's size, consumption characteristics and voltage of connection (these factors are generally related); and
- Long Run Marginal Cost (LRMC) cost-reflectivity in the demand tariff options, facilitated by the metering arrangements.

Tariff class	Customer type	Tariffs
Residential	Low voltage residential customers, single phase and three phase	RSR, MRD
Small business	Low voltage businesses consuming less than 160MWh per annum, single phase and multi-phase	B2R, SBDT, SBD, LVUU, LVUU24, BSR, SLV
Large LV business	Low voltage businesses consuming more than 160MWh per annum	BD, BDT, LV, LBSR, LB2R LVSG, LVB, LVTR
High Voltage business	High voltage businesses generally supplied at 11kV	HV, HV400, HBD, HVB, HVN, B2R124H, HVTR
Major business	Businesses requiring at least 5MVA of capacity connected to the sub- transmission network or a zone substation	STN, STNXXX, STNB, STNTR, ZSN, ZSNXXX, ZSNB, ZSNTR

 Table 1: SA Power Networks' tariff classes and associated tariffs

The structure of our tariffs, and the associated tariff charging parameters for each tariff within a tariff class, follow in Section 2.3.

2.3 Tariff structure

Within each of our five standard control services tariff classes we offer a number of different network tariffs. The basic structure of our tariffs is very similar to that of other electricity distributors in the NEM with three key tariff components:

- A fixed supply charge (\$ per day, month or quarter);
- A peak demand charge to send a forward LRMC price signal (\$ per kW or kVA per day); and
- A volume charge (\$/kWh) to recover residual costs not recovered by the other two elements.

Many small customers do not use a peak demand charge today, therefore the volume charge recovers a greater portion of total costs. Figure 3 outlines the options for tariff assignment.




Figure 3: SA Power Networks' tariff assignment options

The following section sets out our tariff structures and charging parameters for the 2018/19 regulatory year.

2.3.1 Residential tariff class

The residential tariff class structure and charging parameters are set out in Table 3 and include:

- An inclining block energy tariff (RSR). This tariff consists of a fixed daily charge and an inclining two block energy component. A separate energy rate applies to the energy consumption within each block level;
- A fully cost-reflective opt-in actual kW demand tariff (MRD); and
- There is a controlled load (hot water) 'partner' tariff available with these residential tariffs. The controlled load tariff is used to control permanently installed hot water services and other appliances generally consuming less than 25 Amps between 23:00 07:00 hours CST, with an option for use between 10:00 15:00 hours CST when high solar PV output typically occurs.

Network tariff	Status	Components	Measurement	Charging parameter
Residential	Default	Fixed	\$/customer/day	Fixed supply charge per annum
single-rate (RSR)	Usage	\$/kWh	Anytime based on usage, inclining block ⁸ :	
				 Block 1: 0-4MWh pa
				• Block 2: >4MWh pa
		Controlled load	\$/kWh	Based on usage
Residential	Opt-in	Fixed	\$/customer/day	Fixed supply charge per annum
nonthly actual W demand		Usage	\$/kWh	Anytime based on usage
(MRD)		Demand	\$/kW/day	 Maximum demand charge based on monthly maximum kW demand measured: Over a 30 minute time period Between 16:00-21:00hrs local time All days except Christmas Day Higher charge from Novembe to March (Peak) Lower charge April to October (Shoulder)
		Controlled load	\$/kWh	Based on usage

Table 2: Residential tariff structures and charging parameters

2.3.2 Small low voltage business tariff class (<160MWh pa)

The small low voltage business customer tariff class structures and charging parameters are set out in Table 4 and include:

- A two-rate energy tariff (peak and off-peak) with a fixed daily charge (B2R). Off-peak DUoS and TUoS pricing is set at half of peak pricing. This tariff applies to existing customers and new single phase customers;
- An actual kVA demand tariff with a fixed daily charge (SBD). The demand charges reflect LRMC costs, with shoulder demand priced at half of peak demand. This tariff is suitable for larger (eg three phase) small customers, particularly those with either a seasonal load that varies across the year or a flexible load;
- A transitional version of the kVA demand tariff which is default (mandatory) for new multi-phase customers or existing multi-phase customers who alter their supply and require a new meter, including single phase customers converting to a multi-phase supply (SBDT). The transitional

⁸ Block 1 and 2 are proposed to be replaced by a single block in 2019/20.

version of the kVA demand tariff is optional for all customers. This transitional price is a combination of actual demand and two rate energy tariffs through to June 2020;

- An unmetered 12-hour energy tariff (LVUU). This tariff is typically used for overnight public lighting;
- An unmetered 24-hour energy tariff (LVUU24). This tariff is typically used for public phones, traffic lights and telecommunications installations;
- A single rate energy tariff (anytime) with a fixed daily charge (BSR). This tariff has been closed to new small business customers from July 2010 as it is more suited to large business customers;
- An annual kVA agreed demand tariff with a fixed daily charge (SLV). This tariff has been closed to new customers from July 2016; and
- There was a controlled load (hot water) partner tariff available with the business two rate and business single rate tariffs. This partner tariff is now closed to new applicants. The controlled load tariff is used to control permanently installed hot water services and other appliances consuming less than 25 Amps between 23:00 – 07:00 hours CST, with an option for use between 10:00 – 15:00 hours CST when high solar PV output typically occurs.

Network tariff	Status	Components	Measurement	Charging parameter	
Business two-	Default	Fixed	\$/customer/day	Fixed supply charge per annum	
rate (B2R)	single Usage phase Usage Closed to multi- phase	Usage	\$/kWh	 Based on usage⁹: Higher rate for peak 07:00 to 21:00 hrs CST workdays; and Lower rate for off-peak 21:00 to 07:00hrs CST workdays and all hours non-work days. 	
		Controlled load	\$/kWh	Based on usage	
Business monthly actual	Default multi-	Fixed	\$/customer/day	Fixed supply charge per annum	
kVA demand transitional (SBDT)	phase also Opt-in	Usage	\$/kWh	 Based on usage: Higher rate for peak 07:00 to 21:00 hrs CST workdays; and Lower rate for off-peak 21:00 to 07:00hrs CST workdays and all hours on non-work days. 	
		Demand	\$/kVA/day	 Maximum demand charge based on actual monthly maximum kVA demand measured: Over a 30 minute time period; and 12:00 to 16:00hrs local time, workdays, 12 months (Shoulder); 16:00 to 21:00hrs local time, workdays, Nov-March (Peak). 	

 Table 3: Small business tariff structures and charging parameters (<160MWh pa)</th>

⁹ Where metering does not record public holidays or weekends, peak rates will apply at times on non-work days.

Business monthly actual	Opt-in	Fixed	\$/customer/da y	Fixed supply charge per annum	
kVA demand		Usage	\$/kWh	Anytime based on usage	
(SBD)		\$/kVA/day	 Maximum demand charge based on actual monthly maximum kVA demand measured: Over a 30 minute time period, and 12:00 to 16:00hrs local time, 		
				workdays, 12 months (Shoulder);	
				16:00 to 21:00hrs local time, workdays, Nov-March (Peak).	
Unmetered 12hr (LVUU) Streetlights	Special purpose	Usage	\$/kWh	Anytime, based on usage	
Unmetered 24hr (LVUU24)	Special purpose	Usage	\$/kWh	Anytime, based on usage	
Business single-	Closed	Fixed	\$/customer/day	Fixed supply charge per annum	
rate (BSR)		Usage	\$/kWh	Anytime based on usage	
		Controlled load	\$/kWh	Based on usage	
Annual agreed	Closed Fixed	Fixed	\$/customer/day	Fixed supply charge per annum	
kVA demand (SLV)		Usage	\$/kWh	Anytime based on usage	
		Demand	\$/kVA/day	 Peak period Nov-March, 12:00 to 21:00 local time, work days agreed peak demand, declining block: Block 1: 0-1000 kVA Block 2: >1000kVA Additional demand applies outside of peak 	

2.3.3 Large low voltage business tariff class (>160MWh pa)

Large low voltage business customer tariff class structures and charging parameters are set out in Table 5 and include:

- An actual kVA demand tariff with a fixed daily charge (BD). The demand charges reflect LRMC costs, with shoulder demand priced at half of peak demand prices. This tariff is the default tariff for large LV business customers and is suitable for larger customers, particularly those with either a seasonal load that varies across the year or a flexible load;
- A transitional version of the actual kVA demand tariff was created for customers on fully costreflective tariffs who were facing cost increases (BDT). As of July 2016, the transitional version of this tariff was closed to existing large LV business customers. In 2018/19 the transitional tariff comprises 84%/16% of actual demand and two-rate energy. In 2019/20 the tariff will be 100% actual demand;
- An agreed kVA demand tariff with a fixed daily charge (LV). This tariff is available on an opt-in basis for large LV business customers. The demand charge is stepped according to the customer's size, to

reflect the LRMC of providing network capacity at the particular voltage level. There are variants of this tariff available for:

- Sportsgrounds with significant floodlighting (LVSG). This variant uses a peak demand period of 12:00 to 19:00 local time, December to February on work days. This is because floodlights are not typically used during extreme heat;
- Back-up supply (LVB); and
- o Generation house supply (LVN), note that this tariff does not have a usage charge; and
- A single rate transitional tariff with a fixed daily charge (LBSR). This tariff is for large business customers with a Type 6 meter only. Large business generally use interval meters; and
- Two rate transitional tariff with a fixed daily charge (LB2R). This tariff is for large business customers with a Type 6 meter only. Large business generally use interval meters.

Network tariff	Status	Components	Measurement	Charging parameter
Business monthly	Default	Fixed	\$/customer/day	Fixed supply charge per annum
actual kVA demand (BD)		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	 Maximum demand charge based on actual monthly maximum kVA demand measured: Over a 30 minute time period; 12:00 to 16:00hrs local time, workdays, 12 months (Shoulder); and 16:00 to 21:00hrs local time, workdays, Nov-March (Peak).
Business annual	Ά	Fixed	\$/customer/day	Fixed supply charge per annum
agreed kVA demand (LV)		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	 Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand, declining block: Block 1: 0-1000 kVA Block 2: >1000kVA
		Additional demand	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand
Business single	Type 6	Fixed	\$/customer/day	Fixed supply charge per annum
rate transition (LBSR)	meters only	Usage	\$/kWh	Anytime based on usage
		Controlled load	\$/kWh	Based on usage

Table 4: Large LV business tariff structures and charging parameters (>160MWh pa)

Business two rate transition (LB2R)	Type 6 meters	Fixed	\$/customer/da y	Fixed supply charge per annum	
	only Usage	Usage	\$/kWh	 Based on usage: Higher rate for peak 07:00- 21:00hrs CST workdays; and Lower rate for off-peak 21:00 07:00hrs CST workdays and a hours non-work days. 	
		Controlled load	\$/kWh	Off peak, based on usage	
Sportsground annual agreed kVA	Special purpose	Fixed	\$/customer/day	Fixed supply charge per annum	
demand (LVSG)	purpose	Usage	\$/kWh	Anytime based on usage	
		Demand	\$/kVA/day	 Peak period Dec-Feb, 12:00 to 19:00hrs local time, workdays, agreed demand, declining block Block 1: 0-1000kVA Block 2: >1000kVA 	
		Additional demand	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand	
Business annual	Special purpose	Fixed	\$/customer/day	Fixed supply charge per annum	
agreed kVA demand back-up		Usage	\$/kWh	Anytime based on usage	
(LVB)		Demand	\$/kVA/day	Anytime based on agreed demand	
Business annual	Special	Fixed	\$/customer/day	Fixed supply charge per annum	
agreed kVA demand negotiated (LVN)	purpose	Demand	\$/kVA/day	Anytime based on agreed demand	
Business monthly	Closed	Fixed	\$/customer/day	Fixed supply charge per annum	
actual kVA demand transition (BDT)		Usage	\$/kWh	 Based on usage: Higher rate for peak 07:00- 21:00hrs CST workdays; and Lower rate for off-peak 21:00- 07:00hrs CST workdays and al hours non-work days 	
		Demand	\$/kVA/day	 Maximum demand charge based or actual monthly maximum kVA demand measured: Over a 30 minute time period 12:00-16:00hrs local time, workdays, 12 months (Shoulder); and 16:00-21:00hrs local time, workdays, Nov-March (Peak). 	

2.3.4 High voltage business tariff class

High voltage customer tariff class structures and charging parameters are set out in Table 6 and include:

- A high voltage annual agreed kVA demand tariff which is suitable for larger high voltage customers with demands above 400 kVA (HV). This is the default tariff for the HV tariff class. There are variants of this tariff as follows:
 - 400kVA variant which is more suited to demands below 400kVA (HV400). This variant is the equivalent of the large LV business agreed demand tariff;
 - $\circ~$ A back-up tariff for customers who have a second supply source for a higher security of supply (HVB); and
 - A tariff for generators who require house supplies (HVN)
- An actual kVA demand tariff suitable for large customers, for seasonal large customers whose load varies across the year and also those large customers with very flexible load (HBD); and
- A high voltage business two rate tariff which is closed to new customers (B2R124H).

Network tariff	Status	Components	Measurement	Charging parameter
High voltage business annual	Default	Fixed	\$/customer/day	Fixed supply charge per annum
agreed kVA		Usage	\$/kWh	Anytime based on usage
demand (HV)	Imand (HV)Demand\$/kVA/dayAdditional\$/kVA/day	\$/kVA/day	Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand	
		Additional	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand
High voltage	Opt-in	Fixed	\$/customer/day	Fixed supply charge per annum
business annual agreed kVA		Usage	\$/kWh	Anytime based on usage
demand <400kVA (HV400)		Demand	\$/kVA/day	 Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand, declining block: Block 1: 0-1000 kVA Block 2: >1000kVA
		Additional	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand

 Table 5: High voltage business tariff structures and charging parameters

Business monthly actual kVA	Opt-in	Fixed	\$/customer/day	Fixed supply charge per annum
demand (HBD)		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	 Maximum demand charge based on actual monthly maximum kVA demand measured: Over a 30 minute time period; 12:00 to 16:00hrs local time, workdays, 12 months (Shoulder); and 16:00 to 21:00hrs local time, workdays, Nov-March (Peak).
High voltage business annual	Special purpose	Usage	\$/kWh	Anytime based on usage
agreed kVA demand back-up (HVB)		Demand	\$/kVA/day	Based on agreed (anytime) demand
High voltage business annual agreed kVA demand negotiated (HVN)	Special purpose	Demand	\$/kVA/day	Based on agreed (anytime) demand
High voltage business two- rate (B2R124H)	Closed	Fixed Usage	\$/customer/day \$/kWh	 Fixed supply charge per annum Based on usage: Higher rate for peak 07:00- 21:00hrs CST workdays; and Lower rate for off-peak 21:00-07:00hrs CST workdays and anytime non- workdays.

2.3.5 Major business tariff class

The major business customers are the largest 20 customers connected to SA Power Networks' network. They comprise a range of industrial, manufacturing and commercial enterprises. Most of these customers have a maximum demand exceeding 10 MVA or usage exceeding 40 GWh pa and their transmission tariff component is priced on location.

Table 6: Major Business tariff structures and charging parameters	Table 6: Maior	or Business tarif	f structures and	charging parameters
---	----------------	-------------------	------------------	---------------------

Network tariff	Status	Components	Measurement	Charging parameter
Sub-transmission annual agreed kVA	Default	Fixed	\$/customer/day	Supply charge reflecting a fixed amount per annum
demand non- locational (STN)	Usage	\$/kWh	Anytime based on usage	
		Demand	\$/kVA/day	Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand
		Additional	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand

Sub-transmission annual agreed kVA demand locational	Locational	Fixed	\$/customer/day	Supply charge reflecting a fixed amount per annum
(STNXXX)*		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand
		Additional	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand
Sub-transmission annual agreed kVA	Special purpose	Fixed	\$/customer/day	Supply charge reflecting a fixed amount per annum
back-up (STNB)		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	Based on agreed (anytime) demand
Zone substation annual agreed kVA	Default	Fixed	\$/customer/day	Supply charge reflecting a fixed amount per annum
demand non- locational (ZSN)		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand
		Additional	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand
Zone substation annual agreed kVA	Locational	Fixed	\$/customer/day	Supply charge reflecting a fixed amount per annum
demand locational (ZSNXXX) ¹⁰		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	Peak period Nov-March, 12:00 to 21:00 local time, work days agreed demand
		Additional	\$/kVA/day	Based on agreed demand that exceeds the peak agreed demand
Zone substation annual agreed kVA back-up (ZSNB)	Special purpose	Fixed	\$/customer/day	Supply charge reflecting a fixed amount per annum
νατι-υμ (23ΝΟ)		Usage	\$/kWh	Anytime based on usage
		Demand	\$/kVA/day	Based on agreed (anytime) demand

¹⁰ Zone substation and sub-transmission customers with locational transmission charges have an individual tariff identifier.

2.3.6 Trial Tariffs

We are conducting a trial of an alternate agreed demand tariff in 2018/19. This is a voluntary participation trial involving large customers in the Riverland region each using at least 1 MVA of demand across their Riverland supplies. It is a complex calculation of agreed demand, so we are calculating that demand inhouse, and we will manage the tariff directly with the trial participants, including paying any network rebate to the participants if the trial tariff provides a lower price than the agreed demand tariff. The trial participants will continue to use the agreed demand tariff via their retailer. This arrangement will ensure that retailers do not face unnecessary costs in undertaking a trial that will involve perhaps 10 customers.

The trial tariff has used the existing agreed demand tariff as its foundations, with some tweaks:

- 1. The fixed charge and usage charge is the same price as the existing agreed demand price for that voltage (eh LV, HV, ZSTN and STR);
- 2. An anytime maximum demand is used to cover local network asset demand. The additional demand price of the existing agreed demand tariff is used, but is applied to anytime demand, not additional demand. The anytime agreed demand for the trial tariff will be the average of the five highest daily demands across 2018/19 for that customer, with the daily demand measured as the highest half-hour interval demand for that day. We have estimated that the typical average of these 5 days for all agreed demand participants will be 90% of the existing agreed anytime demand and so have escalated the trial anytime maximum demand price accordingly; and
- 3. A peak demand is used to cover upstream network assets e.g. transmission and the higher distribution voltages. The price is determined by subtracting from the agreed peak demand price the agreed additional demand price. The agreed peak demand for the trial tariff will be the average of the five highest 4-hour average demands between 1730 and 2130 local summer time on days (work and non-work) when the forecast Renmark temperature is 40 degrees or higher (forecast from late afternoon on the day preceding). We have estimated that the typical average of these 5 days for agreed peak demand participants will be 65% of the existing agreed peak demand and so have escalated the trial peak demand price accordingly.

This arrangement preserves the TSS pricing arrangements but applies them in a manner more aligned to concepts proposed for 2020-25. The selection of Riverland will enable some analysis of the effects on overall demand if trial participants choose to respond. The desktop analysis of outcomes will also assist in identifying issues for the 2020-25 TSS that should be considered. We should be able to avoid any unnecessary costs in the trial by undertaking this directly with customers and not through retailers, with any rebate earned from the trial being passed directly to the trial participant from the distributor.

Network tariff	Status	Components	Measurement	Charging parameter
Trial Tariff business annual	Opt-In Trial	Fixed	\$/customer/day	Fixed supply charge per annum
agreed kVA		Usage	\$/kWh	Anytime based on usage
demand (LVTR, HVTR, ZSNTR, STNTR)		Peak Demand	\$/kVA/day	Peak period Nov-March, 17:30 to 21:30 local time, work and non- work days, agreed demand determined by highest five days average 4-hour demand when the Renmark day-ahead temperature forecast is 40 degrees or higher
		Anytime	\$/kVA/day	Anytime agreed demand
		Maximum		determined by highest five days
		Demand		30-minute demand over the year

Table 8: Trial Tariff business tariff structures and charging parameters

2.4 Pricing variations from 2017/18

The following sections provide information on the three NUoS components of SA Power Networks' tariffs (ie DUoS, TUoS and JSO) and the movement in revenue recovery proposed for 2018/19 compared to 2017/18 by each of the five tariff classes.

Tables 9 to 12 compare NUOS¹¹ changes with changes on the overall retail bill for customers consuming between 2 and 16MWh pa¹². These tables also show the SA Power Networks' related DUOS price changes but excludes the alternative control services Type 6 metering costs typically associated with this customer.

2.4.1 Low voltage residential tariff class

Low voltage residential tariff

The low voltage residential tariff has a single-rate with an inclining block structure and two consumption steps. The 2018/19 annual bill and price change for this tariff is shown in Table 9, for a range of representative customer consumption levels.

Annual Usage	NUoS	NUoS	Change in	DUoS	DUoS	Change
MWh pa	2017/18	2018/19	Retail	2017/18	2018/19	in Retail
	\$ pa	\$ pa	%	\$ pa	\$ pa	%
2	369	401	3.4%	283	307	2.5%
4	601	656	3.4%	441	481	2.5%
5	742	797	2.8%	544	581	1.9%
8	1,164	1,218	1.8%	854	881	0.9%
16	2,291	2,341	0.9%	1,681	1,680	0.0%

 Table 9: Low voltage residential price change in 2018/19

Residential with controlled load tariff

The controlled load tariff has a single block. The 2018/19 annual bill and price change is shown in Table 10 for residential customers with hot water, for a range of representative consumption levels.

Annual Usage MWh pa	NUoS 2017/18 \$ pa	NUoS 2018/19 \$ pa	Change in Retail %	DUoS 2017/18 \$ pa	DUoS 2018/19 \$ pa	Change in Retail %
2 + 1	430	468	3.3%	322	348	2.3%
4 + 2	723	790	3.4%	519	563	2.3%
5 + 3	925	997	2.9%	661	704	1.7%
8 + 4	1,408	1,485	2.1%	1,010	1,045	1.0%
16 + 5	2,595	2,675	1.2%	1,876	1,886	0.1%

 Table 10: Low voltage residential + hot water price change in 2018/19

¹¹ NUoS comprises distribution, transmission and JSO (PV FiT) charges.

¹² Retail bill changes are based on AGL transactional contract charge determined from the AGL standing contract offer including a 14.2% discount on usage charges.

2.4.2 Low voltage small business tariff class

Low voltage small business single rate tariff (obsolete)

The low voltage small business single rate tariff has an anytime consumption charge with an inclining block structure and two consumption steps. Table 11 shows the 2018/19 annual bill and price change for this tariff, for a range of annual consumption levels.

Annual Usage MWh pa	NUoS 2017/18 \$ pa	NUoS 2018/19 \$ pa	Change in Retail %	DUoS 2017/18 \$ pa	DUoS 2018/19 \$ pa	Change in Retail %
4	670	716	2.5%	516	546	1.7%
10	1,469	1,569	2.5%	1,101	1,166	1.6%
20	2,801	2,992	2.5%	2,076	2,199	1.6%
40	5,465	5,838	2.5%	4,026	4,265	1.6%
80	10,793	11,530	2.5%	7,926	8,397	1.6%

Table 7: Low voltage business single rate NUoS price change in 2018/19

Low voltage small business 2-rate tariff

The effect of the price change in 2018/19 for low voltage business 2-rate will depend upon the customer consumption profile and the ratio of peak to off-peak period usage. Table 12 shows how the 2018/19 annual bill has changed for this tariff, for different customer consumption levels and average peak to off peak consumption proportions of 50%.

Annual Usage MWh pa	NUoS 2016/17	NUoS 2017/18 \$ pa	Change in Retail %	DUoS 2016/17 \$ pa	DUoS 2017/18	Change in Retail %
	\$ pa	s ha	/0	s ha	\$ pa	/0
8	1,045	1,116	2.6%	786	832	1.7%
20	2,406	2,571	2.6%	1,775	1,879	1.6%
50	5,810	6,209	2.6%	4,249	4,498	1.6%
100	11,482	12,271	2.6%	8,371	8,863	1.6%
160	18,289	19,546	2.6%	13,318	14,101	1.6%

Table 8: Low voltage business 2-rate NUoS price change in 2018/19

2.4.3 Low voltage large business tariff class

Low voltage kVA agreed demand/actual demand/transition actual demand tariff

The average NUoS price increase for low voltage agreed kVA large business customers in 2018/19 is 7.0%. The retail price increase will vary, but us likely to be about 3.0%.

The average NUoS price decrease for low voltage actual kVA large business customers in 2018/19 is -1.5%. The retail price decrease is likely to be about -0.6%.

The average NUoS price decrease for low voltage transition kVA large business customers in 2018/19 is -1.8%¹³. The average retail price decrease will be about -0.7%.

2.4.4 High voltage business tariff class

High voltage kVA agreed demand tariff

The average NUoS price decrease of high voltage kVA agreed demand customers in 2018/19 is 7.3%. The average retail price increase will be about 3.0%.

2.4.5 Major business tariff class

Zone substation and Sub-transmission kVA agreed demand locational tariffs

There is little variability between the individual price changes for these customers and the averages for the tariff. There is considerable variability in locational transmission prices for individual major businesses.

Individual tariffs have been included for each major business on non-locational tariffs. Where other changes apply to these customers, they have been included in the tariff schedule.

¹³ Note that the transition tariff increased from a 67%/33% two-rate and actual demand combination in 2017/18 to an 83%/17% ratio in 2018/19. The transition tariff will be 100% demand based in 2019/20.

3. Standard control services charges

This section sets out how SA Power Networks' tariffs for the 2018/19 regulatory year comply with the Rules and the AER's revenue determination for SA Power Networks.

The standard control services charges for 2018/19 have been calculated in accordance with the methodologies described within our 2017-20 TSS. For detailed information on our pricing methodologies for 2018/19, refer to our 2017-20 TSS Part B.

3.1 Distribution charges

3.1.1 Control mechanism

The form of control mechanism (including the X factor) for SA Power Networks' standard control services for the 2015-20 regulatory control period is a revenue cap. The revenue cap for SA Power Networks for any given regulatory year is the total annual revenue (TAR) calculated using the formula in the AER's 2015-20 revenue determination Attachment 14, plus any adjustment required to move the DUoS unders and overs account to zero.

3.1.2 Compliance with the revenue cap

The AER's Revenue Cap model has been used and amended for the purposes of demonstrating compliance with the provisions of the 2015-20 revenue cap. This model is submitted as Attachment A (confidential) and forms part of this Pricing Proposal.

3.1.3 2018/19 prices for standard control services

Revenue cap formulae

SA Power Networks' revenues must be consistent with the total annual revenue formulae set out below¹⁴ plus any under/overs adjustment needed to move the balance of its DUoS unders and overs account to zero¹⁵.

1. $TAR_t \ge \sum_{i=1}^n \sum_{j=1}^m p_t^{ij} q_t^{ij}$	i=1,,n and j=1,,m and t=1,,5
--	------------------------------

2.
$$TAR_t = AR_t \pm I_t \pm B_t \pm C_t$$
 t=1,2,...,5

3.
$$AR_t = AR_{t-1}(1 + \Delta CPI_t)(1 - X_t)(1 + S_t)$$
 t=1,2,...,5

Where:

TAR_t	is total annual	revenue in year t.
11111	is cocar anniaai	revenue in year ci

- p_t^{ij} is the price of component i of tariff j in year t.
- q_t^{ij} is the forecast quantity of component i of tariff j in year t.

¹⁴ AER, Final Decision – SA Power Networks determination 2015-16 to 2019-20, October 2015, Attachment 14 pp.11-12.

¹⁵ AER, Final Decision – SA Power Networks determination 2015-16 to 2019-20, October 2015, Attachment 14 pp.16.

AR _t	is the annual smoothed expected revenue for year t. For the first year of the 2015–20 regulatory control period, this amount will be equal to the smoothed revenue requirement for 2015/16 set out in the Post Tax Revenue Model (PTRM).
I _t	is the final carryover amount from the application of the Demand Management Incentive Scheme (DMIS) from the 2010–15 distribution determination. This amount will be deducted from/added to allowed revenue in the 2018/19 Pricing Proposal.
C _t	is the approved pass through amounts (positive or negative) with respect to regulatory year t, as determined by the AER.
B_t	any under or over recovery of actual revenue collected through DUoS charges as calculated using the method in appendix A. ¹⁶
ΔCPI_t	is the annual percentage change in the Australian Bureau of Statistics (ABS) Consumer Price Index All Groups, Weighted Average of Eight Capital Cities from December in year t–2 to December in year t–1. For example, for the 2018/19 year, t–2 is December 2016 and t–1 is December 2017.
X _t	the smoothing factor determined in accordance with the PTRM as approved in the AER's final decision, and annually revised for the return on debt updated in accordance with the formula specified in the return on debt appendix I calculated for the relevant year.
S _t	is the Service Target Performance Incentive Scheme (STPIS) factor sum of the raw s-factors for all reliability of supply and customer service parameters (as applicable) to be applied in year t. ¹⁷
Table 13 sets o	ut our revenue cap calculation for the 2018/19 regulatory year.
Table 9: Revenue of	cap calculation

Revenue cap calculation	
Annual revenue t-1 \$000	\$ 788,554
Percentage change in CPI (all groups, weighted average, eight capital cities)	1.909%
X factor	-0.739%
S factor	-0.665%
$Ar_t = Ar_{t-1}x (1+CPI) x (1-X x (1+S))$	\$ 804,158

¹⁶ AER, Final Decision – SA Power Networks determination 2015-16 to 2019-20, October 2015, Attachment 14, appendix A.

¹⁷ In the formulas in the STPIS attachment, the AR_{t+1} is equivalent to AR_t in this formula. Calculation of the S factor adjustments are made accordingly.

3.1.4 Tariff class side constraints

SA Power Networks must demonstrate in its Pricing Proposal that proposed DUoS prices for the next year (t) will meet the side constraints formula for each tariff class¹⁸.

Side constraints

$$\frac{(\sum_{i=1}^{n} \sum_{j=1}^{m} d_{t}^{ij} q_{t}^{ij})}{(\sum_{i=1}^{n} \sum_{j=1}^{m} d_{t-1}^{ij} q_{t}^{ij})} \le (1 + \Delta CPI_{t}) \times (1 - X_{t}) \times (1 + 2\%) \times (1 + S_{t}) + I_{t} + B_{t} + C_{t}$$

where each tariff class has up to 'm' components, and where:

d_t^j	is the proposed price for component 'j' of the tariff class for year t.
d_{t-1}^j	is the price charged by SA Power Networks for component 'j' of the tariff class in year t-1.
q_t^j	is the forecast quantity of component 'j' of the tariff class in year t.
ΔCPI_t	is the annual percentage change in the ABS CPI All Groups, Weighted Average of Eight Capital Cities from December in year t-2 to December in year t-1.
X _t	is the smoothing factor determined in accordance with the PTRM as approved in the AER's final decision, and annually revised for the return on debt updated in accordance with the formula specified in the return on debt appendix I calculated for the relevant year. If X>0, then X will be set equal to zero for the purposes of the side constraint formula.
S _t	is the STPIS factor sum of the raw s-factors for all reliability of supply and customer service parameters (as applicable) to be applied in year t. ¹⁹
I,	is the final carryover amount from the application of the DMIS from the 2010–15 distribution determination. This amount will be deducted from/added to allowed revenue in the 2018/19 Pricing Proposal.
B_t	is any under or over recovery of actual revenue collected through DUoS charges as calculated using the method in appendix A. ²⁰
C_t	is the sum of adjustments relating to pass through events.
DUoS _t	is an annual adjustment factor related to the balance of the DUoS unders and overs account with respect to regulatory year t.

Except for CPI and X factors, the percentage for each of the other factors above can be calculated by dividing the incremental revenues (as used in the total annual revenue formula) for each factor by the expected revenues for regulatory year t–1 (based on the prices in year t–1 multiplied by the forecast

¹⁸ AER, Final Decision – SA Power Networks determination 2015-16 to 2019-20, October 2015, Attachment 14 pp.13. ¹⁹ In the formulas in the STPIS attachment, the AR_{t+1} is equivalent to AR_t in this formula. Calculation of the S factor adjustments are made accordingly.

²⁰ AER, Final Decision – SA Power Networks determination 2015-16 to 2019-20, October 2015, Attachment 14, appendix A.

quantities for year t). In this APP, we have determined B_t by reference to the average change in revenue at year t quantities for year t-1 prices and year t prices. This ensures that the side constraint target for each tariff class is 2% higher than the average price change occurring in 2018/19.

Tariff class movement side constraint

Table 14 sets out the maximum increase in distribution charges as determined by the side constraint equation.

Table 10: Side constraint equation

Criterion	2018/19 Value %	
Consumer Price Index	1.909	
X Factor	-0.739	
S Factor	-0.665	
/ Factor	0.000	
<i>B</i> Factor	3.081	
C Factor	0.000	
Side C(1+CPI)x(1-X)x(1+2%)+/+B+C-1	7.100	

Weighted average revenue - Distribution

SA Power Networks is required to demonstrate compliance with the side constraint formula and clause 6.18.2(b)(4) of the Rules. Tables 15 to 18 set out, for each tariff class related to standard control services, the expected weighted average revenue for the relevant regulatory year (2018/19) and for the current regulatory year (2017/18).

Our allowed DUoS revenue rises from \$788.6M (2017/18) to \$804.2M (2018/19). This increase includes CPI of 1.9%, X factor (ie the Regulatory-approved year-on-year revenue adjustment for 2017/18) of -0.7% and the performance incentive scheme outcomes (for 2016/17 performance) of 2.9% (S factor is -0.7% for the year as the incentive payment was higher last year). After allowing for the rebalance of distribution charges due to under-recovery in the last two years, we forecast to recover \$804.2M from customers.

Table 15 below demonstrates that all tariff class increases in 2018/19 are below the 7.1% increase permitted by the side constraint rule.

Side constraint **Tariff class** 2017/18 2018/19 Change in Revenue \$'000 at Revenue \$'000 at weighted average % 18/19 quantities 18/19 quantities revenue % **Major Business** 7.10% 9,653 10,275 6.44% **HV Business** 36,989 39,084 5.66% 7.10% 4.49% Large LV Business 186,849 7.10% 195,232 Small Business 132,444 138,878 4.86% 7.10% Residential 7.10% 399,126 420,766 5.42% Total 765,060 804,235 5.12%

Table 11: DUoS revenue using forecast quantities at 2017/18 and 2018/19 prices

Weighted average revenue - Transmission

TUoS component increases have been calculated with final prices provided by ElectraNet, and broadly applied across all tariff classes and elements to non-major business customers. Major Business locational prices have been determined based on the final locational prices released by ElectraNet on 15 March 2018. The TUoS prices have changes in the balance between service-related and general charges, which has been incorporated into this price update. The Transmission Price Reset for ElectraNet and Murraylink lowered specific-service charges, but discounts to general charges from settlement residue proceeds were reduced.

The TUoS charges for 2018/19 are forecast to increase from \$226.4M (2017/18) to \$239.0M (2018/19). This is an increase of 1.3%. Combining the increase in transmission charges with the estimated under-recovery balance at June 2018 means our 2018/19 TUoS prices will recover \$239.0M. The 2018/19 transmission prices will now be 2.1% higher on average than forecast in our TSS.

Tariff class	2017/18 Revenue \$'000 at 18/19 quantities	2018/19 Revenue \$'000 at 18/19 quantities	Change in weighted average revenue %
Major Business	16,697	16,126	-3.4%
HV Business	15,251	16,448	7.8%
Large LV Business	56,850	60,683	6.7%
Small Business	37,050	39,923	7.8%
Residential	100,539	105,781	5.2%
Total	226,388	238,960	5.6%

 Table 12: TUoS component using forecast quantities at 2017/18 and 2018/19 prices

Weighted average revenue – PV FiT Recovery (JSO)

The revenue collected for the State Government's solar PV FiT as a JSO will be similar in 2017/18 and 2018/19 but lower that in 2016/17 due to the expiry of the '16 cent' scheme²¹ in September 2016.

Payments to customers are forecast to be stable at \$80.5M (2017/18) and \$80.5M (2018/19). Customer prices were reduced by \$24.7M in 2017/18 due to past over-recovery, so prices will increase by \$12.9M in 2018/19. Our 2018/19 JSO prices will recover \$76.5M, with our PV FiT prices increasing on average by 21.4%. The 2018/19 JSO (PV FiT) prices will be 9.2% lower on average than forecast in our TSS as payments under the 44 cent scheme have reduced.

Table 13: JSO component using forecast quantities at 2017/18 and 2018/19 prices

Tariff class	2017/18 Revenue \$'000 at 18/19 quantities	2018/19 Revenue \$'000 at 18/19 quantities	Change in weighted average revenue %
Major Business	662	772	16.7%
HV Business	2,054	2,568	25.0%
Large LV Business	11,274	13,712	21.6%
Small Business	8,714	10,618	21.9%
Residential	40,343	48,879	21.2%
Total	63,047	76,549	21.4%

²¹ More information is available by searching on 'solar feed in' at <u>www.sa.gov.au</u>

Weighted average revenue – Total Network Charges (NUoS)

Summating the three sets of charges shown above equates to the NUoS outcome. Overall, the average NUoS price increases in 2018/19 by 6.3%.

Tariff class	2017/18 Revenue \$'000 at 18/19 quantities	2018/19 Revenue \$'000 at 18/19 quantities	Change in weighted average revenue %
Major Business	26,648	27,798	4.3%
HV Business	56,272	60,195	7.0%
Large LV Business	255,264	269,934	5.7%
Small Business	178,208	189,419	6.3%
Residential	540,007	575,425	6.6%
Total	1,056,400	1,122,771	6.3%

Table 14: NUoS outcomes using forecast quantities at 2017/18 and 2018/19 prices

3.1.5 Compliance with pricing principles

When setting prices for standard control services, clause 6.18.5 (e) – (j) of the Rules requires SA Power Networks to comply with the pricing principles where, for each tariff class, the revenue we expect to recover should lie on or between:

- an upper bound representing the stand alone cost of serving the customers who belong to that class; and
- a lower bound representing the avoidable cost of not serving those customers.

Where a tariff consists of two or more charging parameters, each charging parameter for a tariff class must consider the LRMC for the service or, in the case of a charging parameter, for the element of the service to which the charging parameter relates.

SA Power Networks must also ensure each tariff class has regard to the transaction costs associated with the tariff or each charging parameter and whether customers of the relevant tariff class are able or likely to respond to price signals.

Stand-alone and avoidable costs

The stand-alone and avoidable cost methodologies applied are consistent with those used for the 2010-15 regulatory control period, however the calculations have been updated as part of the LRMC recalculation for our 2017-20 TSS. The stand-alone and avoidable cost methodologies are used to calculate the revenues for each standard control services tariff class. These costs are compared with the weighted average revenue derived from SA Power Networks' proposed tariffs. For detailed information on our stand-alone and avoidable cost methodologies, refer to Appendix C of our 2017-20 TSS Part B.

The revenue expected to be recovered from each of SA Power Networks' tariff classes in 2018/19 is compared with the stand-alone and avoidable costs in Table 19.

Tariff class	Stand-alone cost	Tariff revenue	Avoidable cost
Major business	5.1	10.3	92.8
HV business	4.1	39.1	104.0
Large LV business	35.7	195.2	248.8
Small business	55.1	138.9	314.1
LV residential	260.0	420.8	653.7

 Table 15: Stand-alone and avoidable distribution network costs (\$million)

SA Power Networks' tariff classes lie within the subsidy free range, in that the expected DUoS revenue collected from each tariff class lies between the avoidable and stand-alone costs of supply and therefore complies with clause 6.18.5(e).

Long Run Marginal Costs

The consideration of LRMC applies where price signalling charging parameters (peak period energy and demand related components) form part of a tariff. SA Power Networks aims to ensure that where price signals are varied, they are moved in such a direction as to improve alignment with the LRMC. Charging components that materially over-recover or under-recover the LRMC would not pass on an efficient pricing signal to customers that represents their cost of utilising the network.

Where such price signalling charging parameters of a tariff do not recover sufficient revenue to cover the capital, operating and maintenance costs of the existing assets, the shortfall is recovered through a charging component that minimises distortion of the customers' consumption decisions, such as a fixed daily charge or an energy usage charge.

SA Power Networks applied the average incremental cost (**AIC**) approach to determine the network LRMC for our tariff classes. The methodology has been set out in detail in Part B, Appendix C of our 2017-20 TSS. The TSS set out the compliance of our indicative prices with these pricing principles, with the LRMC pricing signals set at appropriate levels. We have utilised these indicative prices as the basis for the 2018/19 distribution prices with negligible adjustment, which ensures our compliance in this APP with the pricing principles.

3.1.6 Distribution cost recovery

Distribution use of system overs and unders account balance

In accordance with Attachment 14A of the AER's 2015-20 revenue determination, Table 20 provides the forecast 30 June 2018 balance of SA Power Networks' distribution use of system overs and unders account.

T-1-1- 20				
Table 20;	Distribution over	s and unders ad	ccount balance (:	Ş UUU)

Overs and unders account	2016/17 Actual	2017/18 Estimate	2018/19 Forecast
Revenue from distribution cost recovery (A)	729,366	780,200	804,235
Less TAR components for regulatory year =	759,584	788,554	804,158
+ Annual smoothed revenues (ARt)	759,584	788,554	804,158
+ DMIS carryover amount (It)	-	-	-
+ Approved pass-throughs (Ct)	-	-	-
OVERS AND UNDERS ACCOUNT			
Annual rate of interest applicable to balances	6.19%	6.18%	6.13%
Opening balance	36,890	8,034	(79)
Interest on opening balance	2,282	496	(5)
(Under)/over recovery for financial year	(30,218)	(8,354)	77
Interest on (under)/over recovery	(921)	(254)	2
Closing balance	8,034	(79)	(4)

3.2 Transmission charges

SA Power Networks' Pricing Proposal is required under clause 6.18.2(b) of the Rules to set out how the TUoS charges it incurs are passed on to customers.

3.2.1 Transmission cost recovery

The key principles of SA Power Networks' transmission cost recovery (TCR) tariff methodology are:

- The total TUoS allocated to network tariffs aligns with the total estimated transmission charge to be paid by SA Power Networks, adjusted for any overs and unders account balance;
- To the extent possible, given the constraints of metering and tariff structures, transmission charges are allocated to network tariffs in a manner that reflects the cost drivers present in transmission pricing (ElectraNet has amended the price signals in 2018/19 following their Preliminary Reset decision, plus lower discounts from settlement residue proceeds);
- Customers with a demand of 10 MW or consumption in excess of 40 GWh pa have individually calculated tariffs with transmission charges allocated in a manner that preserves the location and time signals of transmission pricing in accordance with the principles in Part J of Chapter 6A of the Rules; and
- Network tariffs for smaller customer classes have transmission charges allocated on an energy basis, as location signals cannot be preserved. Small customers are assumed to have a load factor better suited to using ElectraNet's non-locational energy prices than the capacity-based price. Large business cost-reflective tariffs have costs allocated on a capacity basis, but are then priced partly as demand and partly as energy. This ensures a reasonable outcome across the large business tariff classes that do not receive an individually calculated transmission price. It also ensures a reasonable balance between large and small customers.

3.2.2 Avoided TUoS payments

With respect to avoided TUoS for embedded generators, SA Power Networks calculates the avoided TUoS for all embedded generators that export to its distribution network at the same rates for the locational component which would be applied to a load of similar size at the same connection point. These calculations are prepared on a with/without basis.

This payment of avoided TUoS charges to embedded generators is in accordance with clauses 5.5(h), 5.5(i) and 5.5(j) of the Rules. These avoided TUoS payments to embedded generators would be recouped through the recovery mechanism for the TUoS charges. We have not made any payments to date.

3.2.3 Transmission use of system overs and unders account balance

In accordance with Attachment 14B of the AER's 2015-20 revenue determination, Table 21 provides the forecast 30 June 2018 balance of SA Power Networks' TUoS overs and unders account.

Overs and unders account	2016/17 Actual	2017/18 Estimate	2018/19 Forecast
Revenue from transmission cost recovery	237,043	234,800	238,960
Transmission charges to be paid to TNSP	245,717	239,002	242,054
(settlement residue payments)	245,717	239,002	242,054
Avoided TUoS payments	-	-	-
Inter-DNSP Payment	-	-	-
OVERS AND UNDERS ACCOUNT			
Annual rate of interest applicable to balances	6.19%	6.18%	6.13%
Opening balance	14,950	6,936	3,035
Interest on opening balance	925	428	186
(Under)/over recovery for financial year	(8,674)	(4,202)	(3,094)
Interest on (under)/over recovery	(264)	(128)	(93)
Closing balance	6,936	3,035	34

 Table 16: Transmission overs and unders account balance (\$'000)

3.2.4 Charging parameters for transmission recovery tariffs

SA Power Networks' transmission recovery tariffs are included in the bundled NUoS rates of customer tariffs. The charging parameters associated with transmission cost recovery tariffs are shown in Section 2 in Tables 4 through to Table 8. For customers with a demand greater than 10 MW or consumption in excess of 40 MWh pa the transmission cost recovery tariff is location specific; for all other customers including small customers it is averaged.

Transmission cost recovery amounts are billed at the same frequency as the relevant tariff for standard control services.

3.2.5 Transmission recovery tariffs for 2018/19

SA Power Networks' 2018/19 transmission charges are forecast to increase from an estimated \$239.0M in 2017/18 to \$242.1M in 2018/19. The forecast increase of \$3.1M is a 1.3% increase and is due to a decrease in ElectraNet and MurryLink revenues in 2018/19 from the 2018-23 Reset draft decision, offset by a decline in discounts from lower settlement residues.

SA Power Networks has prepared prices for 2018/19 that recover ElectraNet's charges and return \$3.1M to customers for past over-recoveries. Prices for locational customers are based on the ElectraNet Price List.

All other customers have had prices applied on a State-wide non-locational basis, using the pricing signals provided by ElectraNet, the billing parameters available for that customer segment and the customer demand assumptions for that customer segment.

3.3 Jurisdictional scheme obligations (JSO) for PV-FiT

The solar PV feed-in tariff (PV-FiT) scheme is a SA Government initiative which commenced on 1 July 2008 and is to apply for 20 years. It was reviewed by the SA Government in 2009/10 and amendments to the legislation took effect from 29 July 2011²². The amendments to the legislation introduced two further schemes – one which required application by September 2011 which also applies until June 2028 and a further scheme for subsequent applications which applied until September 2016 and is no longer in effect. Entry to the 2028 scheme is closed. Under the SA Government legislation, SA Power Networks is obliged to make PV-FiT payments to qualifying customers that have solar PV generators, for energy they export to the grid.

The purpose of the JSO is to allow SA Power Networks to recover from all its customers the cost of the SA Government legislated Feed-in Tariff payments that SA Power Networks is required to make to those customers that have qualifying solar PV generators.

Under the JSO arrangements, SA Power Networks is required to provide information on the payments and recoveries of PV FiT in the same manner to that used for transmission (see Section 3.2 for these requirements). The AER has confirmed in its revenue determination (Attachment 14 C) that these requirements continue.

SA Power Networks recovers the JSO as an additional component of its bundled NUoS charges. Since 2016/17 we have applied the tariff class outcome for PV FiT broadly equally across all tariffs and elements within that tariff class.

3.3.1 Jurisdictional Scheme Obligation (JSO) overs and unders account balance

In accordance with the AER's 2015-20 revenue determination Attachment 14 C of the Final Decision, Table 22 provides the forecast 2018/19 balance of SA Power Networks' JSO overs and unders account.

Overs and unders account	2016/17 Actual	2017/18 Estimate	2018/19 Forecast
Revenue from JSO Recovery	88,253	63,600	76,549
PV Incentive Scheme Payments for export PV – 2028 scheme	14,809	14,520	14,520
PV Incentive Scheme Payments for export PV – 2028S scheme	67,755	66,000	66,000
PV Incentive Scheme Payments for export PV – 2016 scheme	6,893	-	-
Total JSO (PV pass through) payments	89,457	80,520	80,520
OVERS AND UNDERS ACCOUNT			
Annual rate of interest applicable to balances	6.19%	6.18%	6.13%
Opening balance	20,017	20,014	3,815
Interest on opening balance	1,238	1,236	234
(Under)/over recovery for financial year	(1,204)	(16,920)	(3,971)
Interest on (under)/over recovery	(37)	(515)	(120)
Closing balance	20,014	3,815	(42)

 Table 17: JSO overs and unders account balance (\$'000)

²² Government of South Australia, Electricity (Feed-In Scheme—Solar Systems) Amendment Act 2008.

3.3.3 JSO recovery tariffs for 2018/19

The JSO will be paid to qualifying generation customers via two types of payments:

- Payments under the original scheme (the '2028' Scheme): This scheme closed to new applicants in August 2010. Payments of \$14.5M are estimated for 2017/18 and the forecast payment for 2018/19 is also \$14.5M;
- Payments under the subsequent scheme (the '2028 Stepped' Scheme): This scheme opened to new applicants when the 2028 scheme closed, and required applications to be approved by September 2011. The number of generators approved under this scheme is much higher than under the 2028 scheme, and the size of the PV generation in each installation is also much higher. As a result, payments under this scheme are significantly higher than the original 2028 scheme, with estimated payments in 2017/18 of \$66.0M and the forecast payment for 2018/19 is also \$66.0M.

Both 2028 schemes have payments set at 44 cents/kWh for qualifying generation until June 2028. Payments under the 2016 scheme ceased from 30 September 2016 and as a result there will be nil payments in 2018/19.

SA Power Networks' JSO (PV-FiT) recovery tariffs are estimated to recover a total of \$63.6M for 2017/18 and the forecast recovery payment for 2018/19 is \$76.5M. The recovery tariffs were lower in 2017/18 as past over-recoveries were returned to customers in those tariffs.

3.4 Pricing for 2018/19 – 2019/20 compared to the TSS

The pricing for 2018/19 and indicative pricing for 2019/20 for each tariff is shown in Tables 23 to 26 below. These tables show where prices/recoveries have varied from the indicative forecast published in our 2017-20 TSS.

Distribution

As shown in Table 23, DUoS prices are forecast to recover an additional \$7.9M (1.0%) in 2018/19 compared to that forecast in our TSS.

Note that the STPIS forecast for 2019/20 is \$23.7M. That incentive/penalty hasn't been determined yet, so it will vary. We have assumed similar outcomes to last year for the purposes of forecast price information as performance has been similar so far. Forecast recovery in 2019/20 is 1% higher than the TSS forecast.

Table 18: DUoS movement compared to the 2017-20 TSS (\$million)

Standard Control (DUoS)	2017/18	2018/19	2019/20
Tariff published in 2017-20 TSS	769.2	796.3	825.2
Cost of debt adjustment	-0.4	-2.5	-2.7
Adjusted	768.8	793.8	822.5
Actual CPI adjustment	-7.7	-12.5	-12.9
STPIS adjustment	27.5	22.9	23.7
Other changes eg recovery	-8.4	0.0	0.0
TOTAL	780.2	804.2	833.3
Change from 2017-20 TSS \$	11.0	7.9	8.1
Change from 2017-20 TSS %	1.4%	1.0%	1.0%

Transmission

As shown in Table 24, TUoS prices are forecast to recover \$239.0M in 2018/19, \$0.8M (-0.4%) below that forecast in our TSS.

 Table 19: TUoS movement compared to the 2017-20 TSS (\$million)

Standard Control (TUoS)	2017/18	2018/19	2019/20
Tariff published in 2017-20 TSS	263.1	239.8	254.1
Actual CPI adjustment	-2.6	-3.8	-4.0
Other changes - ElectraNet	-21.5	6.0	-2.0
Other changes eg recovery	-4.2	-3.1	0.0
TOTAL	234.8	239.0	248.1
Change from 2017-20 TSS \$	-28.3	-0.8	-6.0
Change from 2017-20 TSS %	-10.8%	-0.4%	-2.4%

JSO

As shown in Table 25, JSO prices are forecast to recover \$11.5M (13.0%) less in 2018/19 compared to that forecast in our TSS. Lower payments to qualifying generators is the main cause.

Table 20:	JSO movement compared	d to the 2017-20 TSS	(\$million)
	JJO movement compares		(Junnon)

Standard Control (JSO)	2017/18	2018/19	2019/20
Tariff published in 2017-20 TSS	88.0	88.0	88.0
Other changes – lower payments	-7.5	-7.5	-7.5
Other changes eg recovery	-16.9	-4.0	-0.0
TOTAL	63.6	76.5	80.5
Change from 2017-20 TSS \$	-24.4	-11.5	-7.5
Change from 2017-20 TSS %	-27.7%	-13.0%	-8.5%

NUoS

As shown in Table 26, overall NUoS prices are forecast to recover \$4.4M (0.4%) less in 2018/19 compared to that forecast in our TSS.

Table 21: NUoS movement compared to the 2017-20 TSS (\$million)

Standard Control (NUoS)	2017/18	2018/19	2019/20
Tariff published in 2017-20 TSS	1,120.3	1,124.1	1,167.3
Changes DUoS	11.0	7.9	8.1
Changes TUoS	-28.3	-0.8	-6.0
Changes JSO	-24.4	-11.5	-7.5
TOTAL	1,078.6	1,119.7	1,162.0
Change from 2017-20 TSS \$	-41.7	-4.4	-5.3
Change from 2017-20 TSS %	-3.7%	-0.4%	-0.5%

The actual outcome will depend on various factors as reflected in the 2018/19 adjustments if they occur in 2019/20. For example, a major TUoS price change could occur if settlement residues vary from current levels, or from the Final Decision for AER reset of ElectraNet's transmission revenue recovery affecting 2019/20. We have included a reasonable DUoS service incentive estimate for 2019/20.

3.4.1 Compliance of the 2018/19 APP with the 2017-20 TSS

The AER approved our revised 2017-20 TSS in February 2017. Our approach to setting pricing for our annual direct control services must comply with the approach set out in our TSS. On this basis, our APP has used the TSS's:

- Five tariff classes into which retail customers for direct control services are divided;
- Tariff assignment and reassignment policies and procedures used for retail customers;
- Tariff structures;
- Charging parameters for each tariff; and
- Approach taken in setting each tariff's price.

We have adjusted the TSS indicative prices for 2018/19 by a separate factor for the distribution, transmission and PV FiT recovery components of the network charges. We have set out below any deviation from the assumptions used to develop the TSS indicative prices. These arrangements have enabled a transparent conversion of the TSS indicative prices into those applied in this APP. It also ensures that the APP complies with the distribution pricing principles, as the TSS indicative prices were developed for such compliance.

Distribution


Under the TSS directions, residential prices were to increase slightly more over time than business. In this APP, the proportion of total distribution charges forecast to be recovered from residential increases by 0.1% to 52.3% of total distribution costs. There is still some further rebalancing to residential to occur in future years.

We have priced the residential and actual business demand prices as per the TSS directions. The concerns expressed last year about the level of pricing could be disregarded once actual volumes came through from 2016/17, showing that the TSS pricing was reasonable.

Transmission

All non-locational transmission 2018/19 prices were set at 102.1% of the TSS indicative price. The locational transmission prices were determined separately by reference to the detailed ElectraNet 2018/19 transmission pricing structures and prices for those major business customers using locational prices.

The increase in General TUoS charges this year (because of the reduction in discounts from settlements residue proceeds) can be seen in the chart below. That is why we have tweaked some TUoS prices this year.



JSO (PV-FiT)

All JSO 2018/19 prices were set at 90.8% of the TSS indicative price.

In the 2018/19 APP, we have retained the simplification adopted in last year's APP whereby the JSO price is constant across all tariffs in a tariff class.

3.4.2 Changes to tariff charging components compared to the TSS

Within the framework of SA Power Networks' longer-term tariff strategy, this section sets out our pricing schedule for tariff charging components of standard control services for:

- the actual 2017/18 prices;
- the indicative pricing schedule for 2018/19 as forecast in the TSS;
- this APP's proposed pricing schedule for 2018/19; and
- this APP's indicative pricing schedule for 2019/20.

It should be noted that the information in this section relates to SA Power Networks' standard control services and pass-throughs (if relevant). These NUOS charges to customers are bundled charges that contain:

- SA Power Networks' standard control services (DUoS);
- Transmission cost recovery components (TUoS); and
- JSO (PV-FiT) cost recovery components.

The charges bundled to customers can also include alternative control services charges for metering (not included in the tables below). These charges are explicitly set out separately in our tariff list, but are not part of the standard control services network charges (NUoS) to customers. Metering is discussed separately in Appendix B.

Tariff	Component	2017/18 Actual	2018/19 TSS	2018/19 APP	2019/20 APP F'cast
Residential single rate	(RSR)				
Supply Rate	\$/day	0.380	0.398	0.401	0.420
Usage Block 1	\$/kWh	0.116	0.128	0.128	0.138
Usage Block 2	\$/kWh	0.141	0.138	0.140	0.138
Controlled Load	\$/kWh	0.061	0.066	0.067	0.069
Residential monthly ac	tual kW demand (M	RD)			
Supply Rate	\$/day	0.380	0.398	0.401	0.420
Usage	\$/kWh	0.046	0.051	0.051	0.053
Controlled Load	\$/kWh	0.061	0.066	0.067	0.069
Peak Actual kW	\$/kW/day	0.375	0.389	0.385	0.415
Shoulder Actual kW	\$/kW/day	0.185	0.192	0.190	0.205
Off-Peak Actual kW	\$/kW/day	-	-	-	-

Table 22: SA Power Networks' indicative residential tariff rates for NUoS charges

Tariff	Component	2017/18	2018/19	2018/19	2019/20
Tarili	component	Actual	TSS	APP	APP F'cast
Small business 2-rate (B	32R)				
Supply Rate	\$/day	0.375	0.398	0.401	0.420
Peak Usage	\$/kWh	0.150	0.152	0.159	0.162
Off-Peak Usage	\$/kWh	0.078	0.080	0.083	0.084
Controlled Load	\$/kWh	0.058	0.062	0.063	0.065
Small business monthly	/ actual kVA demand	l (SBD)			
Supply Rate	\$/day	0.375	0.398	0.401	0.420
Usage	\$/kWh	0.052	0.054	0.057	0.057
Peak Actual kVA	\$/kVA/day	0.413	0.363	0.362	0.387
Shoulder Actual kVA	\$/kVA/day	0.205	0.180	0.180	0.192
Off-Peak Actual kVA	\$/kVA/day	-	-	-	-
Small business monthly	y actual kVA demand	d transition (SBDT)			
Supply Rate	\$/day	0.375	0.398	0.401	0.420
Peak Usage	\$/kWh	0.097	0.103	0.109	0.109
Off-Peak Usage	\$/kWh	0.064	0.067	0.070	0.070
Peak Actual kVA	\$/kVA/day	0.222	0.181	0.181	0.193
Shoulder Actual kVA	\$/kVA/day	0.110	0.090	0.090	0.096
Off-Peak Actual kVA	\$/kVA/day	-	-	-	-
Unmetered 24 hour and (LVUU and LVUU24)	d 12 hour (streetligh	ts)			
Usage	\$/kWh	0.060	0.061	0.068	0.064
Small business single-ra	ate (obsolete July 20	10) (BSR)			
Supply Rate	\$/day	0.375	0.398	0.401	0.420
Usage	\$/kWh	0.133	0.136	0.142	0.144
Controlled Load	\$/kWh	0.058	0.062	0.063	0.065

Tariff	Component	2017/18 Actual	2018/19 TSS	2018/19 APP	2019/20 APP F'cast
Large business annual a	agreed kVA demand	(LV)			
Supply Rate	\$/day	10.275	10.276	10.881	10.968
Usage	\$/kWh	0.038	0.040	0.042	0.042
Agreed kVA Block 1	\$/kVA/day	0.274	0.276	0.286	0.295
Agreed kVA Block 2	\$/kVA/day	0.221	0.223	0.230	0.238
Additional kVA	\$/kVA/day	0.110	0.110	0.116	0.117
Large business monthly	vactual kVA demand	l (BD)			
Supply Rate	\$/day	0.346	0.358	0.365	0.382
Usage	\$/kWh	0.050	0.051	0.054	0.054
Peak Actual kVA	\$/kVA/day	0.413	0.363	0.362	0.387
Shoulder Actual kVA	\$/kVA/day	0.205	0.180	0.180	0.192
Off-Peak Actual kVA	\$/kVA/day	-	-	-	-
Large business monthly (obs. July 2016) (BDT)	vactual kVA demand	l transition			
Supply Rate	\$/day	0.346	0.358	0.365	0.382
Peak Usage	\$/kWh	0.082	0.069	0.073	0.054
Off-Peak Usage	\$/kWh	0.058	0.056	0.060	0.054
Peak Actual kVA	\$/kVA/day	0.275	0.302	0.302	0.387
Shoulder Actual kVA	\$/kVA/day	0.137	0.150	0.150	0.192
Off-Peak Actual kVA	\$/kVA/day	-	-	-	-

Table 24: SA Power Networks' indicative large low voltage business tariff rates for NUoS charges

Table 30: SA Power Networks' indicative high voltage business tariff rates for NUoS charges

Tariff	Component	2017/18 Actual	2018/19 TSS	2018/19 APP	2019/20 APP F'cast
HV business annual ag	reed kVA demand (H	IV)			
Supply Rate	\$/day	70.377	70.387	74.526	75.120
Usage	\$/kWh	0.026	0.027	0.029	0.029
Agreed Peak kVA	\$/kVA/day	0.217	0.220	0.226	0.234
Additional kVA	\$/kVA/day	0.132	0.132	0.139	0.140

Toriff	Commonart	2017/18	2018/19	2018/19	2019/20
Tariff	Component	Actual	TSS	APP	APP F'cast
Zone substation annu (ZSN)	al agreed kVA deman	d (non-locational)			
Supply Rate	\$/day	-	-	-	-
Usage	\$/kWh	0.015	0.015	0.016	0.016
Agreed Peak kVA	\$/kVA/day	0.164	0.167	0.169	0.177
Additional kVA	\$/kVA/day	0.102	0.102	0.108	0.108
Sub transmission ann (non-locational) (STN)	•	nd			
Supply Rate	\$/day	-	-	-	-
Usage	\$/kWh	0.011	0.012	0.013	0.012
Agreed Peak kVA	\$/kVA/day	0.086	0.088	0.086	0.094
Additional kVA	\$/kVA/day	0.038	0.023	0.039	0.041

 Table 25: SA Power Networks' indicative major business tariff rates for NUoS charges

4 Alternative control services charges

In its 2015-20 revenue determination, the AER determined that a price cap applies for Alternative Control Services (ie regulated metering services). Attachment 16 to the revenue determination sets out all the pricing arrangements and the final prices that will apply. Part A of Attachment 16 sets out the annual metering charges (AER Table 16.11) and the upfront capital charges (AER Table 16.14, with annual X-factors set out in AER Table 16.15), as set out in Table 32 and 33 below.

The annual metering charges contain a capital and a non-capital charge, with different prices applying to the three categories of alternative control services metering, ie whole current (WC), current transformer (CT) and Exceptional meters.

There are four different combinations of metering fees possible:

- Existing customers using SA Power Networks' meters. These customers continue to pay the capital and non-capital charges;
- Where an existing customer at June 2015 has the meter replaced by an alternate meter provider eg a type 4 meter, the customer will continue to pay the Capital-related charge, but will cease paying the non-capital related charge. This will apply to all metering upgrades and replacements undertaken by retailers under metering contestability arrangements post December 2017;
- Where an existing customer at June 2015 was not using an SA Power Networks meter but that of an alternate meter provider, eg a type 4 meter, the customer is not liable for any annual metering charges to SA Power Networks; and
- From December 2017 (metering contestability commencement), where a new customer connects to the network the retailer will arrange metering. There will not be any SA Power Networks metering charges applicable. Where new customers have elected to be connected and use an SA Power networks meter (typically new connections from July 2015 to November 2017), the customer will have incurred an upfront capital charge and will continue to incur the annual non-capital charge.

Under the AER's Final Decision in 2015, these charges continue to June 2020. The AER's 2020-25 Reset will determine the pricing arrangements that will apply from July 2020.

Our alternative control services annual metering charges for the 2018/19 regulatory year and the forecast charges for 2019/20 are set out in Table 32. Our alternative control services upfront capital metering charges for the 2018/19 regulatory year and the forecast charges for 2019/20 are set out in Table 33.

4.1 Annual metering charges

Metering Charges Starti CPI Escalation and X-Fac	•	2015/16	2016/17	2017/18	2018/19	2019/20
Annual Non-Capital x-fac	ctor (table 16.12)	-	-34.81%	5.00%	5.00%	5.00%
Annual Capital x-factor (table 16.12)	-	-20.47%	-15.00%	-15.00%	-15.00%
Annual metering charge	es starting prices (tal	ole 16.11)				
Type 1-4 Exceptional	non-capital	135.07				
	capital	176.18	-			
Type 5-6 CT	non-capital	73.52	-			
	capital	95.90	-			
Type 5-6 WC	non-capital	8.98	-			
	capital	11.71	-			

Table 26: AER nominated metering charges starting prices, CPI escalations and X-Factors

Table 27: SA Power Networks annual metering charge (\$nominal)

Price ^t = Price ^{t-1} x (CPI ^t /CPI ^{t-1}) x (1	- X ^t)	2015/16 \$pa	2016/17 \$pa	2017/18 \$pa	2018/19 \$pa	2019/20 F'cast \$pa	2018/19 \$/day
Type 1-4 'Exceptional' remotely read interval	Non-capital	135.07	185.16	178.50	172.81	168.28	0.4735
meter	Capital	176.18	215.83	251.87	295.18	347.94	0.8087
	Non-capital and capital	311.25	400.99	430.37	467.99	516.21	1.2822
Type 5-6 CT connected manually read meter	Non-capital	73.52	100.79	97.16	94.06	91.59	0.2577
manually read meter	Capital	95.90	117.48	137.10	160.67	189.39	0.4402
	Non-capital and capital	169.42	218.27	234.26	254.74	280.99	0.6979
Type 5-6 WC manually read meter	Non-capital	8.98	12.31	11.87	11.49	11.19	0.0315
	Capital	11.71	14.35	16.74	19.62	23.13	0.0538
	Non-capital and capital	20.69	26.66	28.61	31.11	34.31	0.0852

Note that the upfront capital charges for metering services (table 35 below) are redundant post the commencement of metering contestability in December 2017, as SA Power Networks can no longer supply meters to new customers. This is now a retailer responsibility through their metering co-ordinators.

	2015/16	2016/17	2017/18	2018/19	2019/20
Upfront capital starting price and x-factor	Table	Table	Table	Table	Table
	16.14	16.15	16.15	16.15	16.15
Type 5 single element	163.92	-17.43%	-0.60%	-0.75%	-0.87%
Type 5 two element	235.02	-17.65%	-0.60%	-0.75%	-0.87%
Type 5 three phase	404.13	-17.39%	-0.60%	-0.75%	-0.87%
Type 6 single element	102.00	-7.64%	-0.60%	-0.75%	-0.87%
Type 6 two element	259.44	-6.57%	-0.60%	-0.75%	-0.87%
Type 6 three phase	304.19	-7.27%	-0.60%	-0.75%	-0.87%
	Actual	Actual	Actual	Forecast	Forecast
CPI index	106.6	108.4	110.0	112.1	114.9

Table 29: SA Power Networks upfront metering charge (\$nominal)²³

	2015/16 \$	2016/17 \$	2017/18 \$	2018/19 \$	2019/20 F'cast \$
Type 5 single element	163.92	195.74	199.82	NA	NA
Type 5 two element	235.02	281.17	287.03	NA	NA
Type 5 three phase	404.13	482.42	492.48	NA	NA
Type 6 single element	102.00	111.65	113.97	NA	NA
Type 6 two element	259.44	281.15	287.02	NA	NA
Type 6 three phase	304.19	331.81	338.73	NA	NA

²³ Table 35 no longer applies to distribution pricing as all new metering is undertaken through retailers and not through SA Power Networks.

Appendix A: Standard control services tariff schedules

This appendix includes the standard control services and negotiated services tariff schedules for 2018/19 and indicative tariff schedules for 2019/20.

Table 30: NUoS tariff schedule 2018/19

	SA Power Networks' Tariffs 2018/19	Supply		Ene	gy based	usage			Annual a	greed kVA	demand		Monthly	actual kVA	demand	Monthly	actual kW	demand
	Final Network Prices Schedule NUoS comprises DUoS, PV FiT and TUOS excludes GST, Metering Tariff Class and Tariffs	Supply Rate \$/day	Usage Block 1 \$/kWh	Usage Block 2 \$/kWh	Usage Peak \$/kWh	Usage Peal \$/kW		ntrolled Load \$/kWh	Block 1 \$/kVA/day Annual	Block 2 \$/kVA/day Annual		Additional \$/kVA/day Annual		Year Shoulder \$/kVA/day 12 months				Year Off-Peak \$/kW/day 12 months
RSR MRD	I Tariff Class Residential Residential Monthly Actual kW Demand	\$ 0.4006 \$ 0.4006	\$ 0.1275 \$ 0.0507	\$ 0.1404				0.0668 0.0668								\$ 0.3847	\$ 0.1900	\$-
LVUU LVUU24 BSR B2R SBD SBDT SLV BSRN B2RN	ness Tarlif Class (<160 MWh) Umnetend 24 hour (streetlights) Umnetend 24 hour (streetlights) Business Single-Rate (dsolete July 2010) Business Worthly Actual VA Demand Tansilion Business Morthly Actual VA Demand (dosolete July 2016) Business Morthly Actual VA Demand (dosolete July 2016) Business Two-Rate (negotiated service) Business Two-Rate (negotiated service)	\$ 0.4009 \$ 0.4009 \$ 0.4009 \$ 10.9166	\$ 0.0684 \$ 0.0684 \$ 0.1423 \$ 0.0566 \$ 0.0442 \$ 0.1423		\$ 0.159 \$ 0.108 \$ 0.159	5 \$ 0.0	831 \$ 703	0.0632 0.0632	\$ 0.2856			\$ 0.1162		\$ 0.1797 \$ 0.0899				
LBSR LB2R BD LV LVSG LVB LVN LVN	ness LV Tariff Class (LV and >160 MWh) Business Singk-Rate Transition Business Two-Rate Transition Business Monthly Actual KVA Demand Tans. (obs. July 2016) Business Monthly Actual KVA Demand Sportsgrounds Annual Agreed KVA Demand Sportsgrounds Annual Agreed KVA Demand Business Annual Agreed KVA Demand (back-up) Business Annual Agreed KVA Demand (back-up)	\$ 0.3650 \$ 0.3650 \$ 0.3650 \$ 10.8807 \$ 10.8807 \$ 10.8807 \$ 10.8807	\$ 0.1671 \$ 0.0544 \$ 0.0420 \$ 0.0420 \$ 0.0420 \$ 0.0420 \$ - \$ 0.0420		\$ 0.187 \$ 0.072		961 \$		\$ 0.2856 \$ 0.1162 \$ 0.2856	\$ 0.2297 \$ 0.2297 \$ 0.1162 \$ 0.2297 \$ 0.1746	\$ 0.1291	\$ 0.1162 \$ 0.1162 \$ 0.1162 \$ 0.1162	\$ 0.3016	\$ 0.1797 \$ 0.1497				
B2R124H HBD HV400 HV HV400N HVB HVN HVS658 HVTR	ge Business Tariff Class High Votlage Business Two-Rafe (obsolete July 2015) Business Monthly Actual kVA Demand + 400 kVA HV Business Annual Agreed kVA Demand < 400 kVA HV Business HV Demand < 400 kVA (negotiated Business HV Demand kVA (negotiated service) Business HV Demand kVA (negotiated service) Business HV Demand kVA (negotiated service) Business HV Demand kVA (negotiated service) Busines HV Demand kVA (negotiated service)	\$ 10.8807 \$ 74.5256 \$ 10.8807 \$ - \$ - \$ - \$ - \$ -	\$ 0.0529 \$ 0.0416 \$ 0.0292 \$ 0.0416 \$ 0.0292 \$ - \$ - \$ - \$ 0.0292		\$ 0.186	3 \$ 0.0	946		\$ 0.2856 \$ 0.2256 \$ 0.2856 \$ 0.1393 \$ 0.2256 \$ 0.1637 \$ 0.1327		\$ 0.1548	\$ 0.1162 \$ 0.1393 \$ 0.1162 \$ 0.1393 \$ 0.1393 \$ 0.1393	\$ 0.3619	\$ 0.1797	\$-			
Major Busi ZSN ZSNB ZSNTR STN STNB STNTR	nes Tariff Class Zone Substation Annual Agreed kVA Demand (non-locational) Zone Substation KVA Tital Zone Substation KVA Tital Sub Transmission Annual Agreed kVA Demand (non-locational) Subtransmission kVA Tital Zone Substation Annual Agreed kVA Demand (locational)	s - s - s - s - s - s -	\$ 0.0164 \$ 0.0164 \$ 0.0164 \$ 0.0127 \$ 0.0127 \$ 0.0127						\$ 0.1694 \$ 0.1075 \$ 0.0952 \$ 0.0863 \$ 0.0244 \$ 0.0732		\$ 0.1194 \$ 0.0430	\$ 0.1075 \$ 0.1075 \$ 0.0387 \$ 0.0244						
ZSN021 ZSN022 ZSN024 ZSN026 ZSN035 ZSN131 ZSN228 ZSN438 ZSN608	25N021 25N022 25N024 25N026 (closed) 25N035 25N131 25N228 25N438 25N036	\$ - \$ 189.00 \$ - \$ 155.00 \$ - \$ 92.00 \$ 76.00	\$ 0.0056 \$ 0.0056 \$ 0.0056 \$ - \$ 0.0056 \$ 0.0056 \$ 0.0056 \$ 0.0056 \$ 0.0056 \$ 0.0056						\$ 0.2860 \$ 0.1075 \$ 0.2515 \$ - \$ 0.2887 \$ 0.1075 \$ 0.2656 \$ 0.2522 \$ 0.2522			\$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075						
ZSNB230 STN018 STN084 STN161 STN162 STN378 STN557 STN609 STN788 STN788 STN840 STN8164	ZSNB230 (back-up) Sub Transnission Annual Agreed KVA Demand (locational) VSTN018 VSTN018 VSTN161 VSTN162 VSTN162 VSTN62 VSTN57 VSTN57 VSTN58 VSTN58 VSTN58 VSTN58 VSTN58	\$ 994.00 \$ 510.00 \$ 115.00 \$ 410.00 \$ 212.00 \$ 2,333.00 \$ 274.00	\$ 0.0056 \$ 0.0019 \$ 0.0171 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019 \$ 0.0019						\$ 0.1075 \$ 0.2016 \$ 0.2125 \$ 0.0602 \$ 0.1691 \$ 0.2125 \$ 0.2404 \$ 0.2444 \$ 0.0244 \$ 0.0602 \$ 0.0602 \$ 0.0244			\$ 0.1075 \$ 0.0244 \$ 0.0244						
STNB796 ZSS025 ZSS296 ZSS766 ZSS951 STR148 STR610 STR749	VSTN8786 (back-up) Zone Substation non-Locational ZSS025 ZSS286 ZSS766 ZSS051 Sub Transmission non-Locational STR148 STR10 STR10 STR749		\$ 0.0019 \$ 0.0164 \$ 0.0164 \$ 0.0164 \$ 0.0164 \$ 0.0164 \$ 0.0127 \$ 0.0127						\$ 0.0244 \$ 0.1694 \$ 0.1694 \$ 0.1694 \$ 0.1694 \$ 0.1694 \$ 0.0863 \$ 0.0863 \$ 0.0863			\$ 0.0244 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.0387 \$ 0.0387 \$ 0.0387						

Table 31: NUoS tariff schedule 2019/20

	SA Power Networks' Tariffs 2019/20	Supply	1		Ene	rav ba	ised us	ade			Annual a	greed kVA	demand	Month	ly actual kV	A demand	Monthly	actual kW	demand
	Indicative Network Prices Schedule	Supply	u	Isage	Usage		age	Usage Off-	Cor	trolled	, and a	grood RFA	aomana	Summer		Year	Summer	Winter	Year
	excludes GST, Metering Tariff Class and Tariffs	Rate \$/day	BI	lock 1 /kWh	Block 2 \$/kWh	Pe	eak kWh	Peak \$/kWh	L	oad kWh	Block 1 \$/kVA/day Annual	Block 2 \$/kVA/day Annual		Peak \$/kVA/da	Shoulder y \$/kVA/da	Off-Peak y \$/kVA/day	Peak \$/kW/day 5 months	Shoulder \$/kW/day	Off-Peak
Residentia	I Tariff Class					-			-		Annual	Annuai	Annual	5 months	s 12 month	s 12 months	5 months	7 months	12 months
RSR MRD	Residential Residential Monthly Actual kW Demand	\$ 0.420 \$ 0.420	\$ \$	0.138 0.053	\$ 0.138				\$ \$	0.069 0.069							\$ 0.415	\$ 0.205	s -
LVUU LVUU24 BSR B2R SBD SBDT SLV BSRN B2RN	Business Single-Rate (negotiated service) Business Two-Rate (negotiated service)	\$ - \$ 0.420 \$ 0.420 \$ 0.420 \$ 0.420 \$ 0.420 \$ 11.005 \$ 0.420 \$ 0.420	~~~	0.064 0.064 0.144 0.057 0.044 0.137		\$	0.162 0.109 0.162	\$ 0.070	\$	0.065	\$ 0.295	\$ 0.238	\$ 0.11	\$ 0.38 \$ 0.19					
LBSR LB2R BD LV LV LVSG LVB LVN	ness LV Tariff Class (LV and >160 MWh) Business Single-Rate Transition Business Two-Rate Transition Business Monthly Actual kVA Demand Trans. (obs. July 2016) Business Annual Agreed kVA Demand Trans. (obs. July 2016) Business Annual Agreed kVA Demand Business Annual Agreed kVA Demand (back-up) Business Annual Agreed kVA Demand (negotiated service)	\$ 0.382 \$ 0.382 \$ 0.382 \$ 0.382 \$ 10.968 \$ 10.968 \$ 10.968 \$ 10.968	\$\$ \$\$ \$\$ \$\$ \$\$ \$\$	0.170 0.054 0.042 0.042 0.042 0.042 0.037			0.190 0.054	\$ 0.098 \$ 0.054	\$	0.063 0.063	\$ 0.295 \$ 0.295 \$ 0.117 \$ 0.295	\$ 0.238 \$ 0.117	\$ 0.11 \$ 0.11	r •					
B2R124H HBD HV400 HV HV400N HVB HVN HVS658	ge Business Tarliff Class High Voltage Business Two-Rate (obsolete July 2015) Business Monthly Actual kVA Demand 400 kVA HV Business Annual Agreed kVA Demand 400 kVA HV Business Arbumand + 400 kVA (negotiated service) Business HV Demand kVA (back-up) Business HV Demand kVA (back-up) Business HV Demand kVA (negotiated service) Business HV Demand kVA (negotiated service)	\$ 0.382 \$ 0.382 \$ 10.968 \$ 75.120 \$ 10.968 \$ - \$ - \$ - \$ -	~~~~	0.053 0.040 0.029 0.040 0.029 0.026 0.015		S	0.189	\$ 0.096	\$	0.058	\$ 0.295 \$ 0.234 \$ 0.295 \$ 0.140 \$ 0.234 \$ 0.165		\$ 0.11 \$ 0.14 \$ 0.11 \$ 0.14 \$ 0.14 \$ 0.14		7 \$ 0.19:	2\$-			
Major Busi ZSN ZSNB STN STNB	ness Tarlff Class Zone Substation Annual Agreed kVA Demand (non-locational) Zone Substation kVA (back-up) Sub Transmission Annual Agreed kVA Demand (non-locational) Subtransmission kVA (back-up)	s - s - s - s -	\$\$\$\$	0.016 0.016 0.012 0.012							\$ 0.177 \$ 0.108 \$ 0.094 \$ 0.025		\$ 0.10 \$ 0.10 \$ 0.02 \$ 0.02	5					
ZSN021 ZSN022 ZSN024 ZSN035 ZSN131 ZSN28 ZSN438 ZSN608 ZSN608 ZSNB230	Zone Substation Annual Agreed kVA Demand (locational) ZSN021 ZSN022 ZSN024 ZSN026 (closed) ZSN025 ZSN131 ZSN283 ZSN038 ZSN038 ZSN038 ZSN038	\$ 408.01 \$ - \$ 193.75 \$ - \$ 158.90 \$ - \$ 94.31 \$ 77.91 \$ 77.91 \$ 143.56 \$ -	• • • • • • • • • •	0.0057 0.0057 0.0057 0.0057 0.0057 0.0057 0.0057 0.0057 0.0057							\$ 0.2914 \$ 0.1084 \$ 0.2560 \$ - \$ 0.2941 \$ 0.1084 \$ 0.2705 \$ 0.2567 \$ 0.2567 \$ 0.2567 \$ 0.2567		\$ 0.108 \$ 0.108 \$ 0.108 \$ - \$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108						
STN018 STN084 STN161 STN162 STN378 STN857 STN609 STN788 STN840 STN840 STN8164 STNB164	Sub Transmission Annual Agreed kVA Demand (locational) VSTN084 VSTN084 VSTN161 VSTN162 VSTN575 VSTN575 VSTN576 VSTN576 VSTN578 VSTN578 VSTN5780 VSTN5786 VSTN5786 VSTN5765 (back-up)	\$ 589.45 \$ 1,018.99 \$ 522.82 \$ 117.89 \$ 420.31 \$ 217.33 \$ 2,391.65 \$ 280.89 \$ 88.16 \$ - \$ -	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	0.0019 0.0175 0.0019 0.0019 0.0019 0.0019 0.0175 0.0019 0.0175 0.0019 0.0019 0.0032							\$ 0.2062 \$ 0.2174 \$ 0.0612 \$ 0.1729 \$ 0.2174 \$ 0.2460 \$ 0.0245 \$ 0.1671 \$ 0.0612 \$ 0.0245 \$ 0.0245 \$ 0.0245		\$ 0.024 \$ 0.024	5					
ZSS025 ZSS296 ZSS766 ZSS951	Zone Substation non-Locational ZSS025 ZSS296 ZSS766 ZSS951 Sub Transmission non-Locational	\$ - \$ 904.36 \$ - \$ 295.45	\$ \$	0.0159 0.0159 0.0159 0.0159 0.0159							\$ 0.1774 \$ 0.1774 \$ 0.1774 \$ 0.1774		\$ 0.108 \$ 0.108 \$ 0.108 \$ 0.108	1					
STR148 STR610 STR749	STR148 STR610 STR749	\$ - \$ 1,191.41 \$ 428.29	\$	0.0122 0.0122 0.0122							\$ 0.0936 \$ 0.0936 \$ 0.0936		\$ 0.024 \$ 0.024 \$ 0.024	5					

Table 32: DUoS tariff schedule 2018/19

	SA Power Networks' Tariffs 2018/19	Supply		Ene	gy based u	sage		Annual ag	reed kVA	demand		Monthly	actual kVA	demand	Monthly	actual kW	demand
	Final Distribution Prices Schedule DUoS comprises DUoS only excludes GST, Metering Tariif Class and Tariffs	Supply Rate \$/day	Usage Block 1 \$/kWh	Usage Block 2 \$/kWh	Usage Peak \$/kWh	Usage Off- Peak \$/kWh	Controlled Load \$/kWh	\$/kVA/day \$	Block 2 \$/kVA/day Annual		Additional \$/kVA/day Annual		Year Shoulder \$/kVA/day 12 months		Summer Peak \$/kW/day 5 months		Year Off-Peak \$/kW/day 12 months
Residential RSR MRD	Tariff Class Residential Residential Monthly Actual kW Demand	\$ 0.3650 \$ 0.3650	\$ 0.0870 \$ 0.0260	\$ 0.0999			\$ 0.0411 \$ 0.0411								\$ 0.2971	\$ 0.1467	s -
LVUU LVUU24 BSR B2R SBD SBDT SLV BSRN B2RN	tess Tartif Class (<160 MWh) Ummeterd 24 hour (streetlights) Ummeterd 24 hour Business Single-Rate (bcsoted July 2010) Business Two-Rate Business Monthly Actual kVA Demand Tamsilion Business Monthly Actual kVA Demand (obsolete July 2016) Business Single-Rate (negotiated service) Business Two-Rate (negotiated service)	\$ 0.3650 \$ 0.3650 \$ 0.3650 \$ 0.3650 \$ 0.3650 \$ 10.8807	\$ 0.0432 \$ 0.0432 \$ 0.1033 \$ 0.0360 \$ 0.0267			\$ 0.0582 \$ 0.0471	\$ 0.0411 \$ 0.0411	\$ 0.2237			\$ 0.1162		\$ 0.1400 \$ 0.0700				
LBSR LB2R BD LV LVSG LVB LVN LVN	Business Annual Agreed kVA Demand Sportsgrounds Annual Agreed kVA Demand Business Annual Agreed kVA Demand (back-up) Business Annual Agreed kVA Demand (negotiated service) Bus LV Agreed Demand Trial kVA	\$ 0.3650 \$ 0.3650 \$ 0.3650 \$ 0.3650 \$ 10.8807 \$ 10.8807 \$ 10.8807	\$ 0.1239 \$ 0.0360 \$ 0.0267 \$ 0.0267 \$ 0.0267			\$ 0.0698 \$ 0.0397	\$ 0.0411 \$ 0.0411	\$ 0.2237 \$ \$ 0.2237 \$ \$ 0.1654 \$	\$ 0.1678	\$ 0.1291	\$ 0.1162 \$ 0.1162	\$ 0.2349	\$ 0.1400 \$ 0.1166				
B2R124H HBD HV400 HV	e Business Tariff Class High Voltage Business Two-Rate (obsolete July 2015) Business Month) Actual KVA Demand HV Business Annual Agreed KVA Demand 400 KVA Business Annual Agreed KVA Demand Business HV Demand KVA (negotiated service) Business HV Demand KVA (negotiated service) Business HV Demand KVA (negotiated service) Business HV Demand KVA (negotiated service)	\$ 0.3650 \$ 0.3650 \$ 10.8807 \$ 74.5256	\$ 0.0360 \$ 0.0267 \$ 0.0154		\$ 0.1397	\$ 0.0698		\$ 0.2237 \$ 0.1637			\$ 0.1162 \$ 0.1393	\$ 0.2819	\$ 0.1400	\$-			
HV S658 HVTR	Bus HV Agreed Demand KVA (negotiated service)	\$ 74.5256	\$ 0.0154					\$ 0.0375		\$ 0.1548							
Major Busin	ness Tariff Class																
ZSN ZSNB ZSNTR STN STNB STNTR	Zone Substation Annual Agreed kVA Demand (non-locational) Zone Substation kVA (back-up) Zone Substation kVA Trial Sub Transmission Annual Agreed kVA Demand (non-locational) Sub Transmission Annual Agreed kVA Demand (non-locational) Subtransmission kVA Trial	s - s - s -	\$ 0.0049 \$ 0.0049 \$ 0.0012 \$ 0.0012					\$ 0.1075 \$ - \$ 0.0244 \$ -		\$ 0.1194 \$ 0.0271	\$ 0.1075 \$ 0.0244						
ZSN021 ZSN022 ZSN024	Zone Substation Annual Agreed kVA Demand (locational) ZSN021 ZSN022 ZSN024	\$ - \$ - \$ -	\$ 0.0049 \$ 0.0049 \$ 0.0049 \$ 0.0049					\$ 0.1075 \$ 0.1075 \$ 0.1075		0.0271	\$ 0.1075 \$ 0.1075 \$ 0.1075						
ZSN026 ZSN035 ZSN131 ZSN228 ZSN438 ZSN608	ZSN026 ZSN035 ZSN131 ZSN228 ZSN438 ZSN408	\$ - \$ - \$ - \$ - \$ - \$ 81.16	\$ 0.0049 \$ 0.0049 \$ 0.0049 \$ 0.0049 \$ 0.0049 \$ 0.0049					\$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075			\$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075						
ZSNB230 STN018 STN084 STN161 STN162 STN378	ZSNB230 (back-up) Sub Transmission Annual Agreed kVA Demand (locational) VSTN018 VSTN084 VSTN161 VSTN162 VSTN378	s - s - s - s -	\$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0012					\$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244			\$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244						
STN575 STN557 STN609 STN788 STN840 STN8164 STNB796	V 3114375 V 3114557 V 3114657 V 311788 V 311788 V 311464 V 311464 (back-up) V 31148796 (back-up)	s - s - s - s -	\$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0012					\$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244			\$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244 \$ 0.0244						
ZSS025 ZSS296 ZSS766 ZSS951	Zone Substation non-Locational ZSS025 ZSS296 ZSS766 ZSS951 Sub Transmission non-Locational	\$ - \$ 872.79 \$ - \$ 285.14	\$ 0.0049 \$ 0.0049 \$ 0.0049 \$ 0.0049 \$ 0.0049					\$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075			\$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075 \$ 0.1075						
STR148 STR610 STR749	STR189 STR180 STR190 STR749	\$ - \$ 1,149.83 \$ 413.35	\$ 0.0012 \$ 0.0012 \$ 0.0012					\$ 0.0244 \$ 0.0244 \$ 0.0244			\$ 0.0244 \$ 0.0244 \$ 0.0244						

Table 33: DUoS tariff schedule 2019/20

Residential RSR MRD Small Busine LVUU LVUU24 BSR BSR BSR BSRN BSRN Large Busine LB2R BDR BDT BDT	Residential Residential Monthly Actual kW Demand ass Tariff Class (<160 MWh) Jimmeterd 12 hour (streetlights) Jimmeterd 24 hour Jusiness Single-Rate (obsolete July 2010) Jusiness Two-Rate Jusiness Monthly Actual kVA Demand Transition Jusiness Monthly Actual kVA Demand (obsolete July 2016) Jusiness Single-Rate (negotiated service) assiness Two-Rate Transition Jusiness Single-Rate Transition Jusiness Single-Rate Transition Jusiness Single-Rate Transition Jusiness Monthly Actual kVA Demand Trans. (obs. July 2016) Jusiness Annul Agreed KVA Demand	\$ - \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823	Usag Block \$/kW \$ 0.0 \$	e Usage 1 Block 2 h \$/kWh 354 \$ 0.0954 435 435 363				Annual agreed kVA d Block 1 Block 2 \$/kVA/day \$/kVA/day Annual Annual	Additional	Summer Peak \$/kVA/day	actual kVA Year Shoulder \$/kVA/day 12 months	Year Off-Peak \$/kVA/day	Summer Peak \$/kW/day	actual kW of Winter Shoulder \$/kW/day 7 months \$ 0.1591	Year Off-Peak \$/kW/day 12 months
RSR I MRD I Small Busini L/UU L/UU24 I BSR I B2R I SBD I SBD I BSRN I BSRN I LBSR I LBSR I BDR I BD I	comprises JUbols only excludes GST, Metering Tariff Class GST, Metering Fariff Class (C160 MWh) Jameterd 12 hour (streetlights) Jameterd 24 hour (streetlights) Jameterd 24 hour (streetlights) Jameterd 24 hour (streetlights) Jameterd 24 hour Suiness Single-Rate (obsolete July 2010) Suiness Single-Rate (obsolete July 2010) Suiness Single-Rate (obsolete July 2010) Suiness Single-Rate (obsolete July 2010) Suiness Single-Rate (obsolete Service) Suiness Single-Rate (obsolete Service) Suiness Single-Rate (negolitated service) Suiness Single-Rate Transition Suiness Single-Rate Transition	Rate \$/day \$ 0.3823 \$ 0.3823	Block \$/kW \$ 0.0 \$ 0.0 \$ 0.0 \$ 0.1 \$ 0.0 \$ 0.0 \$ 0.0 \$ 0.0	1 Block 2 h \$/kWh 954 \$ 0.0954 435 335 041 363 0 0	Peak \$/kWh \$ 0.117	Peak \$/kWh	Load \$/kWh \$ 0.0431 \$ 0.0431 \$ 0.0431 \$ 0.0431	\$/kVA/day \$/kVA/day	\$/kVA/day	\$/kVA/day	\$/kVA/day	\$/kVA/day	\$/kW/day 5 months	\$/kW/day 7 months	\$/kW/day 12 months
RSR I MRD I Small Busini L/UU L/UU24 I BSR I B2R I SBD I SBD I BSRN I BSRN I LBSR I LBSR I BDR I BD I	Tartif Class Residential Residential Monthly Actual kW Demand Besidential Monthly Actual kW Demand Jumeterd 2 Ahour (streetlights) Jumeterd 2 Ahour (streetlights) Jumeterd 2 Ahour (streetlights) Jusiness Single-Rate (abcolete July 2010) Susiness Monthly Actual kVA Demand Jusiness Single-Rate (negolated service) Jusiness Single-Rate (negolated service) Susiness Two-Rate (negolated service) Susiness Single-Rate Transition Jusiness Two-Rate (Tarstiion Jusiness Two-Rate (Tarstiion Jusiness Two-Rate Transition Jusiness Two-Rate Transition Jusiness Two-Rate Transition Jusiness Single-Rate Transition Jusiness Monthly Actual kVA Demand Trans. (obs. July 2016) Jusiness Annual Agreed KVA Demand Trans. (obs. July 2016)	\$ 0.3823 \$ - \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 10.9676 \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823	\$ 0.0 \$ 0.0 \$ 0.1 \$ 0.0 \$ 0.0	435 435 041 363			\$ 0.0431 \$ 0.0431 \$ 0.0431	Annual Annual	Annual	5 months	12 months	12 months			
RSR I MRD I Small Busini L/UU L/UU24 I BSR I B2R I SBD I SBD I BSRN I BSRN I LBSR I LBSR I BDR I BD I	Residential Residential Monthly Actual kW Demand ass Tariff Class (<160 MWh) Jimmeterd 12 hour (streetlights) Jimmeterd 24 hour Jusiness Single-Rate (obsolete July 2010) Jusiness Two-Rate Jusiness Monthly Actual kVA Demand Transition Jusiness Monthly Actual kVA Demand (obsolete July 2016) Jusiness Single-Rate (negotiated service) assiness Two-Rate Transition Jusiness Single-Rate Transition Jusiness Single-Rate Transition Jusiness Single-Rate Transition Jusiness Monthly Actual kVA Demand Trans. (obs. July 2016) Jusiness Annul Agreed KVA Demand	\$ 0.3823 \$ - \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 10.9676 \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823	\$ 0.0 \$ 0.0 \$ 0.1 \$ 0.0 \$ 0.0	435 435 041 363			\$ 0.0431 \$ 0.0431 \$ 0.0431						\$ 0.3222	\$ 0.1591	\$-
LVUU 1 LVUU24 1 BSR 1 SBC 1 SBD 1 SBD 1 BSRN 1 BSRN 1 BSRN 1 BSR 1 Large Businu LBSR 1 BD 1 BD 1 BD 1	Jrmeterd 12 hour (streetlights) Jrmeterd 24 hour Jusiness Single-Rate (obsolete July 2010) Jusiness Single-Rate (Nobiotele July 2010) Jusiness Monthly Actual KVA Demand Transition Jusiness Single-Rate (negolitated service) Jusiness Single-Rate (negolitated service) Jusiness Tmo-Rate (negolitated service) Jusiness Tmo-Rate (negolitated service) Jusiness Tmo-Rate Transition Jusiness Tmo-Rate Transition Jusiness Single-Rate Transition Jusiness Monthly Actual KVA Demand Jusiness Monthly Actual KVA Demand Trans. (obs. July 2016) Jusiness Annthe Agreed KVA Demand	\$ - \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 0.3823 \$ 10.9676 \$ 0.3823 \$ 0.3823 \$ 0.3823	\$ 0.0 \$ 0.1 \$ 0.0 \$ 0.0	435 041 363			\$ 0.0431								
LBSR I LB2R I BD I BDT I	Jusiness Single-Rate Transition Susiness Two-Rate Transition Jusiness Monthly Actual kVA Demand Jusiness Monthly Actual kVA Demand Trans. (obs. July 2016) Jusiness Annual Agreed kVA Demand	\$ 0.3823	\$ 0.1		_			\$ 0.2255 \$ 0.1691	\$ 0.1171		\$ 0.1411 \$ 0.0705				
LVSG S LVB E LVN E LVTR E	Sportsgrounds Annual Agreed kVA Demand Business Annual Agreed kVA Demand (back-up) Business Annual Agreed kVA Demand (negotiated service) Bus LV Agreed Demand Trial kVA	\$ 0.3823 \$ 10.9676	\$ 0.0 \$ 0.0 \$ 0.0	363 269		\$ 0.0704 \$ 0.0363		\$ 0.2255 \$ 0.1691 \$ 0.2255 \$ 0.1691			\$ 0.1411 \$ 0.1411				
B2R124H H HBD H HV400 H HV400 H HV400N H HV8 H HVN H	Business Tariff Class figh Voltage Business Two-Rate (obsolete July 2015) Jusiness Monthly Actual kVA Demand - 40 Business Annual Agreed kVA Demand - 400 kVA 47 Business Annual Agreed kVA Demand - Jusiness HV Demand + 240 kVA (negotiated service) Jusiness HV Demand kVA (negotiated service) Jusiness HV Demand kVA (negotiated service)	\$ 0.3823 \$ 0.3823 \$ 10.9676 \$ 75.1204	\$ 0.0 \$ 0.0 \$ 0.0	269	\$ 0.140	\$ 0.0704	\$ 0.0431	\$ 0.2255 \$ 0.1650	\$ 0.1171 \$ 0.1404	\$ 0.2842	\$ 0.1411	\$-			
ZSN 2	ess Tariff Class Zone Substation Annual Agreed kVA Demand (non-locational) Zone Substation kVA (back-up)	\$-	\$ 0.0	049				\$ 0.1084	\$ 0.1084						
	Sub Transmission Annual Agreed kVA Demand (non-locational) Sub Transmission Annual Agreed kVA Demand (non-locational)	s -	\$ 0.0	012				\$ 0.0245	\$ 0.0245						
ZSN021 ZSN022 ZSN024 ZSN026 ZSN035 ZSN131 ZSN28 ZSN438 ZSN608 ZSNB230	Zone Substation Annual Agreed kVA Demand (locational) ZSN021 ZSN022 ZSN024 ZSN026 ZSN035 ZSN131 ZSN228 ZSN438 ZSN438 ZSN438 ZSN608 ZSN608 ZSN600 Annual Agreed kVA Demand (locational)	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ 0.0 \$ 0.0 \$ 0.0 \$ 0.0 \$ 0.0 \$ 0.0 \$ 0.0 \$ 0.0	049 049 - 049 049 049 049 049				\$ 0.1084 \$ 0.1084 \$ - \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084	\$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084						
STN018 STN084 STN161 STN162 STN378 STN557 STN609 STN788 STN840 STN840 STN8164 STNB164	VSTN018 VSTN084 VSTN161 VSTN162 VSTN378 VSTN557 VSTN557 VSTN788 VSTN788 VSTN788 VSTN788 VSTN784 VSTN78164(acak-up)	· · · · · · · ·	\$ 0.0 \$ 0.0	012 012 012 012 012 012 012 012 012 012				\$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245	\$ 0.0245 \$ 0.0245						
ZSS025 ZSS296 ZSS766 ZSS951	Zone Substation non-Locational ZSS025	\$ 904.36 \$ 295.45 \$ 1,191.41 \$ 428.29	\$ 0.0 \$ 0.0	049 049 049 012 012				\$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245	\$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.1084 \$ 0.0245 \$ 0.0245 \$ 0.0245 \$ 0.0245						

Table 34: TUoS tariff schedule 2018/19

		SA Power Networks' Tariffs 2018/19	Supply		Ener	gy based u	sage			Annual a	greed kVA	demand		Monthly	actual kVA	demand	Monthly	actual kW	demand
compute I (1000 m) No.5 Pair M <		Final Transmission Prices Schedule	Supply	Usage	Usage	Usage	Usage C	off- Cont	trolled		-			Summer	Year	Year	Summer	Winter	Year
Total Class 2000 1 0.000 5		comprises TUOS only	Rate	Block 1	Block 2	Peak	Peak	Lo	oad					Peak	Shoulder	Off-Peak	Peak	Shoulder	Off-Peak
Regeneral start of Class Regeneral start Class (cf RW) Character Start Class (cf RW) Chara			\$/day	\$/kWh	\$/kWh	\$/kWh	\$/kWI	n \$/k	kWh										
Basel Mondemini Multiply Action M V Denset \$< \$< \$< \$< \$< \$< \$< \$< \$< \$< \$< \$< \$< \$<< \$<< \$<< \$<< <td>Residential</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Annuar</td> <td>Annual</td> <td>Annual</td> <td>Annual</td> <td>5 monuts</td> <td>12 monuts</td> <td>12 monuts</td> <td>5 monuts</td> <td>7 monuts</td> <td>12 11011015</td>	Residential									Annuar	Annual	Annual	Annual	5 monuts	12 monuts	12 monuts	5 monuts	7 monuts	12 11011015
And Research of the Six of Bay (1) I	RSR		s -	\$ 0.0302	\$ 0.0302			\$ 0	0.0154										
LULU Unwaned 7 to in termination in the large of t	MRD	Residential Monthly Actual kW Demand	s -	\$ 0.0144				\$ 0	0.0154								\$ 0.0876	\$ 0.0433	\$-
Lubb Lubb <th< td=""><td>Small Busin</td><td>ness Tariff Class (<160 MWh)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	Small Busin	ness Tariff Class (<160 MWh)																	
Barlenes Budge-Barle (solution): AD 2010; Budges Monthy Actual VA Denset Transition: BUT Budges Monthy Actual VA Denset Transit Budges Monthy Actual VA Denset Transit Budges Monthy A																			
Barlies To Note: Barlies To Note:<			<u>^</u>						0.0454										
Barbones			s -	\$ 0.0323		\$ 0.0363	\$ 0.01												
Burdenes Burdenes Standar				\$ 0.0139		φ 0.0000	¢ 0.01	02	0.0104					\$ 0.0800	\$ 0.0397	\$-			
BENNE Builance: Direct-Mic organization service) S A N Direct A						\$ 0.0256	\$ 0.01	65						\$ 0.0400	\$ 0.0199	\$-			
Bitwards Bitwards Solution S Contract S										\$ 0.0619			ş -						
Low Low <thlow< th=""> <thlow< th=""> <thlow< th=""></thlow<></thlow<></thlow<>			s -	\$ 0.0323		\$ 0.0363	\$ 0.01	82											
Lasses Business Single-Hat Transition \$ 0																			
LB2R Buttiness Trol-Rate Trol-	Large Busin	ness LV Tariff Class (LV and >160 MWh)	e	¢ 0.0207					0.0154										
Batteries Analy VA Demard S O S 0.000 S				φ 0.0387		\$ 0.0436	\$ 0.02												
LV Buteness Anzual Agenes LVA Domand (Mode Section Anzual Agenes LVA Domand (mode Section	BD	Business Monthly Actual kVA Demand	\$ -	\$ 0.0139										\$ 0.0800	\$ 0.0397	\$-			
Ling B Sportsgenark Annual Approxi VA Demand \$ 1 \$ 0.0101 \$ 0.0201						\$ 0.0189	\$ 0.01	53						\$ 0.0667	\$ 0.0331	\$-			
L/B Busines Annual Agenet A Lowand (page Links served) \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018 \$. \$ 0.018			Ŷ																
LN Business Annal Agenes (Mark Agenes) S S S O S 0.0019 S 0.0019 S 0.0000																			
LYTR Dis L/ Agreed Demonstraint Gram S 0.0109 S 0.0002 S 0.0002 S 0.0000 S <t< td=""><td>LVN</td><td>Business Annual Agreed kVA Demand (negotiated service)</td><td></td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	LVN	Business Annual Agreed kVA Demand (negotiated service)		\$ -															
Distlicit Implementation S S O S	LVTR	Bus LV Agreed Demand Trial kVA	s -	\$ 0.0108								s -							
HED Bunness hond Apped VAD Demard \$. \$ 0.039 \$ 0.049 \$ 0.0609 \$. \$ 0.0800 \$						¢ 00		10	1										
NHADD HV Buines Annal Ageed VAD Bernand \$ 0.0119 \$ 0.0019 \$ - VH W Winess Annal Ageed VAD Bernand \$ 0.0119 \$ 0.0019 \$ - VH Buiness Annal Ageed VAD Bernand \$ - \$ 0.0119 \$ \$ - VH Buiness Annal Ageed VAD Bernand \$ - \$ 0.0119 \$ \$ - VH Buiness Annal Ageed VAD Bernand VAD Repoting Sarce \$ 0.0109 \$ \$ - VH Buiness Annal Ageed VAD Bernand VAD Repoting Sarce \$ 0.0019 \$ 0.0119 \$ - VH Buiness Annal Ageed VAD Bernand VAD Repoting Sarce \$ 0.0020 \$ 0.0021 \$ - Status NAD Buiness HV Demard VAD Repoting Sarce \$ 0.0020 \$ 0.0021 \$ 0.0120 Status NAD Repot VAD Burnad VAD Repoting Sarce \$ 0.0020 \$ 0.0120 \$ 0.0120 Status NAD Repot VAD Burnad VAD Repot VAD Burnad (constructure) \$ \$ 0.0100			\$.	\$ 0.0139		\$ 0.0436	\$ 0.02	18						\$ 0.0800	\$ 0.0397	s .			
HV HV Buiness Annal Agned VA Dennard \$ \$ 0.008 \$ 0.069 \$ - HV00 Business HV Emmark 200 kVA (moguitati antico) \$ \$ 0.019 \$ > - HV00 Business HV Emmark 200 kVA (moguitati antico) \$ \$ 0.019 \$ > - HV05 Business HV Emmark 200 kVA (moguitati antico) \$ \$ 0.019 \$ - HV16 Busines HV Emmark 200 kVA (moguitati antico) \$ \$ 0.0108 \$ 0.0052 \$ - HV17 Busines Annal Agned VA Demard (moleculora) \$ \$ \$ 0.0069 \$ \$ - C2N Zore Subdation Annal Agned VA Demard (moleculora) \$ \$ \$ 0.0060 \$ \$ 0.0163 STNR Sub Tenension Annal Agned VA Demard (moleculora) \$ \$ \$ 0.0080 \$ 0.0172 \$ 0.0163 STNR Sub Tenension VA Tali \$ \$ \$ 0.0108 \$ 0.0123 \$ 0.0163 ZNN2 Zonoso \$ \$ \$ 0.0108 \$ 0.0123 \$ 0.0163 ZNN2 Zonoso \$ \$										\$ 0.0619			s -	φ 0.0000	÷ 0.0007	Ŷ			
HVB Buines HV Demark (VA (back-up) \$	HV	HV Business Annual Agreed kVA Demand		\$ 0.0108									ş -						
N/N Buints H/ Durand (N/ populated service) \$< \$ \$< \$< \$< \$ \$ \$ <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>\$ 0.0619</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>										\$ 0.0619									
MYSGB Builness H/ Demand (VA (neplated service) \$ 0.010 \$ 0.001 \$										\$ -			-						
INTR Bus HV Agened Downard Trial kVA \$ > 0.0082 \$ - ZMP Zone Substation KVA agened KVA Demand (non-location) \$. \$ 0.0019 \$. \$ 0.0119 ZNN Zone Substation KVA agened KVA Demand (non-location) \$. \$ 0.0108 \$. \$ 0.0116 ZNN Zone Substation KVA final \$. \$ 0.0108 \$. \$ 0.0116 ZNN Substation KVA final \$. \$ 0.0108 \$ 0.0728 \$ 0.0116 ZNN22 ZSN22 ZSN22 \$. \$ 0.1167 \$. . ZNN22 ZSN22 ZSN22 S . \$.										\$ 0.0019									
ZNN Zone Substation Annual Agreed IVA Demand (non-location) \$ \$ 0.0108 \$ 0.0081 \$ 0.0169 \$ 0.0143 ZSNR Zone Substation IVA Trail \$ \$ \$ 0.0108 \$ 0.0143 STN Substation IVA Intentision Annual Agreed IVA Demand (non-location) \$ \$ 0.0108 \$ 0.0143 STNR Substation IVA Intentision Annual Agreed IVA Demand (location) \$ \$ \$ 0.0169 \$ 0.0169 ZSNRR Substation IVA Intentision Annual Agreed IVA Demand (location) \$ \$ \$ 0.0169 \$ \$ 0.0169 ZSNRR Substation IVA Intentision Annual Agreed IVA Demand (location) \$ \$ \$ 0.01765 \$ <	HVTR	Bus HV Agreed Demand Trial kVA	s -							\$ 0.0952		s -	•						
ZNNR Zon Substation (VA) fund (VA) Demand (non-control) S S S O O S O O S O O S O O S O O S O O S O O S O O S O O S O O S O S O O S O O S O S O O S O S O O S O S O S O O S O S O O S O																			
ZNNR Zon Substation HVA.Trail \$ \$ 0.008			ş -							\$ 0.0619									
STM Sub Transmission Annual Agreed VAD Demand (non-locational VAD Demand (NAD Dem			s -							\$ 0.0952		s -	s -						
STMB Subtransmission kVA (back-up) \$ \$ 0 \$ 0.0030 \$ 0.0732 \$ 0.0150 Zone Substration Annual Agreed kVA Demand (locational) 7 8 0.0010 7 0.01780 5 0.01780 ZSN021 S 98.000 S - S 0.01780 S 0.01780 ZSN024 ZSN027 S 9.000 S - S <td>STN</td> <td></td> <td>ş -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td>\$ 0.0143</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	STN		ş -									•	\$ 0.0143						
Core Substation Annual Agreed KVA Demand (locational) Image: Substation Agreed KVA Demand (locational) Image: Substatio			\$-							\$-			\$-						
ZSN021 ZSN024 ZSN024 S			\$ -	\$ 0.0108						\$ 0.0732		\$ 0.0159							
ZNN024 ZNN024 ZNN024 ZNN024 ZNN024 ZNN026 S			\$ 398.00	s -						\$ 0.1785			s -						
ZN026 ZN025 ZN025 <th< td=""><td>ZSN022</td><td>ZSN022</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>\$ -</td><td></td><td></td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	ZSN022	ZSN022								\$ -			\$ -						
ZN005 ZN025 ZN025 ZN025 ZN025 ZN026 ZN026 ZN026 ZN027 ZN027 ZN027 ZN028 ZN028 <td< td=""><td></td><td></td><td>\$ 189.00</td><td>\$-</td><td></td><td></td><td></td><td></td><td></td><td>\$ 0.1440</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>			\$ 189.00	\$-						\$ 0.1440									
ZN131 ZN1311 ZN13111 ZN1311 ZN1311			\$ -	\$ - ¢						\$ -									
ZNA28 ZN28 ZN28 ZN488 ZN488 <t< td=""><td></td><td></td><td></td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td>\$ 0.1812</td><td></td><td></td><td>s -</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>				\$ -						\$ 0.1812			s -						
ZSN438 ZSN436 ZSN436 ZSN420 S	ZSN228	ZSN228	\$ 92.00	\$ -									\$ -						
ZNN8230 ZNN8230 Dealer up/Dealer up/Dea	ZSN438		\$ 76.00							\$ 0.1447									
Sub Transmission Annual Agreed kVA Demand (locational) V V STN048 VSTN018 \$ 57.00 \$ 0.1772 \$ 0.1772 \$ 0.1781 STN048 VSTN048 \$ 994.00 \$ \$ 0.1861 \$ - STN048 VSTN047 \$ 10.00 \$ 0.01621 \$ 0.02630 \$ - STN141 VSTN047 \$ 10.00 \$ 0.01631 \$ - \$ 0.01631 STN478 VSTN0473 \$ 10.00 \$ - \$ 0.1447 \$ - STN478 VSTN040 \$ 212.00 \$ - \$ 0.1681 \$ - STN478 VSTN040 \$ 212.00 \$ - \$ 0.1681 \$ - STN478 VSTN040 \$ 212.00 \$ - \$ 0.1681 \$ - STN479 VSTN679 \$ 212.00 \$ 0.0152 \$ 0.1691 \$ - STN840 VSTN840 \$ 274.00 \$ 0.0169 \$ 0.0169 \$ - STN840 VSTN840 \$ 8.00 \$ 0.0169 \$ 0.5 - STN840 VSTN840 \$ 8.00 \$ 0.0619<										\$ 0.1447 \$			-						
STN084 VSTN078 \$ 975.00 \$ - \$ 0.1772 \$ - STN084 VSTN084 \$ 994.00 \$ - \$ 0.1811 \$ - STN145 VSTN161 \$ 910.00 \$ 0.052 \$ 0.0358 \$ - STN146 VSTN161 \$ 150.00 \$ 0.152 \$ 0.0411 \$ - STN37 VSTN378 \$ 410.00 \$ - \$ 0.1811 \$ - STN567 VSTN577 \$ 212.00 \$ - \$ 0.1811 \$ - STN567 VSTN577 \$ 212.00 \$ - \$ 0.1811 \$ - STN567 VSTN578 \$ 212.00 \$ - \$ 0.1811 \$ - STN576 VSTN578 \$ 212.00 \$ - \$ 0.1911 \$ - STN576 VSTN578 \$ 212.00 \$ 0.152 \$ 0.0588 \$ - STN788 VSTN788 \$ 86.00 \$ 0.059 \$ - \$ - STN8164 VSTN8164 (back-up) \$ - \$ 0.059 \$ - \$ - STN8164 S - \$ 0.0191 \$ 0.0619 \$ - \$ - SS205 ZarsSubtation non-tocationat <td></td> <td></td> <td>۰ ·</td> <td>у -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>÷ .</td> <td></td> <td></td> <td>ə -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			۰ ·	у -						÷ .			ə -						
STN084 VSTN084 S 994.00 S - S 0.1881 S - STN161 VSTN161 S 0.0050 S 0.0152 S 0.0580 S - STN478 VSTN162 S 10.00 S - S 0.1447 S - STN478 VSTN1787 S 10.00 S - S 0.1447 S - STN57 VSTN57 S 10.00 S - S 0.1811 S - STN57 VSTN57 S 12.00 S - S 0.1811 S - STN57 VSTN57 S 212.00 S - S 0.1811 S - STN57 VSTN57 S 212.00 S - S 0.1811 S - STN57 VSTN57 S 212.00 S - S 0.1811 S - STN57 VSTN57 S 212.00 S - S 0.1811 S - STN57 VSTN57 S 212.00 S - S 0.1811 S - STN580 VSTN788 S 212.00 S - S 0.1911 S - STN8164 VSTN8164 S S S 0.0619 S - </td <td>STN018</td> <td>VSTN018</td> <td></td> <td>\$ -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ş -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	STN018	VSTN018		\$ -									ş -						
STN478 VSTN478 \$ 10.00 \$ - \$ 0.1447 \$ - STN478 VSTN478 \$ 10.00 \$ - \$ 0.1861 \$ - STN57 VSTN57 \$ 212.00 \$ - \$ 0.2600 \$ - STN57 VSTN57 \$ 223.00 \$ 0.0152 \$ 0.1811 \$ - STN57 VSTN57 \$ 212.00 \$ - \$ 0.2600 \$ - STN57 VSTN57 \$ 223.00 \$ 0.0152 \$ 0.1391 \$ - STN580 VSTN788 \$ 274.00 \$ 0.050 \$ 0.0153 \$ - STN840 VSTN840 \$ 274.00 \$ 0.050 \$ 0.0131 \$ - STN840 VSTN876 \$ 274.00 \$ 0.05 \$ 0.0131 \$ - STN840 VSTN876 \$ 0.000 \$ 0.0131 \$ - STN876 VSTN876 \$ 0.000 \$ 0.0619 \$ - STN876 \$ 0.0108 \$ 0.0619 \$ - SZ025 \$ - \$ 0.0108 \$ 0.0619 \$ - ZS265 ZS2861 \$ - \$ 0.0108 \$ 0.0619 \$ - ZS305 ZS3561 \$ - \$ 0.0108 \$ 0.0619 \$ - ZS3561 ZS3561 \$ - \$ 0.0108 \$ 0.0619 \$ - <td>STN084</td> <td></td> <td>\$ 994.00</td> <td></td>	STN084		\$ 994.00																
STN478 VSTN476 \$ 410.00 \$ - \$ 0.1881 \$ - STN567 VSTN577 \$ 212.00 \$ - \$ 0.2610 \$ - STN509 VSTN509 \$ 233.00 \$ 0.0152 \$ 0.353 \$ - STN508 VSTN578 \$ 274.00 \$ - \$ 0.2610 \$ - STN578 VSTN579 \$ 274.00 \$ - \$ 0.152 \$ 0.0358 \$ - STN5878 VSTN8164 VSTN8164 \$ - \$ 0.0152 \$ 0.0358 \$ - STN878 VSTN8164 VSTN8164 \$ - \$ 0.0152 \$ 0.0358 \$ - STN8786 VSTN8164 \$ - \$ - \$ - \$ - STN8786 VSTN8164 \$ - \$ - \$ - \$ - STN8786 VSTN8164 \$ - \$ - \$ - \$ - STN8786 VSTN8164 \$ - \$ - \$ - \$ - STN8786 VSTN81786 \$ - \$ - \$ - \$ - ZS025 ZS025 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS766 ZS766 \$ - \$ 0.0108 \$ 0.0619 \$ - SUBTAMMINISHING \$ - \$ 0.0108 \$ 0.0619 \$ - SUB																			
STMS67 VSTM57 \$ 1200 \$ - \$ 0.2160 \$ - STM509 VSTM509 \$ 0.305 0.0152 \$ - \$ 0.1391 \$ - STM788 VSTM788 \$ 274.00 \$ - \$ 0.01391 \$ - STM809 VSTM780 \$ 274.00 \$ - \$ 0.1391 \$ - STM804 VSTM760 \$ 8.00 \$ 0.0152 \$ 0.01391 \$ - STM814 VSTM8164 (back-up) \$ - \$ 0.0169 \$ - STM876 VSTM876 (back-up) \$ - \$ - \$ - ZS025 ZS256 \$ - \$ 0.0169 \$ - ZS2576 ZS256 \$ - \$ 0.0169 \$ - ZS3576 ZS3561 \$ - \$ 0.0169 \$ - STM810 \$ - \$ 0.0108 \$ 0.0619 \$ - STM184 STR143 \$ - \$ 0.0108 \$ 0.0619 \$ - STM810 \$ - \$ - \$ - \$ -																			
STNe00 VSTNe09 \$ 233.00 \$ 0.1052 \$ 0.131 \$ 0.1 STN2788 VSTN2788 \$ 274.00 \$ 0.5 \$ 0.131 \$ 0.5 STN840 VSTN840 \$ 60.00 \$ 0.052 \$ 0.0368 \$ 0.5 STN840 VSTN8464 \$ 0.00 \$ 0.5 \$ 0.0368 \$ 0.5 STN8788 VSTN8796 \$ 0.00 \$ 0.5 \$ 0.0368 \$ 0.5 STN8798 VSTN8796 \$ 0.00 \$ 0.0619 \$ 0.5 ZSS025 \$ 0.008 \$ 0.0619 \$ 0.2 ZSS269 ZSS265 \$ 0.0108 \$ 0.0619 \$ 0.2 ZSS2676 ZS \$ 0.0108 \$ 0.0619 \$ 0.2 STN8164 \$ 0.0108 \$ 0.0619 \$ 0.2 SSS61 ZSS951 \$ 0.0108 \$ 0.0619 \$ 0.2 STN8164 \$ 0.0108 \$ 0.0619 \$ 0.014 STR410 \$ 0.0108 \$ 0.0619 \$ 0.0143	STN557	VSTN557	\$ 212.00	\$ -															
STNB40 VSTNB416 Models \$ 0.0052 \$ 0.0368 \$ - STNB464 VSTNB4164 (back-up) \$ - \$ - \$ - \$ - STNB476 VSTNB4766 (back-up) \$ - \$ - \$ - \$ - \$ - Zore Substation non-Locational - - \$ 0.0619 \$ - \$ - ZSS205 ZS025 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS206 ZSS276 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS276 ZSS276 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS276 ZSS276 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS276 ZSS276 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS276 ZSS276 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS276 ZSS276 \$ - \$ 0.0108 \$ 0.0619 \$ - ZSS276 ZSS951 S - \$ 0.0108 \$ 0.0619 \$ - ZSS26 ZSS967 S - \$ 0.0108 \$ 0.0619 \$ 0.0143 STR148 STR140 \$ - \$ 0.0108 \$ 0.0619 \$ 0.0143	STN609		\$ 2,333.00							\$-									
STNB164 VSTNB1764 (back-up) \$ - \$ - \$ - Zone Substation non-Locational - - - - - - ZS025 ZS2576 \$ - \$ 0.0619 \$ - ZS5265 ZS5265 \$ 0.0108 \$ 0.0619 \$ - ZS5265 ZS5265 \$ \$ 0.0108 \$ 0.0619 \$ - ZS5765 ZS5765 \$ \$ 0.0108 \$ 0.0619 \$ - ZS5765 ZS5951 \$ \$ 0.0108 \$ 0.0619 \$ - STN143 STR148 STR144 \$ \$ \$ 0.0108 \$ 0.0619 \$ 0.014 STR1610 \$ \$ \$ 0.0619 \$ 0.014 - -																			
STNB 796 (back-up) \$										\$ 0.0358									
Zone Substation non-Locational - <th< td=""><td></td><td></td><td></td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>				\$ -						\$ -									
ZSS296 ZSS296 ZSS296 ZSS296 S 0.0108 \$ 0.0619 \$. ZSS766 ZSS766 \$ 0.0108 \$ 0.0619 \$. ZSS767 ZSS951 \$ 0.0108 \$ 0.0619 \$. ZSS766 ZSS951 \$ 0.0108 \$ 0.0619 \$. SubTransmission non-tocational \$. \$.0018 \$. STR148 STR149 \$. \$.00108 \$ 0.0619 \$.0143 STR10 \$. \$.00108 \$.00619 \$.0143		Zone Substation non-Locational																	
ZSS766 ZSS766 ZSS766 S 0.0108 \$ 0.0619 \$ - \$ C ZSS951 ZSS951 S 0.0108 \$ 0.0619 \$ - \$ - \$ -																			
ZSS051 ZSS051 ZSS051 Source \$ 0.0108 \$ 0.0619 \$ - Sub Transmission non-locational \$ - \$ 0.0108 \$ 0.0619 \$ - \$ STR148 STR149 \$ - \$ 0.0108 \$ 0.0619 \$ 0.0143 STR100 STR610 \$ - \$ 0.0108 \$ 0.0619 \$ 0.0143																			
Sub Transmission non-Locational STR148 STR148 \$ 0.0108 \$ 0.0619 \$ 0.0143 STR510 STR610 \$ - \$ 0.0108 \$ 0.0619 \$ 0.0143																			
STR610 STR610 \$ - \$ 0.0108 \$ 0.0619 \$ 0.0143		Sub Transmission non-Locational																	
5 U.019 \$ U.0143																			
	31K/49	51K/49	· ·	\$ 0.0108						\$ 0.0619			a 0.0143						

Table 35: TUoS indicative tariff schedule 2019/20

	SA Power Networks' Tariffs 2019/20	Supply		Ener	gy based us	age		Annual a	greed kVA	demand	Monthly	actual kVA	demand	Monthly	actual kW	demand
	Indicative Distribution Bridge Schedule	Supply	Usage	Usage	Usage	-	Controlled				Summer	Year	Year	Summer	Winter	Year
	Tuos comprises DUoS only excludes GST, Metering Tariff Class and Tariffs	Rate \$/day	Block 1 \$/kWh	Block 2 \$/kWh	Peak \$/kWh	Peak \$/kWh	Load \$/kWh	Block 1 \$/kVA/day Annual	Block 2 \$/kVA/day Annual	Additional \$/kVA/day Annual	Peak \$/kVA/day	Shoulder \$/kVA/day 12 months	Off-Peak \$/kVA/day	Peak \$/kW/day 5 months	Shoulder \$/kW/day	Off-Peak
Residentia	I Tariff Class							Annuar	Annuar	Annual	0 monaro	12 11011010		e mentre	7 monuto	12 months
RSR MRD	Residential Residential Monthly Actual kW Demand	\$- \$-	\$ 0.0318 \$ 0.0148	\$ 0.0318			\$ 0.0148 \$ 0.0148							\$ 0.0924	\$ 0.0456	\$ -
Small Bus LVUU LVUU24 BSR B2R SBD SBD SBD SLV BSRN B2RN	ness Tarliff Class (<160 MWh) Umretered 24 hour (streetlights) Umretered 24 hour (streetlights) Business Single-Rate (obsolete July 2010) Business Monthy Actual kVA Demand Business Monthy Actual kVA Demand Transition Business Annual Agreed kVA Demand (obsolete July 2016) Business Annual Agreed kVA Demand (obsolete July 2016) Business Single-Rate (negotiated service)	· · · · · · · ·	\$ 0.0138 \$ 0.0138 \$ 0.0332 \$ 0.0133 \$ 0.0102 \$ 0.0332			\$ 0.0187 \$ 0.0160 \$ 0.0187	\$ 0.0148 \$ 0.0148	\$ 0.0691	\$ 0.0691	ş -		\$ 0.0509 \$ 0.0255				
LBSR LB2R BD LV LVSG LVB LVN	ness LV Tariff Class (LV and >160 MWh) Business Wor-Rate Transition Business Wor-Rate Transition Business Monthly Actual KVA Demand Business Monthly Actual KVA Demand Business Annual Agreed KVA Demand Business Annual Agreed KVA Demand Business Annual Agreed KVA Demand Business Annual Agreed KVA Demand (back-up) Business Annual Agreed KVA Demand (back-up)	· · · · · ·	\$ 0.0399 \$ 0.0133 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102			\$ 0.0225 \$ 0.0133	\$ 0.0148 \$ 0.0148			s - s -		\$ 0.0509 \$ 0.0509				
B2R124H HBD HV400 HV HV400N HVB HVN HVS658	ge Business Tariff Class High Voltage Business Two-Rate (obsolete July 2015) Business Monthly Actual kVA Demand HV Business Annual Agreed kVA Demand HV Business HV Demand VA Ob KVA Business HV Demand VA (negotiated service) Business HV Demand kVA (negotiated service)	· · · · · ·	\$ 0.0133 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ -		\$ 0.0449	\$ 0.0225	\$ 0.0148	\$ 0.0691 \$ 0.0691 \$ 0.0691 \$ - \$ 0.0691 \$ - \$ 0.0691 \$ -		\$ - \$ \$ - \$ \$ - \$ \$ \$ -	\$ 0.1025	\$ 0.0509	\$-			
Major Busi ZSN ZSNB	ness Tariff Class Zone Substation Annual Agreed kVA Demand (non-locational) Zone Substation kVA (back-up)	s - s -	\$ 0.0102 \$ 0.0102					\$ 0.0691 \$ -		s - s -						
STN STNB	Sub Transmission Annual Agreed kVA Demand (non-locational) Subtransmission kVA (back-up)	\$- \$-	\$ 0.0102 \$ 0.0102					\$ 0.0691 \$ -		\$- \$-						
ZSN021 ZSN022 ZSN024 ZSN026 ZSN035 ZSN131 ZSN288 ZSN608 ZSNB230 STN018 STN018 STN084 STN161 STN162	Zone Substation Annual Agreed kVA Demand (locational) ZSN021 ZSN022 ZSN024 ZSN026 ZSN035 ZSN131 ZSN288 ZSN698 ZSN698 ZSN698 ZSN698 Sub Transmission Annual Agreed kVA Demand (locational) VSTN015 VSTN015 VSTN016 VSTN161 VSTN161	\$ 408.01 \$ - \$ 193.75 \$ - \$ 158.90 \$ - \$ 94.31 \$ 77.91 \$ 59.46 \$ - \$ 589.45 \$ 1,018.99 \$ 522.82 \$ 117.89	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -					\$ 0.1830 \$ - \$ 0.1476 \$ - \$ 0.1858 \$ - \$ 0.1621 \$ 0.1483 \$ 0.1483 \$ - \$ 0.1483 \$ - \$ 0.1817 \$ 0.1928 \$ 0.0367 \$ 0.1483		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$						
STN378 STN557 STN609 STN788 STN840 STNB164 STNB796 ZSS025 ZSS296 ZSS766	VSTN878 VSTN857 VSTN809 VSTN809 VSTN840 VSTN840 VSTN846 (back-up) VSTN8796 (back-up) Zone Substation nor-Locational ZSS225 ZSS286 ZSS286	\$ 420.31 \$ 217.33 \$ 2,391.65 \$ 280.89 \$ 88.16 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ - \$ 0.0156 \$ - \$ 0.0156 \$ - \$ - \$ - \$ - \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102					\$ 0.1928 \$ 0.2214 \$ - \$ 0.1426 \$ 0.0367 \$ - \$ - \$ 0.0691 \$ 0.0691 \$ 0.0691		s - s - s - s - s - s - s - s - s - s -						
ZSS951 STR148 STR610 STR749	ZSS951 Sub Transmission non-Locational STR148 STR610 STR749	\$- \$- \$-	\$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102 \$ 0.0102					\$ 0.0691 \$ 0.0691 \$ 0.0691 \$ 0.0691		s - s - s - s -						

Table 36: JSO PV tariff schedule 2018/19

	SA Power Networks' Tariffs 2018/19	Supply		Ene	rgy based u	sage		Annual	agreed kVA	demand		Monthly	actual kVA	demand	Monthly	actual kW	demand
	Final JSO (PV FiT) Prices Schedule comprises PV FiT recovery only excludes GST, Metering Tariif Class and Tariffs	Supply Rate \$/day	Usage Block 1 \$/kWh	Usage Block 2 \$/kWh	Usage Peak \$/kWh	Usage Off- Peak \$/kWh	Controlled Load \$/kWh	Block 1 \$/kVA/day Annual	Block 2 \$/kVA/day	/ \$/kVA/day	Additional \$/kVA/day	\$/kVA/day		\$/kVA/day	Summer Peak \$/kW/day	Winter Shoulder \$/kW/day	\$/kW/day
Residential	Tariff Class and Tariffs							Annual	Annual	Annual	Annual	5 months	12 months	12 months	5 months	7 months	12 months
RSR	Residential	\$ 0.0356	\$ 0.0103	\$ 0.0103			\$ 0.0103										
MRD	Residential Monthly Actual kW Demand	\$ 0.0356	\$ 0.0103				\$ 0.0103								\$-	\$-	\$ -
Cmall Busis	ness Tariff Class (<160 MWh)									_							
	Unmetered 12 hour (streetlights)		\$ 0.0067														
	Unmetered 24 hour		\$ 0.0067														
BSR	Business Single-Rate (obsolete July 2010)	\$ 0.0359	\$ 0.0067				\$ 0.0067										
	Business Two-Rate	\$ 0.0359	¢ 0.0007		\$ 0.0067	\$ 0.0067	\$ 0.0067					<u>^</u>					
SBD SBDT	Business Monthly Actual kVA Demand Business Monthly Actual kVA Demand Transition	\$ 0.0359 \$ 0.0359	\$ 0.0067		\$ 0.0067	\$ 0.0067						\$ - \$ -	\$- \$-	\$ - \$ -			
SLV	Business Annual Agreed kVA Demand (obsolete July 2016)	\$ 0.0359	\$ 0.0067		\$ 0.0007	\$ 0.0007		s -			s -	Ψ -	• -	. -			
BSRN	Business Single-Rate (negotiated service)	\$ 0.0359	\$ -					-									
B2RN	Business Two-Rate (negotiated service)	\$ 0.0359			\$ 0.0067	\$ 0.0067											
Largo Rueir	ness LV Tariff Class (LV and >160 MWh)																
LBSR	Business Single-Rate Transition	s -	\$ 0.0045				\$ 0.0045										
LB2R	Business Two-Rate Transition	s -	• • • • •		\$ 0.0045	\$ 0.0045											
BD	Business Monthly Actual kVA Demand	s -	\$ 0.0045									\$-	\$-	\$-			
BDT		s -	¢ 0.0017		\$ 0.0045	\$ 0.0045					<u>,</u>	\$ -	\$ -	\$-			
LV LVSG	Business Annual Agreed kVA Demand	s - s -	\$ 0.0045 \$ 0.0045					\$ - ¢	\$ - \$ -		\$ - \$ -						
LVSG	Sportsgrounds Annual Agreed kVA Demand Business Annual Agreed kVA Demand (back-up)	s - s -	\$ 0.0045 \$ 0.0045					s - s -	s - s -		\$ - \$ -						
LVD	Business Annual Agreed kVA Demand (back-up) Business Annual Agreed kVA Demand (negotiated service)	s -	\$ 0.0045					s -	s -		s -						
LVTR	Bus LV Agreed Demand Trial kVA	s -	\$ 0.0045					\$ -	\$ -	s -	•						
	e Business Tariff Class																
B2R124H	High Voltage Business Two-Rate (obsolete July 2015)	s -	¢ 0.0000		\$ 0.0030	\$ 0.0030						<i>•</i>					
HBD HV400	Business Monthly Actual kVA Demand HV Business Annual Agreed kVA Demand < 400 kVA	\$ - \$ -	\$ 0.0030 \$ 0.0030								s-	\$-	\$-	\$ -			
HV400 HV	HV Business Annual Agreed KVA Demand < 400 KVA HV Business Annual Agreed kVA Demand	s -	\$ 0.0030					\$.			s - s -						
	Business HV Demand < 400 kVA (negotiated service)	s -	\$ 0.0030					s -			s -						
HVB	Business HV Demand kVA (back-up)	ş -	\$ 0.0030					ş -			ş -						
HVN	Business HV Demand kVA (negotiated service)	\$-	\$-					\$-			ş -						
HVS658	Business HV Demand kVA (negotiated service)	s -	\$ -					\$ -			ş -						
HVTR Major Bueir	Bus HV Agreed Demand Trial kVA	s -	\$ 0.0030					\$ -		\$.							
ZSN	Zone Substation Annual Agreed kVA Demand (non-locational)	s -	\$ 0.0007					s -			s -						
ZSNB	Zone Substation kVA (back-up)	s -	\$ 0.0007					s -			s -						
ZSNTR	Zone Substation kVA Trial	\$-	\$ 0.0007					\$-		ş -							
STN	Sub Transmission Annual Agreed kVA Demand (non-locational)	s -	\$ 0.0007					\$ -			ş -						
STNB	Subtransmission kVA (back-up)	ş -	\$ 0.0007					\$ -			\$-						
STNTR	Subtransmission kVA Trial Zone Substation Annual Agreed kVA Demand (locational)	ş -	\$ 0.0007					\$ -		\$ -							
ZSN021	ZSN021	s -	\$ 0.0007					s -			s -						
ZSN022	ZSN022	š -	\$ 0.0007					š -			š -						
ZSN024	ZSN024	s -	\$ 0.0007					\$ -			s -						
ZSN026	ZSN026	s -	\$ -					\$ -			ş -						
ZSN035	ZSN035	ş -	\$ 0.0007					\$ -			s -						
ZSN131 ZSN228	ZSN131 ZSN228	\$ - \$ -	\$ 0.0007 \$ 0.0007					с . с			\$ - \$ -						
ZSN228 ZSN438	ZSN228 ZSN438	s - s -	\$ 0.0007					ŝ.			s - s -						
ZSN608	ZSN608	\$ -	\$ 0.0007					s -			š -						
ZSNB230	ZSNB230 (back-up)	s -	\$ 0.0007					\$ -			\$-						
	Sub Transmission Annual Agreed kVA Demand (locational)																
STN018 STN084	VSTN018 VSTN084	s - s -	\$ 0.0007 \$ 0.0007					5 ·			s - s -						
STN084 STN161	VS1N084 VSTN161	s - s -	\$ 0.0007					s .			s -						
STN161	VSTN162	s -	\$ 0.0007					ŝ.			ŝ.						
STN378	VSTN378	\$ -	\$ 0.0007					s -			š -						
STN557	VSTN557	s -	\$ 0.0007					\$ -			s -						
STN609	VSTN609	s -	\$ 0.0007					s -			ş -						
STN788 STN840	VSTN788 VSTN840	s - s -	\$ 0.0007 \$ 0.0007					5 -			ş -						
STNB164	VSIN840 VSTNB164 (back-up)	s - s -	\$ 0.0007					s .			s - s -						
	VSTNB796 (back-up)	\$ -	\$ 0.0007					\$ -			\$ -						
STNB796																	
STNB796	Zone Substation non-Locational																
STNB796 ZSS025	Zone Substation non-Locational ZSS025	s -	\$ 0.0007					\$ -			\$-						
STNB796 ZSS025 ZSS296	Zone Substation non-Locational ZSS025 ZSS296	\$ -	\$ 0.0007					s - s -			\$ -						
STNB796 ZSS025 ZSS296 ZSS766	Zone Substation non-Locational ZSS025 ZSS296 ZSS266 ZSS766	s - s -	\$ 0.0007 \$ 0.0007					s - s - s			\$ - \$ -						
STNB796 ZSS025 ZSS296	Zone Substation non-Locational ZSS025 ZSS296 ZSS786 ZSS951	\$ -	\$ 0.0007					s - s - s -			\$ -						
STNB796 ZSS025 ZSS296 ZSS766	Zone Substation non-Locational ZSS025 ZSS296 ZSS266 ZSS766	s - s -	\$ 0.0007 \$ 0.0007					s - s - s - s -			\$ - \$ -						
STNB796 ZSS025 ZSS296 ZSS766 ZSS951 STR148 STR610	Zone Substation non-Locational ZSS025 ZSS296 ZSS766 ZSS951 Sub Transmisson non-Locational STR148 STR610	s - s - s -	\$ 0.0007 \$ 0.0007 \$ 0.0007 \$ 0.0007 \$ 0.0007 \$ 0.0007					s - s - s - s - s - s -			s - s - s - s -						
STNB796 ZSS025 ZSS296 ZSS766 ZSS951 STR148	Zone Substation non-Locational 255025 255296 255766 255956 Sub Transmission non-Locational STR148	s - s - s -	\$ 0.0007 \$ 0.0007 \$ 0.0007 \$ 0.0007					s - s - s - s - s - s -			s - s - s -						

Table 37: JSO PV indicative tariff schedule 2019/20

	SA Power Networks' Tariffs 2019/20	Supply	-	-,		gy based	usag	ge		Annu	alagr	eed kVA	demand	M	onthly	actual	kVA (demand	Monthly	actual kW	demand
	Indicative Distribution Prices Schedule JSO (PV)	Supply	_	Usage	Usage	Usage		-	Controlled					-	mer	Yea	_	Year	Summer	Winter	Year
	excludes GST, Metering	Rate \$/day		Block 1 \$/kWh	Block 2 \$/kWh	Peak \$/kWh		Peak \$/kWh	Load \$/kWh	Block * \$/kVA/d		Block 2 /kVA/day	Additiona \$/kVA/day	Pe \$/kV/	ak A/day	Shoul \$/kVA/	day	Off-Peak \$/kVA/day	Peak \$/kW/day		Off-Peak \$/kW/day
	Tariff Class and Tariffs									Annua	L .	Annual	Annual	5 mc	onths	12 mo	nths	12 months	5 months	7 months	12 months
Residentia RSR	I Tariff Class Residential	\$ 0.03	75 9	0.0108	\$ 0.0108				\$ 0.0108												
MRD	Residential Monthly Actual kW Demand	\$ 0.03		0.0108	¢ 0.0100				\$ 0.0108										s -	s -	s -
	ness Tariff Class (<160 MWh)					-															
LVUU LVUU24	Unmetered 12 hour (streetlights) Unmetered 24 hour	\$ - \$ -		0.0070																	
BSR	Business Single-Rate (obsolete July 2010)	\$ 0.03		0.0070					\$ 0.0070												
B2R	Business Two-Rate	\$ 0.037	78			\$ 0.00	70 \$	0.0070	\$ 0.0070												
SBD	Business Monthly Actual kVA Demand	\$ 0.03		0.0070										\$		\$		\$ -			
SBDT SLV	Business Monthly Actual kVA Demand Transition Business Annual Agreed kVA Demand (obsolete July 2016)	\$ 0.03 \$ 0.03		0.0070		\$ 0.00	70 \$	6 0.0070		e			s -	\$	-	\$	-	\$-			
BSRN	Business Single-Rate (negotiated service)	\$ 0.03								φ -	Ψ	-	· ·								
B2RN	Business Two-Rate (negotiated service)	\$ 0.03				\$ 0.007	70 \$	6 0.0070													
	ness LV Tariff Class (LV and >160 MWh)		1.																		
LBSR LB2R	Business Single-Rate Transition Business Two-Rate Transition	\$ - \$ -	\$	0.0047		\$ 0.00	17 9	0.0047	\$ 0.0047 \$ 0.0047												
BD	Business Northly Actual kVA Demand	s -	s	0.0047		÷ 0.004	*/ 3	0.0047	φ 0.0047					\$		\$		\$-			
BDT	Business Monthly Actual kVA Demand Trans. (obs. July 2016)	\$-				\$ 0.00	47 \$	0.0047						\$	-	\$	-	\$-			
LV	Business Annual Agreed kVA Demand	ş -	\$							\$ -	\$		s -								
LVSG LVB	Sportsgrounds Annual Agreed kVA Demand Business Annual Agreed kVA Demand (back-up)	\$ - \$ -	10 10							\$- \$-	\$ \$		s - s -								
LVN	Business Annual Agreed kVA Demand (back-up) Business Annual Agreed kVA Demand (negotiated service)	\$ -								ş -	\$		\$ -								
High Volta	ge Business Tariff Class		+				-								_						
B2R124H	High Voltage Business Two-Rate (obsolete July 2015)	s -				\$ 0.003	32 \$	0.0032													
HBD	Business Monthly Actual kVA Demand	\$ -	\$											\$		\$	•	\$-			
HV400 HV	HV Business Annual Agreed kVA Demand < 400 kVA HV Business Annual Agreed kVA Demand	\$- \$-	4							\$- \$-	\$ \$		\$ - \$ -								
HV HV400N	Business HV Demand < 400 kVA (negotiated service)	s -	3 93							э - \$ -			\$ - \$ -								
HVB	Business HV Demand kVA (back-up)	\$-	\$	0.0032						\$ -	\$	-	ş -								
HVN	Business HV Demand kVA (negotiated service)	\$ - \$ -								\$ -	\$ \$		\$ - \$ -								
HVS658	Business HV Demand kVA (negotiated service)	ъ -	17							\$-	¢		\$ -								
Major Busi 7SN	ness Tariff Class Zone Substation Annual Agreed kVA Demand (non-locational)	s -		0.0007						s -			s .								
ZSNB	Zone Substation kVA (back-up)	\$-	9 99							\$-			š -								
STN	Sub Transmission Annual Agreed kVA Demand (non-locational)	s -	s	0.0007						s -			s -								
STNB	Subtransmission kVA (back-up)	\$ -								\$ -			s -								
	Zone Substation Annual Agreed kVA Demand (locational)																				
ZSN021	ZSN021	s - s -		0.0007						\$ -			s -								
ZSN022 ZSN024	ZSN022 ZSN024	\$- \$-	01 (0							\$- \$-			\$ - \$ -								
ZSN026	ZSN026	\$-	\$	-						\$-			s -								
ZSN035	ZSN035	\$ -	\$							\$-			ş -								
ZSN131 ZSN228	ZSN131 ZSN228	\$- \$-								\$- \$-			\$ - \$ -								
ZSN438	ZSN428	ş -	5 05							\$ - \$ -			\$ - \$ -								
ZSN608	ZSN608	\$ -	\$	0.0007						\$ -			ş -								
ZSNB230	ZSNB230 (back-up) Sub Transmission Annual Agreed kVA Demand (locational)	\$-	\$	0.0007						\$-			\$-								
STN018	Sub Transmission Annual Agreed kVA Demand (locational) VSTN018	s -	5	0.0007						\$ -			s -								
STN084	VSTN084	\$-	\$	0.0007						\$-			ş -								
STN161	VSTN161	ş -	\$							\$-			ş -								
STN162 STN378	VSTN162 VSTN378	\$ - \$ -	40 40							\$- \$-			\$ - \$ -								
STN578	VSTN557	ş -	4							\$ -			\$ -								
STN609	VSTN609	\$-	\$	0.0007						\$ -			ş -								
STN788 STN840	VSTN788 VSTN840	\$ - \$ -	01 01							\$- \$-			\$ - \$ -								
STN840 STNB164	VSIN840 VSTNB164 (back-up)	s - s -								\$- \$-			s - s -								
STNB796	VSTNB796 (back-up)	\$-	9 99							\$-			š -								
1	Zone Substation non-Locational	s -		0.0007																	
			\$	0.0007						\$ -			ş -								
ZSS025	ZSS025 ZSS296		0	0.0007																	
	ZSS025 ZSS296 ZSS766	\$ - \$ -	01 03							\$- \$-			\$ - \$ -								
ZSS025 ZSS296	ZSS296 ZSS766 ZSS951	\$-	\$	0.0007																	
ZSS025 ZSS296 ZSS766 ZSS951	ZSS296 ZSS766 ZSS951 Sub Transmission non-Locational	\$ - \$ - \$ -	40 40	0.0007						\$ - \$ -			s - s -								
ZSS025 ZSS296 ZSS766 ZSS951 STR148	ZSS296 ZSS766 ZSS961 Sub Transmission non-Locational STR148	\$ - \$ - \$ -	() () ()	0.0007 0.0007 0.0007						\$-			s - s - s -								
ZSS025 ZSS296 ZSS766 ZSS951	ZSS296 ZSS766 ZSS951 Sub Transmission non-Locational	\$ - \$ - \$ -	01 01 01 01 01 01 01	0.0007						\$ - \$ - \$ -			s - s - s -								

Table 38: Negotiated services tariff schedule 2018/19

Image: control status Support None N		SA Power Networks' Tariffs 2018/19	Supply		Ener	rgy based u	sage		Annual a	greed kVA	demand		Monthly	actual kVA	demand	Monthl	y actual kW	demand
Backets Turbe Construction (M, M, M	dis	comprises negotiated services only Neg Serv tribution element charged as negotiated service	Rate	Block 1	Block 2	Peak	Peak	Load	\$/kVA/day	\$/kVA/day	\$/kVA/day	\$/kVA/day	Peak \$/kVA/day	Shoulder \$/kVA/day	Off-Peak \$/kVA/day	Peak \$/kW/day	Shoulder \$/kW/day	\$/kW/day
Biss	Decidentia								Annual	Annual	Annual	Annual	5 months	12 months	12 months	5 months	7 months	12 months
MCD Required leading August Multication (August Multication (Augu			e .	¢	¢ .			¢ .										
LUND Unreased 2 hor Unreased 2 hor<			s -		Ŭ											\$-	s -	s -
LAUAP Lower and 2 hard Lower and	Small Busi	ness Tariff Class (<160 MWh)									-							
Bit were Boyle Ale (and with / 2010) 0				\$-														
Rich Burleys		Unmetered 24 hour		\$ -														
Bit Desides Metric /statis / A Denset Invariant /			s -	\$-				ş -										
BADTER Business Month/, ALL AD Dumand Transition S I I<				¢ .		ъ -	ۍ د	ъ -					¢ .	e .	¢ .			
Bulkerss Bulkerss Bulkerss S <t< td=""><td></td><td></td><td>\$.</td><td>ф -</td><td></td><td>s .</td><td>s .</td><td></td><td></td><td></td><td></td><td></td><td>\$.</td><td>\$.</td><td></td><td></td><td></td><td></td></t<>			\$.	ф -		s .	s .						\$.	\$.				
Barriers Burners Clight Barriers S 0.003 <td></td> <td></td> <td>š -</td> <td>\$ -</td> <td></td> <td></td> <td></td> <td></td> <td>s -</td> <td></td> <td></td> <td>s -</td> <td>Ť</td> <td></td> <td>*</td> <td></td> <td></td> <td></td>			š -	\$ -					s -			s -	Ť		*			
Lange bases but V full Clar (V and - NAWR) S		Business Single-Rate (negotiated service)		\$ 0.1033														
LaSP Butters Single-Batter	B2RN	Business Two-Rate (negotiated service)	\$ 0.3650			\$ 0.1164	\$ 0.0582											
LB2R Buttines Simolation S N S N <td>Large Busi</td> <td>ness LV Tariff Class (LV and >160 MWh)</td> <td></td>	Large Busi	ness LV Tariff Class (LV and >160 MWh)																
Batters Konthy Actai / A Demard Tes. (bs. Job / S S			s -	\$-														
Batheness Matchild Action Matchild Mat				¢		\$-	\$-	ş -										
LV Butiness Annual Agends VAD Damaid \$				\$ -									\$ - ¢	ş -				
LNSG Sportgrander, Annual Agenes IVA Deminand \$ 0.0007		Business Annual Agreed kVA Demand Trans. (0bs. July 2016)	\$.	\$.		ф -	÷ -		s .	\$.		\$	÷ -	÷ ۰	ъ -			
L/B Buisness Around Agenet VA Demand (negational service) \$ 0.0027 \$ 0.1122 \$ <td< td=""><td></td><td></td><td>s -</td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>			s -	\$ -														
LNN Business Annal Agenes VAD Remain (special order of the second seco			\$ 10.8807	\$ 0.0267														
Network S </td <td></td> <td></td> <td>\$ 10.8807</td> <td>\$ -</td> <td></td> <td></td> <td></td> <td></td> <td>\$ 0.2237</td> <td>\$ 0.1678</td> <td></td> <td>\$ 0.1162</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			\$ 10.8807	\$ -					\$ 0.2237	\$ 0.1678		\$ 0.1162						
B2R1244 High Values Burnes Two-Rise (bolder all values Jalues J		Bus LV Agreed Demand Trial kVA	s -	\$ -					\$ -	\$ -	s -							
HED Bunness Annual Ayes Morbal Actual M J Demard S - S<																		
http://withinticker.com/action/act		High Voltage Business Two-Rate (obsolete July 2015)	ş -	¢		\$ -	\$ -						e					
HV HV Butiness Annual Agned VA Dennard \$ 0				а - с					s .			e .	э -	ş .	ş -			
httdom Buines H/ Demard 4.0 kDak-ay \$ 0.0287 \$ 0.1162 \$ 0.1162 HB Buines H/ Demard KA back-ay \$ 0.1163 \$ 0.1163 \$ 0.1163 HN Buines H/ Demard KA back-ay \$ 0.1163 \$ 0.1163 \$ 0.1163 HN Buines H/ Demard KA back-ay \$ - \$ - \$ 0.1163 \$ 0.1163 Maly Eduations Fulf Class H \$ - \$ - \$ - \$ - SN Substation (Annual Agreet VA Demand (non-locationa) \$ - \$ 0.024 \$ 0.024 SN Substation (Annual Agreet VA Demand (non-locationa) \$ - \$ 0.024 \$ 0.024 SNN Substation Annual Agreet VA Demand (non-locationa) \$ - \$ - \$ 0.024 SNN Substation Annual Agreet VA Demand (locationa) \$ - \$ - \$ -				\$ -					s -									
INN Busines H/Demard V/A (negoliated service) \$ \$ \$ \$ 0.1687 \$ \$ 0.1687 VNSSB Busines H/Demard V/A (negoliated service) \$ > \$ 0.1687 \$ 0.1380 HVTR Bus H/A Agned Demard Trulk V/A \$ - \$ 0 \$ 0.1380 Zone Buddedian Arrual Agned V/A Demand (non-locational) \$ - \$ 0.0001 \$ \$ 0.1070 \$ 0.1070 SINT Zone Buddedian Arrual Agned V/A Demand (non-locational) \$ - \$ 0.0001 \$ 0.0001 \$ 0.0001 \$ 0.0001 SINT Sub Transmission V/A Demand (non-locational) \$ - \$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0012 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 \$ 0.0014 <th< td=""><td></td><td></td><td>\$ 10.8807</td><td>\$ 0.0267</td><td></td><td></td><td></td><td></td><td>\$ 0.2237</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>			\$ 10.8807	\$ 0.0267					\$ 0.2237									
MYSG8 Builness H/ Demard (VA (neglicates dence)) \$ 1 5 1 5 1 5 1 1 May Charantal VA \$ <td>HVB</td> <td>Business HV Demand kVA (back-up)</td> <td>\$-</td> <td>\$ 0.0154</td> <td></td>	HVB	Business HV Demand kVA (back-up)	\$-	\$ 0.0154														
IntTR Bus Int Agene S S S S S S S S Zhen Substation Annual Agenet IvA Domand (non-locational) S																		
Jack Distribution Annual Agreed V/A Demand (non-locational) S S S C S S S 0.009 S S S 0.009 S S S 0.0075 S 0.1075 S 0.1076 S 0.1076 S 0.1075 S 0.1076 S 0.1076 S 0.1075 S 0.1076 S 0.1075			ş -	\$ -					\$ 0.1637			\$ 0.1393						
ZNMZone Substantion Al Agened Al AD Demand (non-location al)SS<			\$ ·	ъ -		-			\$ ·		\$.							
ZNNE ZNNE ZNNE ZNO Substation (VA Table)S • •S • • • •S • • •S • • •S • • • •S • • • •S • • • •S • • • • • • • • • • • • • • • • • • •			s -	s -					s -			s .						
ZiNTZion Substation IV/A fialdSSS<				\$ 0.0049					\$ 0.1075									
STMB Subtransmission kVA back-up) S S 0.0244 S 0.0244 STMR Subtransmission kVA back-up) S <td>ZSNTR</td> <td>Zone Substation kVA Trial</td> <td>s -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>s -</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	ZSNTR	Zone Substation kVA Trial	s -								s -							
Sthtmammission VA Trail S <td></td> <td></td> <td></td> <td>\$ -</td> <td></td> <td></td> <td></td> <td></td> <td>\$-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>				\$ -					\$-									
Cores Substation Annual Agreed kVA Demand (locational) V			\$-	• • • • •					• • • • • • • •			\$ 0.0244						
ZNN21ZNN21ZNN24	STNTR		\$-	\$ -					\$-		\$ -							
ZNNQ2ZNNQ2ZNNQ4SSS <t< td=""><td>751/021</td><td></td><td>e .</td><td>¢ .</td><td></td><td></td><td></td><td></td><td>e .</td><td></td><td></td><td>¢ .</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	751/021		e .	¢ .					e .			¢ .						
ZNN26ZNN26ZNN26SSS <t< td=""><td></td><td></td><td>ŝ.</td><td>\$ -</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>			ŝ.	\$ -														
ZNN35ZNN35ZNN35ZNN36ZNN37			š -	s -														
ZNN131ZDN13	ZSN026	ZSN026	s -	\$ -					\$ -			\$ -						
ZNA28 ZNA28 ZNA28 ZNA38			\$-	\$-														
ZSN438 ZSN437 ZSN429 ZSN220 ZSN220 ZSN220 Laskex, up) S			s -	\$ -					-									
ZNM00 ZNM00 S			ş -	ş -														
ZSNB230 (back-up) \$				\$ ·					s -									
Sub Transmission Annual Agreed VA Demand (locational) V V V STN016 STN016 S <td></td> <td>ZSNB230 (back-up)</td> <td></td> <td>\$ 0.0049</td> <td></td> <td></td> <td></td> <td></td> <td>\$ 0.1075</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		ZSNB230 (back-up)		\$ 0.0049					\$ 0.1075									
STN018 VSTN014 VSTN014 S<		Sub Transmission Annual Agreed kVA Demand (locational)																
STM61 VSTM61 S S - S - S - STM62 VSTM627 S - S - S - S - STM67 VSTM677 S - S - S - S - STM67 VSTM677 S - S - S - S - STM67 VSTM677 S - S - S - S - STM60 VSTM677 S - S - S - S - STM69 VSTM676 S - S - S - S - STM60 VSTM676 S - S - S - S - STM60 VSTM676 S - S - S - S - STM64 VSTM6164 (back-up) S - S 0.0012 S 0.0244 S 0.0244 TSM767 VSTM676 (back-up) S S 0.0012 S 0.0244 S 0.0244 ZSM26 ZSM26 ZSM26 S S		VSTN018	s -	\$-					\$-									
STN478 VSTN473 S			\$ -	\$ -					\$ -									
STN478 VSTN478 \$ - \$ - \$ - \$ - \$ - STN507 VSTN507 \$ - \$ - \$ - \$ - STN507 VSTN507 \$ - \$ - \$ - \$ - STN509 VSTN578 \$ - \$ - \$ - \$ - STN509 VSTN5788 \$ - \$ - \$ - \$ - STN809 VSTN5788 \$ - \$ - \$ - \$ - STN809 VSTN8796 (back-up) \$ 0 0.0012 \$ \$ 0.0244 \$ 0.0244 STN8079 VSTN8796 (back-up) \$ \$ \$ 0.0244 \$ 0.0244 STN8079 VSTN8796 \$ \$ \$ 0.0244 \$ 0.0244 ZSS025 ZS265 ZS265 \$ \$ \$ \$ \$ \$ ZSS026 ZS265 \$ \$ \$ \$ \$ \$ \$ \$ ZSS056 ZS2656 \$			ş -	ş -					ş -									
STMEG7 VSTMEG7 \$	S (N162 STN279	VSTN162	\$ - ¢	\$ - ¢					\$ - ¢									
STNe09 VSTNe09 \$ - \$ - \$ - \$ - STN278 VSTN8783 \$ - \$ - \$ - \$ - STN478 VSTN8746 0 5 - \$ - \$ - \$ - STN478 VSTN8746 0 0 5 0 \$ 0 \$ - \$ - STN878 VSTN8746 (back-up) \$ 0 0.0012 \$ 0.0244 \$ 0.0244 STN8798 VSTN8796 (back-up) \$ \$ 0.0012 \$ 0.0244 \$ 0.0244 ZSS027 ZSS205 S \$ \$ \$ 0.0244 \$ 0.0244 ZSS026 ZSS205 S \$ \$ \$ \$ 0.0244 \$ 0.0244 ZSS026 ZSS205 S \$ \$ \$ \$ \$ \$ \$ ZSS026 ZSS206 S \$ \$ \$ \$ \$ \$ \$ ZSS026 ZS296 S \$ \$ \$ \$ \$ \$ \$ <			\$.	\$.					\$.									
STN286 VSTN786 S			s -	\$ -					\$ -									
STNB40 VSTNB476 VSTNB47	STN788		\$ -	\$ -					\$ -			\$ -						
STNB 796 \text{ND 796 \text{Deck.vp} \$ </td <td>STN840</td> <td>VSTN840</td> <td></td> <td>\$-</td> <td></td>	STN840	VSTN840		\$-														
Zone Substation non-Locational - <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>																		
ZSS025 ZSS025 ZSS026 ZSS026 S - S - S - ZSS266 ZSS266 ZSS766 S - S - S - ZSS266 ZSS766 S - S - S - S - ZSS266 ZSS047 S - S - S - S - ZSS266 ZSS047 S - S - S - <td>S (NB796</td> <td></td> <td>s -</td> <td>\$ 0.0012</td> <td></td> <td></td> <td></td> <td></td> <td>\$ 0.0244</td> <td></td> <td></td> <td>\$ 0.0244</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	S (NB796		s -	\$ 0.0012					\$ 0.0244			\$ 0.0244						
ZSS296 ZSS296 ZSS296 S - \$ - \$ - ZSS766 ZSS951 ZS \$ - \$ - \$ - ZSS051 ZSS951 S - \$ - \$ - Stantamsission monol-coastionan - - - \$ - STR148 STR40 \$ - \$ - \$ -	799025		e .	¢ .					e .			e .						
ZSS766 ZSS766 ZSS761 \$ - \$ - \$ - ZSS951 ZSS951 ZSS951 - - - - - Sub Transmission non-locational - - - - - STR148 STR149 \$ - \$ - \$ - STR10 STR40 \$ \$ \$ - \$ -			š .	\$ -					ŝ.									
ZSS951 ZSS951 ZSS951 S			s -	-					\$ -									
Sub Transmission non-Locational - - - <t< td=""><td></td><td>ZSS951</td><td>s -</td><td>\$ -</td><td></td><td></td><td></td><td></td><td>\$-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		ZSS951	s -	\$ -					\$-									
STR610 STR610 \$ - \$ - \$ - \$ -		Sub Transmission non-Locational																
		STR148	ş -	\$ -					ş -									
	STR610 STR749	STR610 STR749	s - s -						\$ - \$ -			\$ - \$ -						
STR749 STR749 \$ - \$ - \$ -	51R/49	S1R/49	ъ -	ъ -					ş .			ə -						

	SA Power Networks' Tariffs 2019/20	Supply			rgy based u			Annual	agreed kVA	demand	Monthly	actual kVA	demand	Monthly	actual kW	demand
	Indicative Negotiated Service Prices	Supply	Usage	Usage	Usage	Usage Off-	Controlled	Fundario	agrood itra	aomana	Summer	Year	Year	Summer	Winter	Year
di	comprises negotiated services only Neg Serv stribution element charged as negotiated service Tariff Class and Tariffs	Rate \$/day	Block 1 \$/kWh	Block 2 \$/kWh	Peak \$/kWh	Peak \$/kWh	Load \$/kWh	Block 1 \$/kVA/day Annual	Block 2 \$/kVA/day Annual	Additional \$/kVA/day Annual	Peak \$/kVA/day	Shoulder \$/kVA/day 12 months	Off-Peak \$/kVA/day	Peak \$/kW/day	Shoulder \$/kW/day 7 months	Off-Peak \$/kW/day
	I Tariff Class															
RSR MRD	Residential Residential Monthly Actual kW Demand															
	ness Tariff Class (<160 MWh)															
LVUU LVUU24	Unmetered 12 hour (streetlights) Unmetered 24 hour															
BSR	Business Single-Rate (obsolete July 2010)															
B2R	Business Two-Rate															
SBD SBDT	Business Monthly Actual kVA Demand Business Monthly Actual kVA Demand Transition															
SLV	Business Annual Agreed kVA Demand (obsolete July 2016)															
BSRN B2RN	Business Single-Rate (negotiated service)		\$ 0.1041		e 0.4470	e 0.0507										
B2RN	Business Two-Rate (negotiated service)	\$ 0.3823			\$ 0.1173	\$ 0.0587										
Large Busi	ness LV Tariff Class (LV and >160 MWh)															
LBSR LB2R	Business Single-Rate Transition Business Two-Rate Transition															
BD	Business Monthly Actual kVA Demand															
BDT	Business Monthly Actual kVA Demand Trans. (obs. July 2016)															
LV LVSG	Business Annual Agreed kVA Demand Sportsgrounds Annual Agreed kVA Demand															
LVB	Business Annual Agreed kVA Demand (back-up)	\$ 10.9676 \$ 10.9676	\$ 0.0269					\$ 0.1171	\$ 0.1171	\$ 0.1171						
LVN	Business Annual Agreed kVA Demand (negotiated service)	\$ 10.9676	\$ 0.0269					\$ 0.2255	\$ 0.1691	\$ 0.1171						
	ge Business Tariff Class				-											
B2R124H HBD	High Voltage Business Two-Rate (obsolete July 2015) Business Monthly Actual kVA Demand															
HBD HV400	HV Business Annual Agreed kVA Demand < 400 kVA															
HV	HV Business Annual Agreed kVA Demand															
HV400N HVB	Business HV Demand < 400 kVA (negotiated service)	\$ 10.9676						\$ 0.2255		\$ 0.1171						
HVB	Business HV Demand kVA (back-up) Business HV Demand kVA (negotiated service)		\$ 0.0155 \$ 0.0155					\$ 0.1404 \$ 0.1650		\$ 0.1404 \$ 0.1404						
HVS658	Business HV Demand kVA (negotiated service)	\$ -	\$ 0.0155					\$ 0.1650		\$ 0.1404						
Maior Busi	ness Tariff Class				_											
ZSN	Zone Substation Annual Agreed kVA Demand (non-locational)															
ZSNB	Zone Substation kVA (back-up)	s -	\$ 0.0049					\$ 0.1084		\$ 0.1084						
STN STNB	Sub Transmission Annual Agreed kVA Demand (non-locational) Subtransmission kVA (back-up)	s -	\$ 0.0012					\$ 0.0245		\$ 0.0245						
OTIND		φ -	\$ 0.0012					φ 0.0245		\$ 0.0245						
ZSN021	Zone Substation Annual Agreed kVA Demand (locational) ZSN021															
ZSN021 ZSN022	ZSN021 ZSN022															
ZSN024	ZSN024															
ZSN026 ZSN035	ZSN026 ZSN035															
ZSN131	ZSN131															
ZSN228	ZSN228															
ZSN438 ZSN608	ZSN438 ZSN608															
ZSNB230	ZSNB230 (back-up)	\$-	\$ 0.0049					\$ 0.1084		\$ 0.1084						
STN018	Sub Transmission Annual Agreed kVA Demand (locational)															
STN018 STN084	VSTN018 VSTN084															
STN161	VSTN161															
STN162 STN378	VSTN162 VSTN378															
STN378 STN557	VS1N378 VSTN557															
STN609	VSTN609															
STN788 STN840	VSTN788 VSTN840															
STNB164	VSTNB164 (back-up)		\$ 0.0012					\$ 0.0245		\$ 0.0245						
STNB796	VSTNB796 (back-up)		\$ 0.0012					\$ 0.0245		\$ 0.0245						
ZSS025	Zone Substation non-Locational ZSS025															
ZSS296	ZSS296															
ZSS766	ZSS766															
ZSS951	ZSS951 Sub Transmission non-Locational															
STR148	STR148															
STR610	STR610															
STR749	STR749															

Table 39: Negotiated services indicative tariff schedule 2019/20

Notes accompanying the 2018/19 tariff schedules

- 1. Network tariffs are calculated on a GST exclusive basis. GST is added to the distribution tariffs.
- 2. SA Power Networks must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.

Assignment to cost-reflective (demand based) tariffs

- i. A Distribution Network User that connected to or altered the supply arrangements with the Distribution Network from 1 July 2010 and requiring more than 100 amps (70 kVA) supply must be assigned to a distribution network tariff that includes a demand component in respect of that connection point.
- ii. A Distribution Network User connected to the Distribution Network that has a maximum demand of 250 kVA or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
- iii. From 1 July 2015, a Distribution Network User connected to the Distribution Network that would qualify as a large customer (annual usage of 160 MWh or more) must be assigned to a distribution network tariff that includes a demand component in respect of that connection point. If the customer has a Type 6 meter, then a transition business single-rate or transition business 2-rate tariff must be used until a Type 1-5 meter is installed.
- iv. A new Distribution Network Business User connecting or an existing Distribution Network Business User altering the supply arrangements to the Distribution Network from 1 July 2015 and requiring multi-phase supply must be assigned to a distribution network tariff that includes a demand component in respect of that connection point. A Type 1-5 meter is required at such sites. Customers should note that where they choose to have a Type 1-4 meter, they have the right to exercise choice regarding their metering service provider. Installation of a Type 1-5 meter by itself is not an alteration to supply, but installation of an inverter, eg for solar PV Equipment or Battery Storage, is an alteration to supply.

General notes applicable to demand tariffs:

- 1. Agreed Demand charges for business customers are determined on the basis of the maximum half-hour trading interval for:
 - a. Agreed Maximum Demand (Annual Peak Demand) on workdays between 1200 and 2100 local time, during November to March only;
 - b. Agreed additional maximum demand (Additional Demand), as the difference between the customer's anytime maximum demand and the agreed (peak) maximum demand; and
 - c. For business customers on the Sports Ground demand kVA tariff, the Agreed Peak Demand shall be determined on work days between 1200 and 1900 local time, during December to February only. Additional Demand shall be determined using all other times of the year.
- 2. Actual Demand charges for business customers are determined on the basis of the maximum half-hour trading interval since the last meter read (Type 1-4 meters are assumed to be read each calendar month) for:
 - a. Summer Peak Demand on work days between 1600 and 2100 local time, during November to March only;

- b. Year-round Shoulder Demand on work days between 1200 and 1600 local time; and
- c. Off-peak Demand at all other times (the price is zero for actual off-peak demand).
- 3. Actual Demand charges for residential customers are determined on the basis of the maximum halfhour trading interval since the last meter read (Type 1-4 meters are assumed to be read each calendar month) for:
 - a. Summer Peak Demand on all days between 1600 and 2100 local time during November to March only;
 - b. Winter Shoulder Demand on all days between 1600 and 2100 local time; and
 - c. Off-peak Demand at all other times (the price is zero for actual off-peak demand).
- 4. Peak energy is energy consumed on business days between the hours of 0700 and 2100 CST. Type 6 meters typically measure this component during week days whereas Type 1-5 meters will measure this in on work days. For customers with Type 6 metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 CST.
- 5. Off-peak energy is energy consumed other than peak energy.
- 6. Residential tariff notes:
 - a. The low voltage residential single rate tariff is currently available to eligible residential customers taking supply at less than 1 kV. These customers ordinarily use a Type 1-6 National Electricity Market (NEM) compliant meter. The metered energy consumption is charged in two blocks. Block 1 is 0-4MWh pa, Block 2 is >4MWh pa.
 - b. The low voltage residential monthly actual demand tariff is available to eligible residential customers taking supply at less than 1 kV. These customers will require a Type 1-5 NEM compliant meter read at least monthly. The metered energy consumption is charged at a single rate. The maximum kW demand charge is based on the actual maximum demand measured over a half hour interval, on any day in the month between 16:00 and 21:00 hours local time. A higher price applies during the summer period (November to March) than the winter period (April to October). Currently, there is no charge for demand that is higher outside of the peak 16:00 and 21:00 local time, time period. The demand charge is applied on a 'per day' basis according to the days in the month.
 - c. Controlled load is an optional partner tariff component used to control permanently installed hot water services and other appliances (including electric vehicles and battery chargers up to 32A), during off peak times between 23:00-07:00 hours Central Standard Time (CST). Operation anywhere within this window is permitted based on the customer's requirements but with a randomised start time. Where multiple appliances are connected to a single phase of the OPCL circuit, eg hot water, EV batteries, battery storage and under-floor heating, only one appliance can operate at a time on that phase. A solar sponge version is also available between 10:00-15:00 hours CST.

Small business tariff notes:

 The low voltage business two rate tariff has a TOU structure with peak and off-peak consumption charges. This tariff is the default tariff for new single phase customers. Peak charges (at a higher rate) apply work days 07:00-21:00 hours CST with all other times including non-work-days defined as offpeak (charged at a lower rate). Peak and off-peak is charged in single blocks. A Type 1-6 NEM compliant meter is required.

- 2. The small business monthly actual kVA demand transition tariff is mandatory for new multi-phase small business customers or existing small business customers who upgrade to a multi-phase supply and require a new meter. The usage portion has peak charges (at a higher rate) that apply work days 07:00-21:00 hours local time, with all other times including non-work-days defined as off-peak (charged at a lower rate). The demand charge is based on the actual maximum kVA demand measured over a half hour interval, on any day in the month between 12:00 and 16:00 hours local time, work days, for the shoulder period (12 months). An additional peak demand price applies during the peak period (November to March) between 16:00 and 21:00 hours local time, on workdays. Currently, there is no charge for demand that is higher outside of the peak 16:00 and 21:00 time period. The tariff is a combination of 50% business 2-rate and 50% small business actual demand. These customers require a Type 1-5 interval meter read at least monthly.
- 3. The small business actual kVA demand tariff is optional to small business customers taking supply at less than 1 kV. Metered energy consumption is charged at a single rate. Shoulder demand (12 months) applies to the monthly workday maximum kVA demand (measured over a half hour interval) between 12:00 and 16:00 hours local time, for each month of the year. Peak demand prices also apply during the peak period (November to March) between 16:00 and 21:00 hours local time, on workdays. These customers will require a Type 1-5 interval meter read at least monthly.
- 4. Unmetered supply tariffs are applicable to supply points that are not metered. Unmetered tariffs comprise of an energy rate that is applied to the calculated electricity consumption using an agreed algorithm from the applicable Metrology Procedure. Unmetered supply tariffs are generally invoiced monthly.
- 5. The business single rate tariff is a closed tariff that was available for use before July 2010. The consumption is charged on a flat scale (previously inclining block until July 2016).
- 6. The low voltage agreed kVA demand tariff is a closed tariff that was available for use before July 2016. The peak demand is agreed, and measured on work days between 12:00 and 21:00 hours local time, during the summer months of November to March and is charged on an inclining scale in two demand blocks. Block 1: 0-1000kVA, block 2: >1000kVA. An additional demand applies where higher levels of demand are required during the year than are required during the peak demand period. Customers (through their retailer) can apply for agreed demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.
- 7. Controlled load is a closed optional partner tariff component used to control permanently installed hot water services and other appliances, during off peak times between 23:00-07:00 hours CST. Operation anywhere within this window is permitted based on the customer's requirements but with a randomised start time. A solar sponge version is also available between and 10:00-15:00 hours CST.

Large LV business tariff notes:

- The large LV business actual kVA demand tariff is the default tariff for large LV business customers. It
 has a fixed daily charge and a metered energy consumption charged at a single rate. Shoulder demand
 (12 months) applies to the monthly workday maximum kVA demand (measured over a half hour
 interval) between 12:00 and 16:00 hours local time, for each month of the year. An additional peak
 demand price applies during the peak period (November to March) between 16:00 and 21:00 hours
 local time, on workdays. These customers will require a Type 1-5 interval meter read at least monthly.
- 2. The large LV business agreed kVA demand tariff is an opt-in tariff for large LV business customers. It has a fixed daily charge and a metered energy consumption charged at a single rate. The peak demand is measured on work days between 12:00 and 21:00 hours local time, during the summer months of

November to March and is charged on a declining scale in two consumption blocks. Block 1: 0-1000kVA, block 2: >1000kVA. An additional demand applies where higher levels of demand are required during the year than are required during the peak demand period. Customers (through their retailer) can apply for agreed demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.

- 3. The sportsground agreed kVA demand tariff is a special purpose tariff for sportsgrounds with significant floodlighting. It has a fixed daily charge and a metered energy consumption charged at a single rate. The peak demand is measured on work days between 12:00 and 21:00 hours local time, during the summer months of December to February and is charged on a declining scale in two consumption blocks. Block 1: 0-1000kVA, block 2: >1000kVA. An additional demand applies where higher levels of demand are required during the year than are required during the peak demand period. Customers (through their retailer) can apply for agreed demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.
- 4. The back-up agreed kVA demand tariff is special purpose tariff. It has a fixed daily charge and metered energy consumption charged at a single rate. The peak demand is measured on work days between 12:00 and 21:00 hours local time, during the summer months of November to March and is charged on a flat scale. Customers (through their retailer) can apply for agreed demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.
- 5. The single rate transitional tariff has a fixed daily charge. The metered energy consumption is charged on a flat scale. This tariff is only available to businesses with a Type 6 meter.
- 6. The two rate transitional tariff has a fixed daily charge and a TOU structure with peak and off-peak consumption charges. Peak charges (at a higher rate) apply on work days from 07:00-21:00 hours local time, with all other times including non-work-days defined as off-peak (and charged at a lower rate). Peak usage and off-peak is charged in single blocks. This tariff is only available to businesses with a Type 6 meter.
- A controlled load partner tariff is a closed optional tariff component used to control permanently installed hot water services and other appliances, during off peak times between 23:00-07:00 hours CST. Operation anywhere within this window is permitted based on the customer's requirements but with a randomised start time. A solar sponge version is also available between and 10:00-15:00 hours CST.

High voltage business tariff notes:

- The high voltage annual agreed kVA demand tariff is the default tariff for this tariff class. It consists of a single block of peak demand, a single usage price for energy and a significant fixed daily charge. An additional demand applies where higher levels of demand are required during the year than are required during the peak demand period. Customers (through their retailer) can apply for agreed demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.
- The high voltage annual agreed kVA demand <400kVA tariff is available on an opt-in basis however the customer's maximum demand must not exceed 400 kVA. It consists of a single block of peak demand, a single usage price for energy and a fixed daily charge.
- 3. An additional demand charge applies where higher levels of demand are required during the year than are required during the peak demand period. Customers (through their retailer) can apply for agreed

demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.

- 4. The business monthly actual kVA demand tariff is an opt-in tariff. It has a metered energy consumption charged at a single rate. Shoulder demand applies to the monthly workday maximum kVA demand (measured over a half hour interval) between 12:00 and 16:00 hours central local time every month of the year. An additional peak demand price applies during the peak period (November to March) between 16:00 and 21:00 hours local time, on workdays. These customers will require a Type 1-5 interval meter read at least monthly.
- 5. The back-up annual agreed kVA demand tariff is a special purpose tariff. It consists of a single block of peak demand and a single usage price for energy. An additional demand applies where higher levels of demand are required during the year than are required during the peak demand period. Customers (through their retailer) can apply for agreed demand to be amended. Reduction requests require supporting evidence. This tariff requires a Type 1-5 interval meter capable of measuring both active and reactive power.
- 6. The two rate tariff is closed to new customers. It has a fixed daily charge and a TOU structure with peak and off-peak consumption charges. Peak charges (at a higher rate) apply during work days from 07:00-21:00 hours local time, with all other times including non-work-days defined as off-peak (charged at a lower rate). Peak and off-peak usage is charged in single blocks. This tariff is only available to businesses with a Type 6 meter.

Major business tariff notes:

- 1. The sub-transmission and zone substation kVA demand tariff is for business customers that take supply directly from the sub-transmission network or a zone substation but do not utilise locational transmission pricing (ie their demand is < 10 MW and their annual usage is below 40 GWh pa). It consists of a single block of peak demand and a single usage price for energy. The peak demand price applies during the peak period (November to March) between 12:00 and 21:00 hours local time, on workdays. An additional demand charge applies where higher levels of demand are required during the year than are required during the peak demand period. The minimum level of agreed demand (peak plus additional) for this tariff is 5,000 kVA. A Type 1-4 interval meter is required with the ability to measure both active and reactive power.</p>
- 2. The locational sub-transmission and zone substation kVA demand tariff is for business customers that take supply directly from the sub-transition network or a zone substation and are subject to locational transmission pricing (ie their demand is > 10 MW and their annual usage is above 40 GWh pa). It consists of a fixed daily rate based on locational pricing, a single block of peak demand and a single usage price for energy. The peak demand price applies during the peak period (November to March) between 12:00 and 21:00 hours local time, on workdays. An additional demand charge applies where higher levels of demand are required during the year than are required during the peak demand period. The minimum level of agreed demand (peak plus additional) for this tariff is 5,000 kVA. A Type 1-4 interval meter is required with the ability to measure both active and reactive power.
- 3. The sub-transmission and zone substation kVA demand back-up tariff is a special purpose tariff for business customers that require additional security of supply. It consists of a single block of peak demand and a single usage price for energy. A Type 1-4 interval meter is required with the ability to measure both active and reactive power is required.
- 4. Sub-transmission and zone substation customers on locational tariffs have individually calculated charges.

General notes applicable to demand tariffs:

- 1. Agreed Demand charges for business customers are determined on the basis of the maximum half-hour trading interval for:
 - a. Agreed Maximum Demand (Annual Peak Demand) on workdays between 1200 and 2100 local time, during November to March only;
 - b. Agreed additional maximum demand (Additional Demand), as the difference between the customer's anytime maximum demand and the agreed (peak) maximum demand; and
 - c. For business customers on the Sports Ground demand kVA tariff, the Agreed Peak Demand shall be determined on work days between 1200 and 1900 local time, during December to February only. Additional Demand shall be determined using all other times of the year.
- 2. Actual Demand charges for business customers are determined on the basis of the maximum half-hour trading interval since the last meter read (Type 1-4 meters are assumed to be read each calendar month) for:
 - a. Summer Peak Demand on work days between 1600 and 2100 local time, during November to March only;
 - b. Year-round Shoulder Demand on work days between 1200 and 1600 local time; and
 - c. Off-peak Demand at all other times (the price is zero for actual off-peak demand).
- 3. Actual Demand charges for residential customers are determined on the basis of the maximum halfhour trading interval since the last meter read (Type 1-4 meters are assumed to be read each calendar month) for:
 - a. Summer Peak Demand on all days between 1600 and 2100 local time during November to March only;
 - b. Winter Shoulder Demand on all days between 1600 and 2100 local time; and
 - c. Off-peak Demand at all other times (the price is zero for actual off-peak demand).
- 4. Peak energy is energy consumed on business days between the hours of 0700 and 2100 CST. Type 6 meters typically measure this component during week days whereas Type 1-5 meters will measure this in on work days. For customers with Type 6 metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 CST.
- 5. Off-peak energy is energy consumed other than peak energy.

Appendix B: Alternative control services tariff schedules

This appendix includes the alternative control services tariff schedules for 2018/19 and indicative tariff schedules for 2019/20.

Table 40: SA Power Networks' annual metering charge (\$nominal)

Price ^t = Price ^{t-1} x (CPI ^t /C	PI ^{t-1}) x (1 - X ^t)	2015/16 \$pa	2016/17 \$pa	2017/18 \$pa	2018/19 \$pa	2019/20 F'cast \$pa	2018/19 \$/day
Type 1-4 'Exceptional'	Non-capital	135.07	185.16	178.50	172.81	168.28	0.4735
remotely read	Capital	176.18	215.83	251.87	295.18	347.94	0.8087
interval meter	Non-capital and capital	311.25	400.99	430.37	467.99	516.21	1.2822
Type 5-6 CT connected	Non-capital	73.52	100.79	97.16	94.06	91.59	0.2577
manually read	Capital	95.90	117.48	137.10	160.67	189.39	0.4402
meter	Non-capital and capital	169.42	218.27	234.26	254.74	280.99	0.6979
Type 5-6 WC manually read	Non-capital	8.98	12.31	11.87	11.49	11.19	0.0315
meter	Capital	11.71	14.35	16.74	19.62	23.13	0.0538
	Non-capital and capital	20.69	26.66	28.61	31.11	34.31	0.0852

Table 41: SA Power Networks' upfront metering charge (\$nominal)

	2015/16 \$	2016/17 \$	2017/18 \$	2018/19 \$	2019/20 F'cast \$
Type 5 single element	163.92	195.74	199.82	NA	NA
Type 5 two element	235.02	281.17	287.03	NA	NA
Type 5 three phase	404.13	482.42	492.48	NA	NA
Type 6 single element	102.00	111.65	113.97	NA	NA
Type 6 two element	259.44	281.15	287.02	NA	NA
Type 6 three phase	304.19	331.81	338.73	NA	NA

General notes applicable to metering tariffs:

There are four different combinations of metering fees possible:

- Existing customers using SA Power Networks' meters. These customers continue to pay the capital and non-capital charges;
- Where an existing customer at June 2015 has the meter replaced by an alternate meter provider eg a type 4 meter, the customer will continue to pay the Capital-related charge, but will cease paying the non-capital related charge. This will apply to all metering upgrades and replacements undertaken by retailers under metering contestability arrangements post December 2017;
- Where an existing customer at June 2015 was not using an SA Power Networks meter but that of an alternate meter provider, eg a type 4 meter, the customer is not liable for any annual metering charges to SA Power Networks; and

• From December 2017 (metering contestability commencement), where a new customer connects to the network the retailer will arrange metering. There will not be any SA Power Networks metering charges applicable. Where new customers have elected to be connected and use an SA Power networks meter (typically new connections from July 2015 to November 2017), the customer will have incurred an upfront capital charge and will continue to incur the annual non-capital charge.

Under the AER's Final Decision in 2015, these charges continue to June 2020. The AER's 2020-25 Reset will determine the pricing arrangements that will apply from July 2020.

Appendix C: Shortened forms

Definition or descriptionAustralian Energy Regulator.Investment in new network assets to meet increased demand.The amount of electrical power that a part of the network is able to carry.Works for which the customer(s) contribute towards the cost of supplying assets, typically because they are the sole users.Council of Australian Governments.Customer choice of electricity or related service supplier.The DNSP controls the hours in which the supply is made available.Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals.Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross subsidy from or to other customers is said to exist.
Investment in new network assets to meet increased demand. The amount of electrical power that a part of the network is able to carry. Works for which the customer(s) contribute towards the cost of supplying assets, typically because they are the sole users. Council of Australian Governments. Customer choice of electricity or related service supplier. The DNSP controls the hours in which the supply is made available. Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
The amount of electrical power that a part of the network is able to carry.Works for which the customer(s) contribute towards the cost of supplying assets, typically because they are the sole users.Council of Australian Governments.Customer choice of electricity or related service supplier.The DNSP controls the hours in which the supply is made available.Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals.Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
 Works for which the customer(s) contribute towards the cost of supplying assets, typically because they are the sole users. Council of Australian Governments. Customer choice of electricity or related service supplier. The DNSP controls the hours in which the supply is made available. Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
typically because they are the sole users. Council of Australian Governments. Customer choice of electricity or related service supplier. The DNSP controls the hours in which the supply is made available. Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
Customer choice of electricity or related service supplier. The DNSP controls the hours in which the supply is made available. Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
The DNSP controls the hours in which the supply is made available. Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
pricing goals. Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross
incremental cost of supply and the cost of stand-alone supply, an economic cross
The Australian Energy Regulator's Final Decision on South Australia -distribution determination 2015–16 to 2019–20, October 2015
Electricity consumption at a point in time.
Attempt to modify customer behaviour so as to constrain customer demand at critical times.
The assets and service which links energy customers to the transmission network.
Distribution Network Service Provider.
Distribution Use of System. The utilisation of the distribution network in the provision of electricity to consumers (a component of NUoS).
Distribution Annual Planning Report.
Essential Services Commission of South Australia, a South Australian Regulator of energy and other infrastructure.
Feed-in Tariff, paid to customers that have solar PV generators.
Equipment or supplies at voltages of 7.6kV or 11kV.
A network tariff energy rate in which the rate increases above specific consumption thresholds.
Jurisdictional Scheme Amount, a component of the Network Use of System charge t fund Feed-in Tariff payments to customers that have solar PV generators.

kVA, MVA	Kilo-volt amps and Mega-volt amps, units of apparent total electrical power demand Usually the peak demand is referenced. See also PF for the relationship between power demand quantities.
kVAr, MVAr	Kilo-volt amps (reactive) and Mega-volt amps (reactive) units of instantaneous reactive electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities.
kW, MW	Kilo-watts and Mega-watts, units of instantaneous real electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities.
kWh, MWh	Kilo-watt hours and Mega-watt hours, units of electrical energy consumption.
Low Voltage	Equipment or supply at a voltage of 230V single phase or 400V, three phase.
Marginal Cost	The cost of providing a small increment of service. The Long Run Marginal Cost (LRMC) includes future investment, Short Run Marginal Cost (SRMC) considers only the costs involved without extra investment.
Market Participant	Businesses involved in the electricity industry are referred to as Market or Code Participants.
Supply Rate	The fixed daily cost component of a Network price.
NEL	National Electricity Law.
NEM	National Electricity Market.
NER	National Electricity Rules.
NUoS	Network Use of System. The utilisation of the total electricity network in the provision of electricity to consumers (NUoS = DUoS + TUoS).
PV	Photo-Voltaic
PF	Power Factor, a measure of the ratio of real power to total power of a load. The relationship between real, reactive and apparent power is as follows:
	Power Factor = Real Power (kW) / Apparent Power (kVA)
	Apparent Power (kVA) = $\sqrt{[\text{Real Power (kW)}^2 + \text{Reactive Power (kVAr)}^2]}$
Price Signal	Prices set to convey a desired behaviour because of the costs associated with supplying the service.
Price Structure	The components that make up a Price available to customers.
Retailer	A Full Retail Contestability market participant (business) supplying electricity to customers.
Rules	National Electricity Rules.
Sub-transmission	Equipment or supplies at voltage levels of 33kV or 66 kV.
Tariff	Network price components and conditions of supply for a tariff class.
Tariff class	A class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs with similar electricity demand and usage requirements.

ΤοU	Time of Use, a system of pricing where energy or demand charges are higher in periods of peak utilisation of the network.
Transmission Network	The assets and service that enable generators to transmit their electrical energy to population centres. Operating voltage of equipment is 275kV and 132kV with some at 66kV.
TUoS	Transmission Use of System charges for the utilisation of the transmission network.
Unmetered supply	A connection to the distribution system which is not equipped with a meter and has estimated consumption. Connections to public lights, phone boxes, traffic lights and the like are not normally metered.

Appendix D: List of attachments

Attachment	Title
Attachment A	Revenue cap model (confidential)
Attachment B	S-Factor calculation
Attachment C	ElectraNet's 2018/19 TUoS tariffs
Attachment D	Audit report on SA Power Networks' schedules of billing and revenue data for 2016/17