

SA Power Networks Annual Pricing Proposal 2014-2015

28 May 2014

SA Power Networks

www.sapowernetworks.com.au

Executive Summary

This Network Pricing Proposal has been prepared by SA Power Networks to comply with the requirements of the National Electricity Rules. It provides details of our pricing strategy, proposed network prices for 2014/15, and comprehensive information on the price changes for each type and size of customer.

Each electricity customer's retail bill comprises the following components, the first four of which are included in this Network Pricing Proposal:

- 1. SA Power Networks' distribution network charges. In 2014/15, these charges also include an amount for the pass-through of additional Vegetation Management costs approved by the AER in July 2013;
- 2. Metering charges (by SA Power Networks or another metering provider);
- 3. Transmission network charges, by ElectraNet and MurrayLink;
- 4. Jurisdictional Scheme Amount charges, required to fund the South Australian Government's Feed-in Tariff credits to the owners of qualifying solar photo-voltaic (PV) electricity generators; and
- 5. Retail charges, including the cost of energy generation.

GST is applicable to these items.

For the purpose of comparison and information to the reader, the price changes for small customers in this Pricing Proposal are compared to the AGL transitional small customer retail price applicable in 2013/14. These were the prices released by AGL following State Government negotiations on retail pricing. They represent a publicly available discounted retail price which is used by a significant proportion of SA residential customers.

Over the last 15 years, SA Power Networks has used a residential customer consuming 5,000 kWh per annum as a typical, average customer. Recently, improvements in energy efficiency and other technologies has reduced the average to about 4,500 kWh per annum, with the majority consuming less than this amount. The median annual consumption would now be below 4,000 kWh. For consistency with previous years, SA Power Networks has used 5,000 kWh as a typical average customer, but has also included information on a smaller 4,000 kWh customer to reflect the outcome for the median customer.

The cost of electricity distribution services from SA Power Networks will increase the average residential bill by 2.9% (\$54). The distribution charges reflect approved capital investment in the distribution network in the 2010-2015 regulatory period to maintain reliability of supply, improve supply security and provide capacity to meet peak demand requirements. It also includes the additional costs incurred in meeting the regulated clearance obligations for the vegetation growth near powerlines following the end of the drought a few years ago. This last item was approved by the AER in July 2013 for recovery in 2014-15 and accounts for \$28 of the \$54 nominal increase.

In addition to SA Power Networks' distribution charges, SA Power Networks pays ElectraNet the transmission charge and recovers this charge from customers. ElectraNet has issued approved final prices. This Pricing Proposal has been updated to include these prices. Transmission charges account for a separate \$10 nominal increase.

Also, SA Power Networks is obliged to pay qualifying PV generators a legislated price for the energy they export, and recover this charge from all customers. Both of these items (ie transmission charges

and PV feed-in credits) are 'passed through' by SA Power Networks – the amounts required to be paid are recovered from SA Power Networks' customers. Recovery of SA Government's PV Feed-In Scheme charges account for a separate \$30 nominal increase.

The following Table provides a comparison of the annual cost for the average residential customer (5,000 kWh). For the purpose of this comparison, SA Power Networks' regulated metering charge has been used. The retail prices for 2014/15 have not been announced, so those values are blank.

Component of price (a) Average Residential Customer Using 5,000 kWh pa	2013/14 \$ per annum	2014/15 \$ per annum	Increase \$ per annum	Impact on retail bill
1. Distribution charge	651	675	24	1.3%
2. Vegetation Management charge		28	28	1.5%
3. Metering charge	34	36	2	0.1%
SA Power Networks charges	685	739	54	2.9%
4. Transmission charge(c)	140	150	10	0.6%
5. Jurisdictional Scheme Amount (PV)	98	128	30	1.6%
Total Networks charges	923	1,017	94	5.1%
6. Retail (b)	922			
Total Retail Bill includes GST	1,845			
Notes:				

(a) All amounts contain GST.

(b) Using AGL transitional contract retail price for August 2013.

(c) Using ElectraNet May 2014 advice of 2014/15 prices.

The following Table provides a comparison of the annual cost for the median residential customer (4,000 kWh). For the purpose of this comparison, SA Power Networks' regulated metering charge has been used. The retail prices for 2014/15 have not been announced, so those values are blank. The nominal retail price increase for these customers is 2.4% for SA Power Networks' charges and 4.4% for total network charges, about 0.5% less than for the outcomes for average residential customers of 2.9% and 5.1% shown above.

Component of price (a) Median Residential Customer Using 4,000 kWh pa	2013/14 \$ per annum	2014/15 \$ per annum	Increase \$ per annum	Impact on retail bill
1. Distribution charge	519	533	14	0.9%
2. Vegetation Management charge		21	21	1.4%
3. Metering charge	34	36	2	0.2%
SA Power Networks charges	553	589	37	2.5%
4. Transmission charge(c)	103	109	6	0.4%
5. Jurisdictional Scheme Amount (PV)	78	101	23	1.5%
Total Networks charges	734	800	66	4.4%
6. Retail (b)	755			
Total Retail Bill includes GST	1,489			
Notes: (a) All amounts contain GST.	<u>.</u>	<u>.</u>		

(b) Using AGL transitional contract retail price for August 2013.

(c) Using ElectraNet May 2014 advice of 2014/15 prices.

The first table (above) shows the price impact on a typical 5,000 kWh residential customer after including the effect of GST. This Pricing Proposal generally uses GST-exclusive values. For the purpose of cross-reference to this document, the table below shows the impact before GST is applied.

Component of price (a) Average Residential Customer Using 5,000 kWh pa	2013/14 \$ per annum	2014/15 \$ per annum	Increase \$ per annum	Impact on retail bill
1. Distribution charge	592	613	21	1.3%
2. Vegetation Management charges		26	26	1.5%
3. Metering charge	31	33	2	0.1%
SA Power Networks charges	623	672	49	2.9%
4. Transmission charge(c)	127	136	10	0.6%
5. Jurisdictional Scheme Amount (PV)	89	117	27	1.6%
Total Network charges	839	925	86	5.1%
6. Retail (b)	838			
Total Retail Bill excludes GST	1,677			

Notes:

(a) All amounts exclude GST.

(b) Using AGL transitional contract retail price for August 2013.

(c) Using ElectraNet May 2014 advice of 2014/15 prices.

Shortened forms

Abbreviation	Definition or description
AER	Australian Energy Regulator.
Augmentation	Investment in new network assets to meet increased demand.
Capacity, capability	The amount of energy that a part of the network is able to carry.
Capital Contributed Works	Works for which the customer(s) contribute towards the cost of supplying assets, typically because they are the sole users.
COAG	Council of Australian Governments.
Contestability	Customer choice of electricity supplier.
Controlled Load	The DNSP controls the hours in which the supply is made available.
Cost of Supply Model	Theoretical and algorithmic model used to calculate prices, which conform to the pricing goals.
Cross subsidy	Where the price to a tariff class falls outside the range between the avoidable incremental cost of supply and the cost of stand-alone supply, an economic cross subsidy from or to other customers is said to exist.
Decision	The Australian Energy Regulator's Final Decision on South Australia - distribution determination 2010–11 to 2014–15, May 2010
Demand	Energy consumption at a point in time.
Demand Management	Attempt to modify demand behaviour so as to constrain demand at critical times.
Distribution Network	The assets and service which links energy customers to the transmission network.
Distributor, DNSP	Distribution Network Service Provider.
DUoS	Distribution Use of System. The utilisation of the distribution network in the provision of electricity to consumers (a component of NUoS).
EDPD	Electricity Distribution Price Determination (South Australian).
ESCoSA	Essential Services Commission of South Australia, the South Australian Regulator of energy and other infrastructure.
FiT	Feed-in Tariff, paid to customers that have solar PV generators.
FRC	Full Retail Competition (sometimes called Full Retail Contestability).
High Voltage	Equipment or supplies at voltages of 22 or 11 kV.
IBT, Inclining Block Tariff	A network tariff energy rate in which the rate increases above specific consumption thresholds.
JSA	Jurisdictional Scheme Amount, a component of the Network Use of System charge to fund Feed-in Tariff payments to customers that have solar PV generators.
kVA, MVA	Kilo-volt amps and Mega-volt amps, units of instantaneous total electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities.
kVAr, MVAr	Kilo-volt amps (reactive) and Mega-volt amps (reactive) units of instantaneous reactive electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities.

Abbreviation	Definition or description
kW, MW	Kilo-watts and Mega-watts, units of instantaneous real electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities.
kWh, MWh	Kilo-watt hours and Mega-watt hours, units of electrical energy consumption.
Low Voltage	Equipment or supply at a voltage of 230 V single phase or 415 V, three phase.
Marginal Cost	The cost of providing a small increment of service. The Long Run Marginal Cost (LRMC) includes future investment, Short Run Marginal Cost (SRMC) considers only the costs involved without extra investment.
Market Participant	Businesses involved in the electricity industry are referred to as Market or Code Participants.
Supply Rate	The fixed daily cost component of a Network price.
NEL	National Electricity Law.
NEM	National Electricity Market.
NUoS	Network Use of System. The utilisation of the total electricity network in the provision of electricity to consumers (NUoS = DUoS + TUoS).
PV	Photo-Voltaic
PF	Power Factor, a measure of the ratio of real power to total power of a load. The relationship between real, reactive and total power is as follows: $PF = \frac{Real\ Power\ (in\ kW\ or\ MW)}{Reactive\ Power\ (in\ kVA\ or\ MVA)}$
	Total Power $kVA = \sqrt{Re al Power kW^2 + Re active Power kVAr^2}$
Price Signal	Prices set to convey a desired behaviour because of the costs associated with supplying the service.
Price Structure	The components that make up a Price available to customers.
Proposal	SA Power Networks' Initial Pricing Proposal, submitted in accordance with the Rules (this document).
Retailer	An FRC market participant (business) supplying electricity to customers.
Rules	National Electricity Rules.
Subtransmission	Equipment or supplies at voltage levels of 66 or 33 kV.
Tariff	A grouping of customers who are subject to the same network price components and conditions of supply.
Tariff class	A class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs.
ToU	Time of Use, a system of pricing where energy or demand charges are higher in periods of peak utilisation of the network.
Transmission Network	The assets and service that enable generators to transmit their electrical energy to population centres. Operating voltage of equipment is 275 and 132 kV with some at 66 kV.
TUoS	Transmission Use of System charges for the utilisation of the transmission network.

Abbreviation	Definition or description
Unmetered supply	A connection to the distribution system which is not equipped with a meter and has estimated consumption. Connections to public lights, phone boxes, traffic lights and the like are not normally metered.
WAPC	Weighted Average Price Cap, a form of regulatory price control, where the allowable price change is based on the weighted historic consumption of each price.

Contents

E	Executive Summaryiii				
Sł	nortene	d forms	vi		
1	Intro	oduction	1		
	1.1	National Electricity Rules	1		
	1.2	Scope of SA Power Networks' Pricing Proposal	1		
	1.3	Structure of SA Power Networks' Pricing Proposal	2		
	1.4	Confidential information	4		
2	Reg	ulatory requirements	5		
	2.1	Rules requirements	5		
	2.2	Requirements of the AER's 2010 Determination	6		
	2.3	Principal elements of the AER's 2010 Decision	6		
	2.4	Publication of information about tariffs and tariff classes	. 10		
3	Busi	ness overview	. 11		
	3.1	SA Power Networks' business	. 11		
	3.2	State-wide pricing	. 11		
	3.3	Characteristics of the region	. 12		
	3.4	Climatic conditions	. 12		
	3.5	SA Power Networks' customer and demand profile	. 13		
4	Tari	ff Classes	. 14		
	4.1	Regulatory requirements	. 15		
	4.2	Standard control service tariffs and tariff classes	. 17		
	4.2 4.3	Standard control service tariffs and tariff classes Low voltage residential tariff class			
			. 20		
	4.3	Low voltage residential tariff class	. 20 . 22		
	4.3 4.4	Low voltage residential tariff class Low voltage business tariff class	. 20 . 22 . 26		
5	4.3 4.4 4.5 4.6	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class	. 20 . 22 . 26 . 28		
5	4.3 4.4 4.5 4.6	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class	. 20 . 22 . 26 . 28 . 32		
5	4.3 4.4 4.5 4.6 Net	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy.	. 20 . 22 . 26 . 28 . 32 . 32		
5	4.3 4.4 4.5 4.6 Netv 5.1	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy Regulatory Requirements	. 20 . 22 . 26 . 28 . 32 . 32 . 32		
5	4.3 4.4 4.5 4.6 Netv 5.1 5.2	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy Regulatory Requirements Network tariff objectives.	. 20 . 22 . 26 . 28 . 32 . 32 . 32 . 32		
5	4.3 4.4 4.5 4.6 Netv 5.1 5.2 5.3	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy Regulatory Requirements Network tariff objectives The need for tariff reform	. 20 . 22 . 26 . 28 . 32 . 32 . 32 . 32 . 32		
5	4.3 4.4 4.5 4.6 Netv 5.1 5.2 5.3 5.4	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy Regulatory Requirements Network tariff objectives The need for tariff reform Network tariff strategy.	. 20 . 22 . 26 . 32 . 32 . 32 . 32 . 32 . 33 . 33		
5	4.3 4.4 4.5 4.6 Netv 5.1 5.2 5.3 5.4 5.5	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy Regulatory Requirements Network tariff objectives. The need for tariff reform Network tariff strategy. Tariff reform 2005 to 2010.	. 20 . 22 . 26 . 32 . 32 . 32 . 32 . 33 . 33 . 33		
5	4.3 4.4 4.5 4.6 5.1 5.2 5.3 5.4 5.5 5.6	Low voltage residential tariff class Low voltage business tariff class High Voltage Business tariff class Major Business tariff class work tariff strategy Regulatory Requirements Network tariff objectives. The need for tariff reform Network tariff strategy Tariff reform 2005 to 2010. Experimental tariff programs	. 20 . 22 . 26 . 28 . 32 . 32 . 32 . 32 . 32 . 33 . 33 . 33		
5	4.3 4.4 4.5 4.6 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8	Low voltage residential tariff class Low voltage business tariff class	. 20 . 22 . 26 . 28 . 32 . 32 . 32 . 32 . 32 . 32 . 33 . 33		

	6.2	Tariff changes in 2014/15	36
	6.3	Calculation of network use of system tariffs	36
	6.4	Low Voltage Residential tariff class	37
	6.5	Low Voltage Business tariff class	37
	6.6	High Voltage Business tariff class	39
	6.7	Major Business tariff class	39
7	Cust	omer Impacts	41
	7.1	Regulatory Requirements	41
	7.2	Overall price trends during the 2010-15 regulatory control period	42
	7.3	Variations to prices	43
	7.4	Low Voltage Residential tariff class	44
	7.5	Low Voltage Business tariff class	48
	7.6	High Voltage Business tariff class	54
	7.7	Major Business tariff class	54
	7.8	Review of customer charges	55
8	Prici	ng of standard control services	57
	8.1	Regulatory requirements	57
	8.2	2014/15 prices for standard control services	59
	8.3	Compliance with the Weighted Average Price Cap	60
	8.4	Tariff class side constraints	61
	8.5	Compliance with pricing principles	62
	8.6	Stand-alone costs	63
	8.7	Avoidable costs	63
	8.8	Compliance with Rules clause 6.18.5(a)	64
	8.9	Long Run Marginal Costs	64
	8.10	Transaction costs	70
	8.11	Customer response to price signals	71
9	Trar	smission cost recovery tariffs	72
	9.1	Regulatory Requirements	72
	9.2	Transmission cost recovery tariff methodology	73
	9.3	Transmission use of system overs and unders account balance	74
	9.4	Charging parameters for transmission recovery tariffs	75
	9.5	Transmission recovery tariffs for 2014/15	75
1(D R	ecovery of the PV Jurisdictional Scheme Amount	76
	10.1	PV Jurisdictional Scheme Amount overs and unders account balance	77
	10.2	Charging parameters for PV JSA cost recovery tariffs	77
	10.3	PV JSA cost recovery tariffs for 2014/15	78
1	1 V	egetation Management Passthrough tariffs	79
	11.1	Vegetation Management cost recovery tariffs for 2014/15	79

12	C	Custome	r tariff class assignment and reassignment	80
1	12.1	Regula	tory Requirements	80
1	12.2	Assigni	ment of new customers to a tariff class during the next regulatory control period	82
	L2.3 egula	-	gnment of existing customers to another existing or a new tariff during the next attraction of the next attraction of the second se	83
1	12.4	Object	ions to proposed assignments and reassignments	84
13	A	Alternativ	ve Control Services – metering services	85
1	13.1	Regula	tory requirements	85
1	13.2	Alterna	ative control metering services tariff class	87
	L3.3 ariff o		ment and reassignment of customers to the alternative control metering service	87
1	13.4	Pricing	principles	87
1	13.5	Compli	ance with the AER determination	88
1	13.6	Chargiı	ng parameters for alternative control services metering tariffs	89
Арј	pendi	ces		91
A	Apper	ndix A.	Network Use of System Tariffs and explanatory notes	91
A	Apper	ndix B.	CONFIDENTIAL – Audit of 2012/13 quantities	91
A	Apper	ndix C.	STPIS Approval Letter from the AER – 2012/13 for 2014/15 tariffs	91
	•••	ndix D. levels	CONFIDENTIAL - Transmission Prices email from ElectraNet – 2014/15 TUoS likely 91	
A	Apper	ndix E.	Long Run Marginal Cost Methodology	91
A	Apper	ndix F.	Stand-alone and Avoided Cost Methodologies	91
	Apper contro	ndix G. ol)	CONFIDENTIAL – AER Weighted Average Price Cap Compliance Model (standard	91
	Apper contro	ndix H. ol)	CONFIDENTIAL – AER Weighted Average Price Cap Compliance Model (alternate	91
A	Apper	ndix I.	CONFIDENTIAL – Calculation of Reasonable Estimates for 2014/15 year (t)	91
	•••	ndix J. s (Tariff	SA Power Networks procedure for assigning and reassigning customers to tariff Manual)	91
A	Apper	ndix K.	Regulatory compliance checklist	91
A	Apper	ndix L.	Not Used in this submission	91
	•••	ndix M. 15 tariff	Vegetation Management Pass-Through Approval Letter from the AER – for	91

1 Introduction

SA Power Networks is submitting this annual Pricing Proposal (Pricing Proposal) for 2014/15 to the Australian Energy Regulator (AER). The proposal has been prepared in accordance with the requirements of the National Electricity Rules (Rules), the AER's 2010 regulatory Decision and subsequent amendments to the determination made by the Australian Competition Tribunal in May 2011 and the AER in February 2012. It includes the July 2013 AER final decision on 'Vegetation Management costs arising from an unexpected increase in vegetation growth rates'.

The Pricing Proposal covers all of SA Power Networks' direct control services. In its 2010 South Australian Decision (Decision) the AER further classified these direct control services as standard control services and alternative control services¹.

1.1 National Electricity Rules

Clause 6.1.1 of the Rules confers responsibility on the AER for the economic regulation of distribution services provided by means of, or in connection with, distribution systems that form part of the national grid.

1.1.1 Classification of distribution services

In accordance with clause 6.2.1 and 6.2.2 of the Rules, the AER has classified SA Power Networks' distribution services into the following three classes:

- 1. Direct control services;
- 2. Negotiated distribution services;
- 3. Unregulated distribution services.

Direct control services have been further divided into the following two subclasses:

- 1. Standard control services; and
- 2. Alternative control services.

This Pricing Proposal applies to all of the direct control services provided by SA Power Networks.

1.2 Scope of SA Power Networks' Pricing Proposal

SA Power Networks' Pricing Proposal sets out the proposed prices required to comply with the Weighted Average Price Cap approved by the Australian Energy Regulator (AER).

Australian Energy Regulator, Final Decision - South Australia distribution determination 2010–11 to 2014–15, May 2010.

This Pricing Proposal is submitted in accordance with, and complies with, the requirements of:

- 1. The National Electricity Law;
- 2. The National Electricity Rules, including the Transitional Rules for South Australia;
- 3. The AER's 2010-15 South Australian distribution determination, including the AER's Final Decisions on the control mechanisms and pricing *X* factors for standard control services and alternative control services;
- The Australian Competition Tribunal's decision on 19 May 2011, to vary the AER determination by permitting the inclusion of easements within the Regulatory Asset Base (RAB) and varying the corporate taxation allowance;
- 5. The AER's decision on 12 December 2011, amending SA Power Networks 2010 determination to permit the recovery of the Jurisdictional Scheme Amount (JSA), for Feed-in Tariff (FiT) credits paid by SA Power Networks to small solar photo-voltaic (PV) generators. On 17 February 2012, the AER revoked and substituted SA Power Networks' distribution determination to remove the allowance for feed-in tariff payments for 2011-12 to 2014-15. These payments are now recovered through the JSA PV pass-through.
- 6. The AER's decision on 30 July 2013 to allow \$35.1 million in approved pass-through costs for recovery in 2014-15 tariffs for vegetation clearance costs incurred by SA Power Networks to meet its obligations under the *Electricity Act 1996 (SA)* and *Electricity (Principles of Vegetation Clearance) Regulations 2010*.

1.3 Structure of SA Power Networks' Pricing Proposal

In Part I of the Rules, clause 6.18 sets out the requirements concerning Distribution Pricing. These requirements include:

- The Pricing Principles which must be followed;
- The requirement for this Pricing Proposal; and
- The matters that the Pricing Proposal must address.

The AER's determination has been made pursuant to clause 6.11.1 of the Rules. Several aspects of that determination impose requirements concerning distribution pricing, including:

- Classification of services;
- The pricing control mechanism(s), *X* factors and side constraints;
- Assigning and reassigning customers to tariff classes;
- Recovery of transmission charges; and
- The passthrough of costs, in specified circumstances. This includes the PV Jurisdictional Scheme Amount.

This Pricing Proposal has been structured so as to allow compliance with the specific requirements of the Rules and the AER's determination to be readily ascertained. The substantive Sections of this Pricing Proposal are set out in Table 1.

Table 1 - Structure of SA Power Networks' Pricing P	Proposal
---	----------

Section		Purpose
2	Regulatory Requirements	Summarises the regulatory requirements as they relate to SA Power Networks' Pricing Proposal including the relevant requirements of the Rules and the AER's 2010 determination. It also describes the requirements concerning the recovery of the Jurisdictional Scheme Amount, to fund Feed-in Tariff payments made to customers with solar PV generators.
3	Business Overview	Summarises the characteristics of SA Power Networks' network that provide the context for SA Power Networks' network tariff strategy.
4	Tariff Classes	Defines the tariffs and tariff classes into which SA Power Networks' customers for direct control services are divided and their charging parameters.
5	Network Tariff Strategy	Outlines SA Power Networks' Network Tariff Strategy and indicates how tariff charging parameters are expected to vary.
6	Standard Control Services Tariffs	Describes the nature and extent of the change in SA Power Networks' DUoS tariffs between 2013/14 and 2014/15.
7	Customer Impacts	Outlines the expected customer impacts of Network Use of System (NUoS) prices in 2014/15and the system of reviewing those impacts throughout the regulatory control period.
8	Pricing of standard control services	Demonstrates that SA Power Networks' 2014/15 prices comply with the pricing X factors, side constraints and the NER pricing principles.
9	Transmission Cost Recovery Tariffs	Sets out SA Power Networks' Transmission cost recovery tariff setting methodology and demonstrates adjustments made to the tariffs resulting from the actual and estimated recovery of these charges in 2013/14 and 2014/15.
10	Recovery of the PV Jurisdictional Scheme Amount	Sets out SA Power Networks' approach to the recovery of the Jurisdictional Scheme Amount for the recovery of SA Government Feed-in Tariff payments made by SA Power Networks to customers with qualifying solar PV generators.
11	Vegetation Management Pass- Through Tariffs	Sets out SA Power Networks' approach to the recovery of the Vegetation Management Pass-Through Amount allowed by the AER for vegetation clearance costs incurred in meeting the regulatory obligations.
12	Customer Assignment and Reassignment	Sets out SA Power Networks' tariff assignment and reassignment strategy.
133	Alternative control services	Sets out SA Power Networks' tariffs for alternative control metering services.
Appe	ndices	Separately provided.

1.4 Confidential information

Clause 6.19.2 of the Rules classifies as confidential all network pricing information about a Distribution Network User used by a DNSP for the purposes of network pricing. SA Power Networks has nominated Attachments B, D, G, H and I, which constitute part of this Pricing Proposal, as confidential.

SA Power Networks requests that the AER does not disclose the information contained in these confidential attachments to any person outside of the AER.

2 Regulatory requirements

This Section summarises the regulatory requirements pertaining to SA Power Networks' Pricing Proposal, including the relevant requirements of the Rules and those of the AER's 2010 distribution determination.

2.1 Rules requirements

2.1.1 Required elements of a Pricing Proposal

To comply with clause 6.18.2 of the Rules, SA Power Networks' 2014 Pricing Proposal must include the elements below²:

6.18.2 Pricing proposals

- (a) A Distribution Network Service Provider must:
 - •••
 - (2) submit to the *AER*, at least 2 months before the commencement of the second and each subsequent *regulatory year* of the *regulatory control period*, a further *pricing proposal* (an "annual *pricing proposal*") for the relevant *regulatory year*.
- (b) A pricing proposal must:
 - (1) set out the *tariff classes* that are to apply for the relevant *regulatory year*; and
 - (2) set out the proposed tariffs for each *tariff class*; and
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates; and
 - (4) set out, for each *tariff class* related to *standard control services*, the expected weighted average revenue for the relevant *regulatory year* and also for the current *regulatory year*; and
 - (5) set out the nature of any variation or adjustment to the tariff that could occur during the course of the *regulatory year* and the basis on which it could occur; and
 - (6) set out how charges incurred by the Distribution Network Service Provider for transmission use of system services are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous regulatory year; and
 - (7) demonstrate compliance with the *Rules* and any applicable distribution determination; and
 - (8) describe the nature and extent of change from the previous *regulatory year* and demonstrate that the changes comply with the *Rules* and any applicable distribution determination.

In accordance with clause 6.18.2(a) of the Rules, SA Power Networks is submitting this Pricing Proposal for the fourth year of the 2010-15 regulatory control period to the AER within the required period after publication of the distribution determination.

This Pricing Proposal has been prepared by SA Power Networks in such a way as to demonstrate in a logical sequence that it complies with all of the requirements of clause 6.18.2(b) of the Rules above.

² Australian Energy Market Commission, National Electricity Rules, version 35, 25 March 2010.

The other relevant Sections of the Rules that have been addressed in formulating this Pricing Proposal are as follows:

- 6.18.3 Tariff classes
- 6.18.5 Pricing principles
- 6.18.6 Side constraints on tariffs for standard control services
- 6.18.7 Recovery of charges for transmission use of system services
- 6.18.8 Approval of pricing proposal
- 6.18.9 Publication of information about tariffs and tariff classes

Reference to these clauses has been made in the appropriate Sections of this Pricing Proposal, to demonstrate how SA Power Networks has complied with each applicable Rules provision.

2.2 Requirements of the AER's 2010 Determination

The AER's 2010 Decision for South Australia has been made pursuant to the provisions clause 6.11.1 of the Rules and imposes a number of requirements that are relevant to a Pricing Proposal. The relevant requirements are as follows:

Chapter 2	Classification of services (including Appendix A)
	Assigning customers to tariff classes (Appendix B)
Chapter 4	Control mechanism for standard control services
	Changes to tariff structures (Appendix E)
	Transmission use of system unders and overs account (Appendix F)
Chapter 12	STPIS arrangements (Appendix K)
Chapter 14	DMIS arrangements (Appendix K)
Chapter 15	Pass through arrangements
Chapter 16	Pricing X factors
Chapter 17	Alternative control services

Where it is necessary to demonstrate that SA Power Networks has complied with a requirement of the AER's Decision, reference to the relevant component of the Decision has been made in the appropriate Section of this Pricing Proposal.

2.3 Principal elements of the AER's 2010 Decision

The principal elements of the AER's Decision pertaining to direct control services (comprising standard and alternative control services) are outlined in this Section.

2.3.1 Weighted Average Price Cap for standard control services

In Chapter 4 of the 2010 South Australia Decision, the AER has determined the WAPC formula to apply to SA Power Networks' standard control services for the next regulatory control period³. This is as follows:

$$(1 + CPI_{t}) (1 - X_{t}) (1 + S_{t}) (1 + D_{t}) (1 + U_{t}) (1 + EDPD_{t}) \pm (passthrough_{t}) = \frac{\overset{n}{a} \overset{m}{a} \overset{m}{a} p_{t}^{ij} (q_{t-2}^{ij})}{\overset{n}{a} \overset{m}{a} p_{t-1}^{ij} (q_{t-2}^{ij})}$$

Where:

SA Power Networks has 'n' distribution tariffs, which each have up to 'm' distribution tariff components, and where:

regulatory year t is the regulatory year in respect of which the calculation is being made

regulatory year t-1 is the regulatory year immediately preceding regulatory year t

regulatory year t-2 is the regulatory year immediately preceding regulatory year t-1

 p_t^{ij} is the proposed distribution tariff for component *j* of distribution tariff *i* in regulatory year *t*

 p_{t-1}^{ij} is the distribution tariff being charged in regulatory year *t*-1 for component *j* of distribution tariff *i*

 q_{t-2}^{ij} is the quantity of component *j* of distribution tariff *i* that was delivered in regulatory year t-2

 X_t is the allowed real change in average prices from year t - 1 to year t of the regulatory control period as determined by the AER

 S_t is the Service Target Performance Incentive Scheme factor to be applied in regulatory year t

 D_t is the demand management incentive scheme factor to be applied in regulatory year t, which is set equal to zero for each year of the next regulatory control period

 U_t is the undergrounding factor to be applied in regulatory year t

 $EDPD_t$ is the EDPD transition factor for regulatory year t. It is a carryover of adjustments made in the 2005–2010 EDPD comprising the previous K, Q, PU and SI factor adjustments

 $passthrough_t$ is the change in approved pass through amounts, expressed in percentage form, with respect to regulatory year t as compared to regulatory year t-1, as determined by the AER

 CPI_t is the annual percentage change in the ABS Consumer Price Index All Groups, Weighted Average of Eight Capital Cities from March in regulatory year t-2 to March in regulatory year t-1.

3

AER, Final Decision - South Australia distribution determination 2010–11 to 2014–15, May 2010, pp. 25-26.

2.3.2 Side constraint for standard control services

Chapter 4 of the AER's Decision also contains the side constraint formula to apply to SA Power Networks' standard control services for the next regulatory control period⁴:

$$(1 + CPI_{t})^{(1 - X_{t})^{(1 + S_{t})^{(1 + D_{t})^{(1 + U_{t})^{(1 + EDPD_{t})^{(1 + 2\%)} \pm (passthrough_{t})^{3}} \frac{\overset{m}{a} d_{t}^{j} q_{t-2}^{j}}{\overset{j=1}{a} d_{t-2}^{j} q_{t-2}^{j}}$$

Where each tariff class 'j' has up to 'm' components and where, in addition to the symbols defined in Section 2.3.1:

 d_t^j is the proposed price for component *j* of the tariff class for year t

 d_{t-1}^{j} is the price charged by the DNSP for component j of the tariff class in year t-1

 q_{t-2}^{j} is the audited quantity of component *j* of the tariff class that was charged by the DNSP in year *t*-2

 X_t is the allowed real change in average prices from year t - 1 to year t of the regulatory control period as determined by the AER. If X>0, then X will be set equal to zero for the purposes of the side constraint formula

In addition, SA legislation requires that SA Power Networks cannot raise the fixed supply charge for small customers by more than \$10 per annum during the 2010-15 regulatory control period.

2.3.3 Revenue requirement and pricing X factors for standard control services

Chapter 16 of the Decision contained SA Power Networks' revenue requirements and pricing *X* factors for standard control services. This determination was amended in May 2011 by orders made by the Australian Competition Tribunal (Tribunal), in respect of:

- The inclusion of easement values in SA Power Networks' opening asset value for the regulatory control period; and
- The allowance for corporate taxation during the regulatory control period⁵.

The determination was further amended on 17 February 2012 when the AER revoked and substituted the determination to exclude the amounts allowed for PV FiT payments in 2011/12 to 2014/15.

Table 2 summarises the revised annual revenue requirements and pricing X factors for the 2010-15 regulatory control period, for standard control services⁶.

⁴ AER, Final Decision, May 2010, p. 27.

⁵ Australian Competition Tribunal, Application under Section 71b of the National Electricity Law for a Review of a Distribution Determination made by the Australian Energy Regulator in relation to SA Power Networks, 19 May 2011, p. 4.

AER, Determination Revocation and Substitution - Feed-In Tariff Payments, 17 February 2012, table 1.3 p 6.,

	2010/11	2011/12	2012/13	2013/14	2014/15
Regulatory depreciation	97.0	110.0	123.4	139.1	154.2
Return on capital	283.0	304.8	330.9	352.6	373.8
Operating expenditure	198.0	200.6	211.0	225.2	235.5
Tax allowance	80.7	81.8	80.3	84.1	86.7
Capex carryover	8.6	7.9	4.5	0.4	0.0
Annual revenue requirements	667.3	705.1	750.2	801.5	850.2
Expected revenues	618.8	726.6	761.9	825.7	851.5
Forecast CPI (%)	2.52	2.52	2.52	2.52	2.52
X factors (%) ^d	-12.14	-18.10	-4.97	-7.00	-0.89

 Table 2 - Annual revenue requirements and X factors for standard control services (\$M, nominal)

(d) Negative values for X indicate real price increases under the CPI-X formula.

The associated pricing X factors for standard control services have been incorporated into this Pricing Proposal.

It should be noted that Table 2 does not contain the Jurisdictional Scheme Amount (JSA), which is an additional passthrough amount to recover the cost of SA Government Feed in Tariff (FiT) amounts paid by SA Power Networks to qualifying customers with PV generators. This additional amount has been applied to customer tariffs from 2012/13 onwards and is detailed in Section 10. Table 2 also does not include the Vegetation Management passthrough amount allowed by the AER for 2014-15 tariffs of \$35M (\$2009-10 \$'s), which is covered in Section 11,

2.3.4 Weighted Average Price Cap for alternative control services

In Chapter 17 of the Decision, the AER has determined the following weighted average price cap formula for SA Power Networks' alternative control services⁷:

Where SA Power Networks has *n* distribution tariffs, which each have up to *m* distribution tariff components and where, in addition to the symbols defined in Section 2.3.1:

 X_t is to be determined using the building block approach.

2.3.5 Revenue requirement and pricing X factors for alternative control services

Chapter 17 of the Decision also outlines the AER's final determination on SA Power Networks' annual revenue requirements and pricing X factors for the 2010-15 regulatory control period for standard control services⁸. The Australian Competition Tribunal's decision on SA Power Networks' corporate taxation allowance also varied the annual revenue requirement for alternative control services⁹. The revised decision is summarised in Table 3¹⁰.

⁷ AER, Final Decision - South Australia distribution determination 2010–11 to 2014–15, May 2010, pp. 273-274.

⁸ AER, Final Decision, May 2010, p. 272.

⁹ Australian Competition Tribunal, 19 May 2011, pp. 8-9.

¹⁰ Ibid, p.6.

	2010/11	2011/12	2012/13	2013/14	2014/15				
Return on capital	7.87	8.71	9.54	10.20	10.90				
Regulatory depreciation	3.60	4.36	5.19	6.03	6.98				
Operating expenditure	6.49	6.71	7.05	7.44	7.86				
Tax allowance	1.20	1.38	1.58	1.77	1.98				
Annual revenue requirement ^a	19.17	21.16	23.36	25.43	27.72				
X factors ^d (%)	-8.05	-16.50	-6.90	-6.90	-3.03				

 Table 3 - Annual revenue requirements and X factors for alternative control services (\$m, nominal)

(a) Unsmoothed revenue requirement.

(d) Negative values for X indicate real price increases under the CPI–X formula.

2.4 Publication of information about tariffs and tariff classes

Clause 6.18.9 of the Rules requires SA Power Networks to publish the following information on its tariffs and tariff classes.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A Distribution Network Service Provider must maintain on its website:
 - (1) a statement of the provider's *tariff classes* and the tariffs applicable to each class; and
 - (2) for each tariff the *charging parameters* and the elements of the service to which each *charging parameter* relates;
 - (3) a statement of expected price trends (to be updated for each *regulatory year*) giving an indication of how the *Distribution Network Service Provider* expects prices to change over the *regulatory control period* and the reasons for the expected changes.
- (b) The information for a particular *regulatory year* must, if practicable, be posted on the website 20 *business days* before the commencement of the relevant *regulatory year* and, if that is not practicable, as soon as practicable thereafter.

The information on tariffs and tariff classes contained in the following Sections of this Pricing Proposal has been prepared and published in conformity with the requirements of this clause.

3 Business overview

This Section of the Pricing Proposal provides contextual information on SA Power Networks' business circumstances. This provides the backdrop both to SA Power Networks' existing network tariffs and the rationale for the changes to tariffs that are proposed during the 2010-15 regulatory control period.

3.1 SA Power Networks' business

SA Power Networks' distribution network covers the State of South Australia, a vast territory of about 178,200 square kilometres (km), with a coastline of over 5,000 km.

The network's route length extends to more than 87,000 km, with approximately 19% of that length underground. The network includes 403 zone substations, 72,600 distribution transformers, approximately 723,000 poles and 1.1 million meters.

The extent of SA Power Networks' operations in South Australia is shown in Figure 1. The South Australian distribution network is predominantly three-phase, with a single-phase system used mostly in rural and remote areas. A sub-transmission network supplies and links zone substations, operating at 66 kilovolts (kV) and 33 kV. In rural and remote areas the single-phase system operates at 19 kV. Overall, some 30% of the network is comprised of these long 'single wire earth return' (SWER) lines.

In higher density rural and urban locations, the three-phase feeder system operates at 11 kV. The standard low voltage customer supply is 230V at 50Hz.

3.2 State-wide pricing

The South Australian government has imposed a requirement on SA Power Networks to maintain state-wide pricing for small customers (with annual consumption not exceeding 160 MWh)¹¹. As a consequence, all of SA Power Networks' distribution tariffs are averaged. For larger business customers with energy consumption in excess of 40 GWh or a demand greater than 10 MW, locational transmission use of system (TUoS) charges apply.

¹¹ South Australian Treasurer, Electricity Act 1996 Section 35B Electricity Pricing Order, 11 October 1999. Cl 7.3 (f)-(h)

3.3 Characteristics of the region

With the exception of much of the coastal area and the hinterland, South Australia is very sparsely settled. The area serviced by SA Power Networks' distribution system is shown in Figure 1.




Figure 1 - SA Power Networks' service area

Approximately 70% of customers reside in Adelaide, including the great majority of business and commercial customers. However, the extensive area serviced by distribution means that 70% of the network infrastructure is required to deliver energy to the remaining 30% of customers. Compared with other states, there are relatively few regional centres, and they are generally small and located widely across the territory.

As a result, the average customer density across the State is very low.

3.4 Climatic conditions

Adelaide and much of South Australia has a dry climate featuring greater extremes of summer temperature than most other Australian capitals. Extended periods of heatwave conditions can occur in summer (March 2008, January-February 2009, November 2009 and January 2014 are recent examples of extended heatwaves).

During these heatwave periods, summer daytime temperatures can exceed 40°C for several days in a row and overnight minimums can remain above 30°C for some of those days.

3.5 SA Power Networks' customer and demand profile

The South Australian climate has led to lead to an extraordinary demand for air conditioning. Over 90% of homes are air conditioned with the air-conditioned floor space of these homes increasing each year. The consequent high peak network demand occurs for only a small part of the year. At other times in summer, milder weather often occurs which requires no air conditioning in most homes.

Extremely 'peaky' conditions such as these heatwaves require network assets and capacity that is under-utilised during much of the year, driving distribution costs higher on a per unit of energy served basis than comparable interstate networks. These conditions also provide the impetus for SA Power Networks' network tariff strategies and innovative tariff developments described in Sections 5.4 to 5.8.

4 Tariff Classes

This Section describes SA Power Networks' standard control service tariff classes and the way in which they have been constituted to comply with the requirements of the Rules and the AER's Determination.

In the Appendix A of the Decision, AER has classified the following distribution services provided by SA Power Networks as standard control services¹²:

A.1 'Standard' network services

- a. All *network services* except:
 - i. *network services* provided at the request of a *distribution network user*:
 - 1. with higher quality or reliability standards, or lower quality or reliability standards (where permissible), than are required by the NER, the *Electricity Distribution Code*, or any other applicable regulatory instruments, or
 - 2. in excess of levels of service or plant ratings required to be provided by SA Power Networks' assets, or
 - ii. extension or augmentation of the *distribution network* associated with the provision of a new *connection point* or upgrading of the capability of a connection point to the extent that a *distribution network user* is required to make a financial contribution in accordance with the *Electricity Distribution Code*, or
 - iii. other *network services* that are classified as *negotiated distribution services* in Sections
 B.7 to B.16 of this appendix B.

A.2 'Standard' connection services

- a. All *connection services* except:
 - i. *connection services* provided at the request of a *distribution network user*:
 - 1. with higher quality or reliability standards, or lower quality or reliability standards (where permissible), than are required by the NER, the *Electricity Distribution Code*, or any other applicable regulatory instrument, or
 - 2. in excess of levels of service or plant ratings required to be provided by SA Power Networks' assets, or
 - ii. the provision of a new *connection point* or upgrading of the capability of a connection point to the extent a *distribution network user* is required to make a financial contribution in accordance with the *Electricity Distribution Code*, or
 - iii. other *connection services* that are classified as *negotiated distribution services* in Sections B.7 to B.16 of this appendix B.

A.3 Fixed' 'standard' 'small' customer metering services

a. The provision of *energy data services* in respect of meters meeting the requirements of a *metering installation* Type 6 except the quarterly meter read service.

¹² AER, Final Decision - South Australia distribution determination 2010–11 to 2014–15, May 2010, pp. 280-281.

A.4 Unmetered metering services

a. The provision of metering services in respect of meters meeting the requirements of a *metering installation* Type 7.

This Section of the Pricing Proposal sets out SA Power Networks' approach to the pricing of these standard control services and demonstrates compliance with the Rules and the AER's determination.

The equivalent information for the separate tariff class associated with SA Power Networks' alternative control metering services is included in this Pricing Proposal in Section 11.

4.1 Regulatory requirements

4.1.1 Rule requirements

SA Power Networks' Pricing Proposal must contain the information on tariffs, tariff classes and charging parameters set out in clause 6.18.2 of the Rules.

6.18.2 Pricing proposals

- (b) A *pricing proposal* must:
 - (1) set out the *tariff classes* that are to apply for the relevant *regulatory year*; and
 - (2) set out the proposed tariffs for each *tariff class*; and
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates;

SA Power Networks is required to comply with the following requirements of clause 6.18.3 of the Rules with respect to tariff classes.

6.18.3 Tariff classes

- (a) A *pricing proposal* must define the *tariff classes* into which customers for *direct control services* are divided.
- (b) Each customer for *direct control services* must be a member of 1 or more *tariff classes*.
- (c) Separate tariff classes must be constituted for customers to whom standard control services are supplied and customers to whom alternative control services are supplied (but a customer for both standard control services and alternative control services may be a member of 2 or more tariff classes).
- (d) A *tariff class* must be constituted with regard to:
 - (1) the need to group customers together on an economically efficient basis; and
 - (2) the need to avoid unnecessary transaction costs.

4.1.2 Requirements of the AER's Decision

The AER accepted SA Power Networks' proposal that standard control services customer tariffs would be classified into four tariff classes¹³.

The AER has established procedures for assigning or reassigning customers to tariff classes in Appendix B of its Decision. At the commencement of the regulatory control period, all existing

¹³ AER, Final Decision, May 2010, p. 23.

customers were assigned to the tariff class that SA Power Networks had assigned prior to 1 July 2010¹⁴.

Appendix B of the AER's Decision contains procedures for the reassigning of customers to tariff classes, with which SA Power Networks must comply during the 2010-15 regulatory control period. These procedures are set out in Section 12.1.2.

¹⁴ AER, Final Decision, May 2010, p. 287.

4.2 Standard control service tariffs and tariff classes

SA Power Networks' network use of system tariffs are an aggregation of distribution use of system tariffs, metering service tariffs and transmission cost recovery tariffs. The components of these tariffs are illustrated in Figure 2.




Figure 2 - Components of SA Power Networks' (formerly ETSA Utilities) network tariffs

Retailers may pass through the components of SA Power Networks' network tariffs to customers directly, or modify their structure by bundling with the retail component, which includes the cost of purchasing generated energy from the NEM and retail costs.

This Section outlines the distribution tariff arrangements, which are designed to recover the cost of providing prescribed control services to customers. These services are segregated into tariffs and tariff classes, which cover all of direct control services that SA Power Networks provides, as required by clauses 6.18.3(a) and 6.18.3(b).

Section 13 of this Pricing Proposal outlines the arrangements for SA Power Networks' alternative control metering service tariffs, which in accordance with clause 6.18.3(c) of the Rules has been constituted as a separate tariff class with separate charging parameters.

The transmission cost recovery Section 9 describes how the transmission costs incurred by SA Power Networks are recovered from customers, again with separate charging parameters.

The process by which SA Power Networks recovers the SA Government FiT payments through the PV JSA is described in Section 10. This is applied as a percentage uplift to the DUoS charge.

The process by which SA Power Networks recovers the Vegetation Management passthrough is described in Section 10. This is applied as a percentage uplift to the DUoS charge.

The grouping of customers into standard control service tariffs has historically distinguished between customers on the basis of the following factors:

• The nature and extent of usage of different types of customer;

- For business customers, nature of connection to the network, including the capacity and location or voltage of connection;
- Whether the customer opts to have quarterly or monthly billing;
- Whether the customer also receives a controlled load service; and
- The type of meter installed at the premises, with a distinction between Types 1-4 metering and Types 5-6 metering.

It should be noted that SA Power Networks uses net metering for all customer billing and does not distinguish between customers with micro-generation and those without, in either the network tariff or network tariff class.

An important consideration in establishing this set of tariff classes in 2010 was to reduce the complexity of the overall arrangement by grouping customer tariffs with a similar connection and usage profile together on an economically efficient basis and thereby avoiding unnecessary transaction costs. Thus, for example, there are six tariffs for the primary supply to residential customers, all of which have identical charging parameters and price levels.

Clearly, in establishing tariff classes that are to be used for the purpose of monitoring pricing compliance, it is desirable and appropriate that similar individual tariffs should be grouped together. This is particularly the case for some business tariffs, where one or a few large customers would dominate the class and the side constraint would not apply to a tariff class but those large customers.

SA Power Networks' network tariffs and tariff classes for 2014/15 are shown in Figure 3 below. The tariff classes have been constituted with regard to the provisions of clause 6.18.3(d) of the Rules concerning economic efficiency and transaction costs. As is apparent from the diagram, the suite of tariffs provides:

- A range of tariffs which are dependent upon a customer's size, consumption characteristics and voltage of connection (these factors are generally related); and
- A level of sophistication in the pricing and billing, in some cases facilitated by the metering arrangements.

A number of obsolete tariffs (principally business kW demand tariffs) existed at the time of the AER's 2010 determination. Subsequently, all customers were transferred from those tariffs by the commencement of the 2010/11 year.

18

Type 1-4 meter Monthly billing Major business (11, 33, 66 kV) kVA demand (locational TUOS) kVA demand (loc'l TUOS) >10MW kVA demand Zone ZVS	Type 5,6 meter Monthly billing Quarterly billing		Type 7 (unmetered) Monthly billing
High voltage business (11 kV) kVA demand VHVS kVA demand VHLVS (<1000kVA) kVA demand VHVO 2 rate B2R124HV			
Low voltage business			
kVA demand VLVS 2 rate B2R124 BSR124	2 rate MB2R MBSR	2 rate QB2R QBSR	LVUU
With cont. load BSR124OPCL	With cont. load MBSROPCL	With cont. load QBSROPCL	LVUU24
Low voltage residential			
MRSRI With cont. load MRSRCLI	MRSR With cont. load MRSROPCL	QRSR With cont. load QRSROPCL	

4.2.1 Standard control services tariffs

The 25 tariffs in Figure 3 cover a diverse range of customer requirements.

Residential customer tariffs have a fixed daily charge (termed the Supply Rate) and an inclining block energy component, in common with the tariff structures of many utilities. In 2009/10, the inclining block energy charge was modified to include four block levels. A separate energy rate applies to the energy consumption within each block level. Each of the tariff components (charging parameters) is determined in accordance with the WAPC price control formula.

Business customer tariffs cover the range of:

- Inclining block energy tariffs for small Low Voltage connected customers;
- Two rate Time of Use (peak and off peak) for larger Low Voltage connected customers; and
- kVA demand tariffs for the largest customers at all voltage levels, with individually calculated (locational) transmission prices for those customers with a demand in excess of 10 MW. The demand charge is stepped according to the customer's size, to reflect the cost of providing network capacity at the particular voltage level and location.

4.2.2 Standard control services tariff classes

The four tariff classes that SA Power Networks has established are as follows:

- Major business (11 to 66 kV);
- High Voltage business
- Low voltage business including unmetered supplies; and
- Residential.

SA Power Networks has illustrated the grouping of its individual tariffs into tariff classes in Figure 3 using red outlines.

A description of the tariffs in each of the tariff classes and their charging parameters follows. More detailed information on the application of the tariffs is available from SA Power Networks' website. This Section does not describe the range of obsolete tariffs.

Note that, for completeness, those components of charging parameters associated with transmission recovery tariffs and alternative control services have been shown in the following Section.

4.3 Low voltage residential tariff class

This tariff class includes the residential single rate and controlled load tariffs.

4.3.1 Low voltage residential single rate tariff

The low voltage residential single rate tariff is available to eligible residential customers taking supply at less than 1 kV. These customers ordinarily use a Type 1-6 NEM compliant meter and metered energy consumption is charged in four blocks. From 1 July 2014, the pricing of Block 2 through Block 4 is identical, effectively converting residential into a two-block tariff.

The low voltage residential single rate tariff incorporates the charging parameters set out in Table 4.

Charging	Units		Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description		
Supply Rate	\$/day	X	-	-	lf applicable	Fixed daily charge		
Block 1 Usage Rate	\$/kWh	X	X	X	-	For consumption up to and including 333.3 kWh/ month		
Block 2 Usage Rate	\$/kWh	X	х	Х	-	For the next 500 kWh/month		
Block 3 Usage Rate	\$/kWh	X	X	Х	-	For the next 833.3 kWh/ month		
Block 4 Usage Rate	\$/kWh	X	X	х	-	For the balance of consumption		

Table 4 - Low voltage residential tariff single rate charging parameters

A negotiated service charge will apply where SA Power Networks is required to read the Type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa).

This tariff is invoiced monthly or quarterly. A negotiated distribution service charge also applies for the monthly reading of Type 5-6 meters.

4.3.2 Controlled load tariff

The low voltage controlled load tariff is available for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications. A time switch for the control of the heater and separate metering is installed.

The controlled load tariff incorporates the charging parameters set out in Table 5. From 1 July 2014, the pricing of Block 1 and Block 2 is identical, effectively converting Controlled Load into a single-block tariff.

Charging	Units	Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Block 1 Usage Rate	\$/kWh	х	Х	Х		For consumption up to and including 666.7 kWh/month	
Block 2 Usage Rate	\$/kWh	x	Х	х		For the balance of consumption	

Table 5 - Controlled load tariff charging parameters

This tariff is available only to customers that were taking supply under the controlled load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as the primary tariff.

4.3.3 Low voltage residential monthly demand tariff

The low voltage residential monthly demand tariff is available to eligible residential customers taking supply at less than 1 kV. This is an optional tariff that commences on 1 July 2014. These customers will require a Type 1-5 NEM compliant meter read at least monthly. Metered energy consumption is charged at a single rate. The maximum kW demand (measured over a half hour interval) between 4pm and 9pm on any day in the month is used to bill the monthly demand. A higher price applies for the five summer months (November to March) than the seven winter months (April to October). In 2014/15 there is no charge for demand that is higher outside of the peak 4pm to 9pm time period

The low voltage residential monthly demand tariff incorporates the charging parameters set out in Table 6.

Charging	Units	Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Supply rate	\$/day	-	-	-	- Type 4 or 5 monthly meter required	Fixed daily charge	
Usage Rate	\$/kWh	X	Х	х		For all consumption	
Summer Demand Peak Rate	\$/kW/mth	х	x	x		For Nov-March demand, 16:00- 21:00 local time	
Winter Demand Peak Rate	\$/kW/mth	Х	х	х		For Apr-Oct demand, 16:00- 21:00 local time	
Demand Off-peak Rate	\$/kW/mth	-	-	-		For anytime demand each month.	

Table 6 – Low voltage residential monthly demand tariff charging parameters

4.4 Low voltage business tariff class

The low voltage business tariffs cover a broad range of customer sizes and types of metering installations. This tariff class is the most diverse in terms of its consumption range and the variety of end uses.

4.4.1 Low voltage business single rate tariff

The low voltage business single rate tariff is available for non-residential low voltage customers with a Type 1-6 meter installation. As with the residential tariff, consumption is charged on an inclining scale in four consumption blocks. The low voltage business single rate tariff incorporates the charging parameters set out in Table 7. From 1 July 2014, the pricing of Block 2 through Block 4 is identical, effectively converting Business Single into a two-block tariff

Charging	Units	Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Supply Rate	\$/day	Х	-	-	lf applicable	Fixed daily charge	
Block 1 Usage Rate	\$/kWh	X	X	X	-	For consumption up to and including 833.3 kWh/ month	
Block 2 Usage Rate	\$/kWh	Х	х	X	-	For the next 7,500 kWh/ month	
Block 3 Usage Rate	\$/kWh	Х	х	X	-	For the next 8333.3 kWh/ month	
Block 4 Usage Rate	\$/kWh	Х	Х	х	-	For the balance of consumption	

Table 7 - Low voltage business single rate tariff charging parameters

A negotiated service charge applies where SA Power Networks is required to read the Type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa).

A negotiated charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.

4.4.2 Low voltage business 2-rate tariff

The low voltage business 2-rate tariff has a Time of Use (ToU) structure with peak and off-peak consumption charges, using a Type 1-6 meter. The customer's peak period energy consumption is charged in four consumption blocks. The low voltage business 2-rate tariff incorporates the charging parameters set out in Table 8. From 1 July 2014, the pricing of Block 1 through Block 4 is identical, effectively converting Business 2-rate into a single block tariff

Charging	Units	Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Supply Rate	\$/day	X	-	-	lf applicable	Fixed daily charge	
Peak Block 1 Usage Rate	\$/kWh	X	х	X	-	For consumption up to and including 833.3 kWh/month	
Peak Block 2 Usage Rate	\$/kWh	х	x	х	-	For the next 7,500 kWh/month	
Peak Block 3 Usage Rate	\$/kWh	X	x	х	-	For the next 8333.3 kWh/month	
Peak Block 4 Usage Rate	\$/kWh	X	x	х	-	For the balance of consumption	
Off Peak Usage Rate	\$/kWh	Х	X	Х	-	For all off-peak period consumption	

Table 8 - Low voltage business 2-rate tariff charging parameters

Off Peak consumption is charged at a flat rate. A negotiated service charge applies where SA Power Networks is required to read the Type 1-4 meter or for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.

4.4.3 Low voltage kVA demand tariff

The low voltage kVA demand tariff generally applies to business customers taking supply directly from a distribution transformer. This tariff requires a Type 5 (interval) meter capable of measuring both active and reactive power. A minimum demand of 70 kVA applies and a stepped kVA demand charge applies. Prior to 1 July 2014, the minimum demand was 80 kVA.

An alternate variation of this tariff is available for sporting clubs with significant floodlighting. The alternate tariff is the same, except that the peak demand period has been amended to 12noon-7pm December to February, Monday-Friday only rather than 12 noon-8pm December to March, Monday-Friday. The floodlights are not likely to be used on summer evenings when extreme temperatures occur due to health concerns, so peak charging for these lights is inappropriate.

As with the business 2-rate tariff, the energy consumption of these customers has ToU peak and offpeak consumption charges. The low voltage kVA demand tariff incorporates the charging parameters set out in Table 9.

Charging	Units	Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Supply Rate	\$/day	Х	-	-	lf applicable	Fixed daily charge	
Annual Block 1 Demand Rate	\$/kVA /mth	x	X	X	-	For peak demand up to and including 100 kVA	
Annual Block 2 Demand Rate	\$/kVA /mth	Х	x	х	-	For the next 150 kVA	
Annual Block 3 Demand Rate	\$/kVA /mth	Х	х	х	-	For the next 750 kVA	
Annual Block 4 Demand Rate	\$/kVA /mth	X	х	Х	-	For the balance of kVA demand	
Additional demand	\$/kVA /mth	x	-	х	-	Demand in excess of that required during summer peak hours.	
Peak Usage Rate	\$/kWh	Х	X	X	-	For all peak period energy consumption	
Off Peak Usage Rate	\$/kWh	Х	Х	х	-	For all off-peak period energy consumption	

Table 9 - Low voltage kVA demand tariff charging parameters

A negotiated service charge applies for the monthly reading of Type 5 meters.

These tariffs are invoiced monthly.

4.4.4 Unmetered supply tariffs

Unmetered supply tariffs are applicable to supply points that are not metered. Energy consumption is calculated using the appropriate algorithm in the applicable Metrology Procedure. Unmetered tariffs comprise of an energy rate that is applied to the calculated electricity consumption.

There are two unmetered supply tariffs that are assigned by SA Power Networks, depending upon the customer's consumption profile:

• Unmetered Overnight Usage supply is for overnight use for public lighting.

• Unmetered 24 hour usage supply is for constant 24 hour per day use, typically public phones, traffic lights and telecommunications installations.

The low voltage unmetered usage tariffs incorporate the charging parameter set out in Table 10.

Charging	Units		Element of service					
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description		
Anytime Usage Rate	\$/kWh	Х	х	х	-	For estimated energy consumption		

 Table 10 - Unmetered overnight and 24 hour usage tariff charging parameters

Unmetered supply tariffs are generally invoiced monthly.

4.5 High Voltage Business tariff class

There is also a broad range of customer sizes and types connected to SA Power Networks' system at high voltage. They are predominantly manufacturing and commercial installations.

4.5.1 High voltage business 2-rate tariff

This business 2-rate tariff for customers connected at high voltage is similar in all respects, including the charging parameters, to the low voltage equivalent described in Section 4.4.2.

4.5.2 High Voltage kVA demand tariff

The kVA demand tariff for business customers connected at high voltage is similar in structure to the low voltage equivalent described in Section 4.4.3.

Two variants of this tariff are available with different charging parameters, depending upon whether the customer's maximum demand is in excess of 1000 kVA. Minimum demands of 80 kVA and 1,000 kVA apply to the respective tariffs. The charging parameters of these tariffs are set out in Table 11 and Table 12.

Charging	Units		Element of service						
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description			
Supply Rate	\$/day	Х	-	-	lf applicable	Fixed daily charge			
Annual Block 1 Demand Rate	\$/kVA /mth	Х	X	X	-	For peak demand up to and including 100 kVA			
Annual Block 2 Demand Rate	\$/kVA /mth	Х	x	х	-	For the next 150 kVA			
Annual Block 3 Demand Rate	\$/kVA /mth	Х	х	х	-	For the next 750 kVA			
Annual Block 4 Demand Rate	\$/kVA /mth	Х	х	х	-	For the balance of kVA demand			
Additional demand	\$/kVA /mth	x	-	Х	-	Demand in excess of that required during summer peak hours.			
Peak Usage Rate	\$/kWh	X	х	х	-	For all peak period energy consumption			
Off Peak Usage Rate	\$/kWh	X	X	Х	-	For all off-peak period energy consumption			

Table 11 - High voltage kVA demand tariff charging parameters <1,000 kVA

Charging	Units		Element of service				
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Supply Rate	\$/day	X	-	-	lf applicable	Fixed daily charge	
Annual Block 1 Demand Rate	\$/kVA /mth	x	X	X	-	For peak demand up to and including 1,000 kVA	
Annual Block 2 Demand Rate	\$/kVA /mth	X	Х	Х	-	For the next 2,000 kVA	
Annual Block 3 Demand Rate	\$/kVA /mth	X	Х	Х	-	For the balance of kVA demand	
Additional demand	\$/kVA /mth	x	-	X	-	Demand in excess of that required during summer peak hours.	
Peak Usage Rate	\$/kWh	X	Х	Х	-	For all peak period energy consumption	
Off Peak Usage Rate	\$/kWh	X	X	X	-	For all off-peak period energy consumption	

Table 12 - High voltage kVA demand tariff charging parameters

4.6 Major Business tariff class

The major business customers are the largest connected to SA Power Networks' network. They comprise a range of industrial, manufacturing and mining enterprises.

4.6.1 Zone substation kVA demand tariff

This kVA demand tariff is for larger high voltage connected business customers that take supply on direct distributors from a zone substation. The tariff has a minimum chargeable demand of 5,000 kVA and a minimum annual usage of 25 GWh. A Type 1-4 interval meter is required with the ability to measure both active and reactive power. The charging parameters for this tariff are set out in Table 13.

Charging	Units		Element of service				
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description	
Supply Rate	\$/day	Х	-	-	lf applicable	Fixed daily charge	
Annual Demand Rate	\$/kVA /mth	X	Х	Х	-	For peak demand > 5,000 kVA	
Additional demand	\$/kVA /mth	x	-	X	-	Demand in excess of that required during summer peak hours.	
Peak Usage Rate	\$/kWh	x	X	X	-	For all peak period energy consumption > 25 GWh pa	
Off Peak Usage Rate	\$/kWh	Х	Х	X	-	For all off-peak period energy consumption	

Table 13 - Zone substation kVA demand tariff charging parameters

A negotiated service charge may apply for the monthly reading of Type 1-4 meters and the tariffs is invoiced monthly.

4.6.2 Zone substation kVA demand locational tariff

This kVA demand tariff is similar in structure to the high voltage zone substation kVA demand tariff described in Section 4.6.1. It applies to those customers having a demand in excess of 10 MW or annual consumption greater than 40 GWh. A Type 1-4 interval meter is required with the ability to measure both active and reactive power.

The tariff has averaged distribution charges, but a locational TUoS component is applied. The charging parameters of this tariff are shown in Table 14.

Charging	Units	Element of service				
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description
Supply Rate	\$/day	-	Locational		lf applicable	Fixed daily charge
Annual Demand Rate	\$/kVA /mth	Х	-	Х	-	For peak demand > 5,000 kVA
Additional demand	\$/kVA /mth	X	-	X	-	Demand in excess of that required during summer peak hours.
Peak Usage Rate	\$/kWh	х	-	Х	-	For all peak period energy consumption > 25 GWh pa
Off Peak Usage Rate	\$/kWh	X	-	X	-	For all off- peak period energy consumption

Table 14 - Zone substation kVA demand locational tariff charging parameters

A negotiated service charge may apply for the monthly reading of Type 1-4 meters. This tariff is invoiced monthly.

4.6.3 Subtransmission kVA demand locational tariff

Subtransmission customers are connected to SA Power Networks' network at 66 or 33 kV and have a minimum demand of 10 MW. The tariff for these customers is similar in structure to the high voltage zone substation kVA demand locational tariff and also has a locational TUoS component. The charging parameters for the tariff are set out in Table 15.

Charging	Units			Element of ser	vice	
Parameter		Direct control DUoS	Transmission recovery TUoS	Jurisdictional Scheme Amount & Veg. Management Pass Through	Alternative control Metering	Description
Supply Rate	\$/day	-	Locational		If applicable	Fixed daily charge
Annual Demand Rate	\$/kVA /mth	Х	-	X	-	For peak demand > 10,000 kVA
Additional demand	\$/kVA /mth	x	-	X	-	Demand in excess of that required during summer peak hours.
Peak Usage Rate	\$/kWh	Х	-	Х	-	For all peak period energy consumption
Off Peak Usage Rate	\$/kWh	Х	-	X	-	For all off-peak period energy consumption

Table 15 - Subtransmission kVA demand locational tariff charging parameters

A negotiated service charge may also apply, for the monthly reading of Type 1-4 meters and the tariffs is invoiced monthly.

5 Network tariff strategy

This Section contains the objectives that SA Power Networks applies to the development of its network tariffs. It goes on to outline the strategies SA Power Networks proposes to pursue in developing tariffs during the 2010-15 regulatory control period.

5.1 Regulatory Requirements

The information in this Section concerning potential future network tariff developments is provided pursuant to clause 6.18.9 of the Rules.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A Distribution Network Service Provider must maintain on its website:
 - (3) a statement of expected price trends (to be updated for each *regulatory year*) giving an indication of how the *Distribution Network Service Provider* expects prices to change over the *regulatory control period* and the reasons for the expected changes.

5.2 Network tariff objectives

This Section presents the high level framework that SA Power Networks applies to the development of its network tariff strategy. The major objectives of network pricing are to some extent conflicting and therefore involve making compromises. They are as follows:

- **Revenue sufficiency** prices are formulated to recover permitted weighted average prices under the determination.
- **Revenue volatility** to the extent possible, tariffs will be structured to minimise monthly and annual variations in revenue.
- **Pricing efficiency** through their variable components, prices will signal the economic cost of providing network service. Residual costs will be recovered in a manner which least distorts customers' consumption decisions.
- **Customer equity** customers should pay a reasonable allocated share of costs and moves towards pricing cost reflectivity need to be tempered to limit their impact on some customers.
- *Pricing stability* to the extent possible undue variation in price levels should be avoided.
- **Pricing simplicity** price structures should be understandable, simple and transparent.

5.3 The need for tariff reform

As explained in Section 3.5, to a greater extent than any other Australian distributor, SA Power Networks' summer demand is sensitive to the effect of air conditioning demand. High summer peak demands occur during heat wave conditions, which correspond with periods when the elements of the system have least capacity and the power factor of loads is poor.

Some 75% of the capital expenditure on SA Power Networks' network in the 2010-15 regulatory control period is growth related. That is, the expenditure is driven by the need to augment and expand the network to adequately meet peak summer demand and provide for the connection of new customers.

As a consequence, the management of summer demand has a high priority in SA Power Networks' tariff reform strategies. This leads to an emphasis on providing network price signals that will encourage both residential and business customers to manage their demand by the following means:

- The price levels of existing tariff structures;
- The development of more cost reflective tariff structures; and
- The development of innovative new tariff structures.

5.4 Network tariff strategy

SA Power Networks has a pricing strategy that will, within the limitations of metering arrangements and efficient tariff structures, signal the costs associated with increased demand placed on the network, including the use of air conditioning.

Consistent with the network tariff objectives outlined in Section 5.2, SA Power Networks' network tariff strategy aims to:

- Attain revenue sufficiency under the Weighted Average Price Cap;
- Signal the long run marginal cost of supply through its network tariffs;
- Improve cost reflectivity and reduce revenue variability by reducing the reliance on usage based tariff components where appropriate;
- Pass on the cost of ElectraNet's transmission services to customers; and
- Explore tariff based demand management opportunities, including voluntary capacity based tariffs. Sections 5.6 through 5.8 outline future tariff reform options under consideration and development.

5.5 Tariff reform 2005 to 2010

During the 2005-10 regulatory control period, SA Power Networks undertook a number of tariff reforms, including the following:

- The restructuring of the single rate tariffs for residential and low voltage business tariffs to introduce a greater number of steps and progressively increasing consumption charges for the higher consumption blocks;
- Businesses have been encouraged to adopt kVA demand price structures; and
- Power factor correction for businesses has been facilitated through the use of an excluded/negotiated service charge for excess reactive power requirements.

5.6 Experimental tariff programs

Over the past few years, SA Power Networks has launched a number of pilot programs to better understand customer behaviour, facilitate improved pricing outcomes and develop new tariffs. SA Power Networks is constantly monitoring innovative tariff developments internationally, for ideas that may be applicable to South Australia. Promising new ideas will therefore be incorporated into the pricing strategy on an ongoing basis.

The following are examples of innovative tariffs used in Australia and abroad, that have been considered for a pilot within SA Power Networks:

• **Capacity Pricing** – including the use of a capacity price components rather than relying principally on energy, for use by small customers;

- **Direct load control** where the DNSP can control appliances at the customer's premises (such as air conditioning), to moderate the demand on the network; and
- **Voluntary load control** where the customer may be offered a discount or rebate in return for responding to the DNSP's request to reduce their demand.

Of the available alternatives, SA Power Networks decided during 2012/13 to commence a small scale pilot of capacity pricing, for small customers equipped with interval meters. This trial included incentives for trial participants to manage their demand during summer in the afternoon/early evening when residential demands are at their highest. This trial has resulted in the introduction in 2014/15 of the opt-in residential monthly demand tariff.

SA Power Networks will also be looking at options for increasing the application of demand tariffs with business customers. Currently, all existing business customers requiring more than 250 kVA must be on a demand tariff, as must all new customers requiring more than 70 kVA. For customers requiring between 70 kVA and 250 kVA, some are on the demand tariff and some are on an energy-usage tariff. Arrangements whereby those customers can move to a demand tariff will be considered over the next year. SA Power Networks will also be considering possible demand based options for business customers that require less than 70 kVA of capacity. In 2014/15, the demand tariff arrangements have been amended for about 1,000 business customers. Over 800 business customers have had their agreed demand lowered from 80 kVA to 70 kVA, whilst about 200 business customers are being transferred from energy-only tariffs to a demand tariff.

5.7 SA Power Networks' demand management and intelligent network trials

SA Power Networks has undertaken a large-scale demand management project in the suburb of North Adelaide, involving approximately 4,400 customers. The objective of this project has been to further develop the direct load control programs pioneered in Glenelg and Mawson Lakes since 2006. These techniques have been coupled with a range of intelligent network solutions, using:

- Network sensing devices;
- Advanced metering infrastructure;
- Air conditioning direct load control devices;
- Wireless 4G communications and Home Area Network communications; and
- Developing the associated back-office information systems.

The trial is designed to expand upon the prior programs by using more standard 'off the shelf' equipment and software and a roll-out approach more akin with that likely to be utilised in any future volume roll-out. The outcomes of the trial will form part of the 2015-20 Price Reset submission, due for lodgement with the AER in October 2014.

5.8 Future tariff reform options

SA Power Networks proposes to explore any benefits capable of being realised from continuing the network tariff reform process. Within the limitations of the AER's DMIA provisions, SA Power Networks may obtain more first-hand information on customers' usage of the network through trials and associated customer research.

The following network tariff reforms may be pursued by SA Power Networks during the 2015-20 regulatory control period. They will be discussed in more detail in our 2015-20 Price Reset submission:

- Improving the design of the ToU and demand tariffs, to enhance their cost reflectivity;
- Continuing to assign more business customers to network demand tariffs where it is economically efficient to do so; and
- Exploring tariff based demand management opportunities, such as a demand based tariff for small residential and business customers.

In relation to the reassignment of customers to individual tariffs within the tariff classes, SA Power Networks believes that it is appropriate to actively encourage and facilitate the development of more cost reflective distribution network tariffs. Such tariffs may well include those that are enabled by the use of developing technologies, such as:

- Communications signalling and load management technologies; or
- Remotely read interval meters.

SA Power Networks envisages that it may be seeking to implement the following tariff initiatives:

- Increasingly, interval meters are being chosen as an alternate meter for replacements and new connections. This would permit the introduction of more cost reflective capacity/demand based prices for some small customers.
- In specific situations where network demand management is sought, SA Power Networks may offer voluntary tariffs from time to time and, should the customer or their retailer accept this offer, they would be reassigned to the new tariff.

These proposed initiatives are intended to improve the cost reflectivity of the existing tariffs and whilst involving the reassignment of customers to new tariffs, would not require their reassignment to a new or different tariff class.

6 Standard control services tariffs

Within the framework of SA Power Networks' longer term tariff strategy set out in Section 5 of this Pricing Proposal, this Section sets out the proposed rates for tariff charging components of standard control services for 2014/15 and provides a comparison with the rates in place during 2013/14. It should be noted that the information and comparisons in this Section relate solely to SA Power Networks' standard control services. NUOS charges to customers are bundled charges that contain:

- SA Power Networks' standard control services (DUoS);
- SA Power Networks' Vegetation Management passthrough (VM);
- Any applicable SA Power Networks' alternate control services (metering);
- Transmission cost recovery components (TUoS); and
- PV JSA cost recovery components (PV JSA).

A discussion of customer impacts from all NUoS charges including Vegetation Management passthrough, transmission cost recovery and PV JSA cost recovery is set out in Section 7.

6.1 Regulatory Requirements

The information in this Section concerning the change in standard control service rates is provided pursuant to clause 6.18.9 of the Rules.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A *Distribution Network Service Provider* must maintain on its website:
 - (3) a statement of expected price trends (to be updated for each *regulatory year*) giving an indication of how the *Distribution Network Service Provider* expects prices to change over the *regulatory control period* and the reasons for the expected changes.

6.2 Tariff changes in 2014/15

The tariff changes in 2014/15 have been made within the overall tariff strategy for the 2010-15 regulatory control period set out in Section 5.

The distribution component of tariffs has generally increased by 3.1%, (equivalent to a 1.3% increase in the average residential customer's bill).

The changes to the distribution tariffs in 2014/15 therefore comprise of:

- An increase in the small customer fixed charge of \$8.12 pa, which is just below the maximum to the extent permitted by the \$10 pa side constraint for small customers after allowing for a \$1.86 pa metering charge increase; and
- Amendments to prices such that the average price change for all residential customers is 3.1% and for all business customers is also 3.1%.

6.3 Calculation of network use of system tariffs

The following Sections provide information on the DUoS component of SA Power Networks' existing tariffs and the price movement proposed for 2013/14. The following Tables do not include Vegetation Management passthrough, TUoS or PV JSA cost recovery components.

It should be noted that this information is provided for the purpose of showing the relative change in the price of each tariff charging parameter. Compliance with clause 6.18.2(8) of the Rules, concerning the demonstration that price changes comply with the Rules and the AER's Determination, is set out in Section 8 and Appendix G of this Pricing Proposal.

All prices in the following Sections are exclusive of GST and have been rounded. The 2014/15 prices have been deliberately reduced to three or four significant figures, with these simplified prices to be used in bills.

6.4 Low Voltage Residential tariff class

6.4.1 Low voltage residential tariff

Table 16 contains the proposed 2014/15 prices for single rate residential customers.

Charging Parameter	Units	Existing	Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	101.74	109.87	8.12
Block 1 Usage Rate	¢/kWh	9.247	9.35	0.103
Block 2 Usage Rate	¢/kWh	12.049	12.95	0.901
Block 3 Usage Rate	¢/kWh	14.334	Ï	-1.384
Block 4 Usage Rate	¢/kWh			

Table 16 - Proposed 2014/15 low voltage residential tariff single rate

6.4.2 Controlled load tariff

Table 17 contains the proposed 2014/15 prices for controlled load customers.

able 17 - Proposed 2014/15 controlled load tarm						
Charging Parameter	Units	Existing	Proposed	Variance		
		2013/14	2014/15			
Block 1 Usage Rate	¢/kWh	3.519	3.68	0.161		
Block 2 Usage Rate	¢/kWh	4.778		0.460		

Table 17 - Proposed 2014/15 controlled load tariff

6.5 Low Voltage Business tariff class

6.5.1 Low voltage business single rate tariff

Table 18 contains the proposed 2014/15 prices for low voltage business tariff single customers.

Charging Parameter	Units	Existing	Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	101.74	109.87	8.12
Block 1 Usage Rate	¢/kWh	10.362	10.73	0.368
Block 2 Usage Rate	¢/kWh	12.237	12.73	0.493
Block 3 Usage Rate	¢/kWh	12.965		-0.235
Block 4 Usage Rate	¢/kWh			

Table 18 - Proposed 2014/15 low voltage business single rate tariff

6.5.2 Low voltage business 2-rate tariff

Table 19 contains the proposed 2014/15 prices for low voltage business 2-rate tariff customers.

Charging Parameter	Units	Existing	Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	101.74	109.87	8.12
Peak Block 1 Usage Rate	¢/kWh	13.632	13.62	-0.012
Peak Block 2 Usage Rate	¢/kWh			
Peak Block 3 Usage Rate	¢/kWh			
Peak Block 4 Usage Rate	¢/kWh			
Off Peak Usage Rate	¢/kWh	4.304	4.97	0.666

Table 19 - Proposed 2014/15 low voltage business 2-rate tariff

6.5.3 Low voltage business kVA demand tariff

Table 20 contains the proposed 2014/15 prices low kVA demand business tariff customers.

Charging Parameter	Units Existing		Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	0.00	0.00	0.00
Annual Block 1 Demand Rate	\$/kVA/mth	13.096	13.56	0.464
Annual Block 2 Demand Rate	\$/kVA/mth	7.640	7.91	0.270
Annual Block 3 Demand Rate	\$/kVA/mth	5.594	5.79	0.196
Annual Block 4 Demand Rate	\$/kVA/mth	4.228	4.38	0.152
Additional demand	\$/kVA/mth	4.228	4.38	0.152
Peak Usage Rate	¢/kWh	2.701	2.80	0.099
Off Peak Usage Rate	¢/kWh			

Table 20 - Proposed 2014/15	w voltage business kVA de	emand tariff

From July 2014, there is also a variant to this tariff available for sportsgrounds with significant floodlighting. This tariff variant has a slightly different definition of peak demand period, using 12:01 to 19:00 local time for December to February, and allowing the minimum 70 kVA requirement to be incurred in part via additional demand. The tariff variant is otherwise in line with the original tariff.

6.5.4 Unmetered supply tariffs

Proposed 2014/15 prices for the unmetered supply tariff customers are set out in Table 21 and Table 22.

Table 21 - Proposed 2014/15 Unmetered Overnight tariff

Charging Parameter	Units	Existing 2013/14	Proposed 2014/15	Variance
Anytime Usage Rate	¢/kWh	5.934	6.21	0.276

Table 22 - Proposed 2014/15 Unmetered 24 hour Usage tariff

Charging Parameter	Units	Units Existing 2013/14		Variance
Anytime Usage Rate	¢/kWh	5.279	5.54	0.261

6.6 High Voltage Business tariff class

6.6.1 High voltage business 2-rate tariff

The proposed 2014/15 prices for high voltage business 2-rate customers are the same as those for the low voltage equivalent tariff in Table 19.

6.6.2 High voltage kVA demand tariff < 1,000 kVA

The proposed 2014/15 prices for high voltage demand tariff < 1,000 kVA business customers are the same as those for the low voltage equivalent tariff in Table 19.

There is also a variant to this tariff available for any sportsgrounds with significant floodlighting, as discussed in 6.5.3 above.

6.6.3 High Voltage kVA demand tariff

Table 23 contains the proposed 2014/15 prices for High Voltage kVA demand business tariff customers.

Charging Parameter	Units	Existing	Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	0.00	0.00	0.00
Annual Block 1 Demand Rate	\$/kVA/mth	5.384	5.57	0.186
Annual Block 2 Demand Rate	\$/kVA/mth	3.261	3.38	0.119
Annual Block 3 Demand Rate	\$/kVA/mth	2.510	2.60	0.090
Additional demand	\$/kVA/mth	2.510	2.60	0.090
Peak Usage Rate	¢/kWh	2.328	2.41	0.082
Off Peak Usage Rate	¢/kWh	Ī		

Table 23 - Proposed 2014/15 high voltage business kVA demand tariff

6.7 Major Business tariff class

6.7.1 Zone substation kVA demand tariff

Table 24 contains the proposed 2014/15 prices for zone substation kVA demand business customers.

Charging Parameter	Units	Existing	Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	0.00	0.00	0.00
Annual Demand Rate	\$/kVA/mth	2.510	2.60	0.090
Additional demand	\$/kVA/mth	1.747	1.81	0.063
Peak Usage Rate	¢/kWh	0.818	0.85	0.032
Off Peak Usage Rate	¢/kWh			

Table 24 - Proposed 2014/15 zone substation kVA demand business tariff

6.7.2 Zone substation kVA demand locational tariff

Table 25 contains the proposed 2014/15 prices for zone substation kVA demand locational tariff business customers.

Charging Parameter	Units	Existing 2013/14	Proposed 2014/15	Variance
Supply Rate	\$ p.a.	0.00	0.00	0.00
Annual Demand Rate	\$/kVA/mth	2.510	2.60	0.090
Additional demand	\$/kVA/mth	1.747	1.81	0.063
Peak Usage Rate	¢/kWh	0.818	0.85	0.032
Off Peak Usage Rate	¢/kWh	ſ		

Table 25 - Proposed 2014/15 Zone substation kVA demand locational tariff

6.7.3 Subtransmission kVA demand tariff

Table 27 contains the proposed 2014/15 prices for subtransmission kVA demand business customers. It is used by those customers connected at sub-transmission that have not had a locational tariff defined for them.

Charging Parameter	Units Existing		Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	0.00	0.00	0.00
Annual Demand Rate	\$/kVA/mth	0.764	0.79	0.026
Additional demand	\$/kVA/mth	0.764	0.79	0.026
Peak Usage Rate	¢/kWh	0.273	0.28	0.007
Off Peak Usage Rate	¢/kWh			

Table 26 - Proposed 2014/15 Subtransmission kVA demand tariff

6.7.4 Subtransmission kVA demand locational tariff

Table 27 contains the proposed 2014/15 prices for subtransmission kVA demand locational tariff business customers.

Charging Parameter	Units	Existing	Proposed	Variance
		2013/14	2014/15	
Supply Rate	\$ p.a.	0.00	0.00	0.00
Annual Demand Rate	\$/kVA/mth	0.764	0.79	0.026
Additional demand	\$/kVA/mth	0.764	0.79	0.026
Peak Usage Rate	¢/kWh	0.273	0.28	0.007
Off Peak Usage Rate	¢/kWh			

 Table 27 - Proposed 2014/15 Subtransmission kVA demand locational tariff

7 Customer Impacts

In this Section, customer impacts are calculated for the individual components and the total of the proposed bundled NUoS tariffs. The use of these network tariffs results in customer impacts that include the following components:

- DUoS charges, for SA Power Networks' standard control services;
- Vegetation Management passthrough, to recover the additional costs SA Power Networks' incurred in meeting vegetation clearance statutory obligations over and above that provided under standard control services;
- Metering charges, for SA Power Networks' alternative control services;
- Transmission cost recovery tariffs, to recover costs associated with ElectraNet's standard control services and any avoided TUoS payments made by SA Power Networks to embedded generators; and
- The PV Jurisdictional Scheme Amount, which recovers the cost of payments made by SA Power Networks for SA Government Feed-in Tariffs to customers with solar PV generators.

All of the customer impacts presented in this Section are GST exclusive.

The price changes for individual tariffs have been calculated on the basis of customer consumption volume levels, for the 12 months to March 2014. This will be a reasonable proxy for likely 2014/15 usage patterns. Where the number of customers on a tariff is sufficient, the distribution of price impacts has been presented.

This Section also sets out how SA Power Networks complies with the AER's requirement for a system of tariff review, where the charge varies according to the usage or load profile of a customer.

7.1 Regulatory Requirements

7.1.1 Rules requirements

Rules clause 6.18.2 imposes a requirement for the Pricing Proposal to set out the nature of variations that may take place during 2014/15.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (5) set out the nature of any variation or adjustment to the tariff that could occur during the course of the *regulatory year* and the basis on which it could occur;

Clause 6.18.9 requires the publication of price trends over the 2010-15 regulatory control period and the reasons for expected variations.

6.18.9 Publication of information about tariffs and tariff classes

- (a) A Distribution Network Service Provider must maintain on its website:
 - (3) a statement of expected price trends (to be updated for each *regulatory year*) giving an indication of how the *Distribution Network Service Provider* expects prices to change over the *regulatory control period* and the reasons for the expected changes.

7.1.2 Requirements of the AER's Decision

Appendix B of the AER's Decision contains the following requirement based on clause 6.18.4(b) of the Rules, concerning the review of tariffs where the charge varies according to the usage or load profile of a customer¹⁵.

System of assessment and review of the basis on which a customer is charged

- 11. Where the charging parameters for a particular tariff result in a basis of charge that varies according to the customer's usage or load profile, SA Power Networks must set out in its pricing proposal a method of how it will review and assess the basis on which a customer is charged.
- 12. If the AER considers that the method provided under Section 11 does not provide for an effective system of assessment and review of the basis on which a customer is charged, the AER may request additional information or request that SA Power Networks revise and resubmit a revised method.
- 13. If the AER considers the method provided in accordance with Section 11 is reasonable it will approve that method by notice in writing to SA Power Networks.

7.2 Overall price trends during the 2010-15 regulatory control period

The expected overall price trends over the course of the determination are built up from the following components:

- SA Power Networks' distribution prices for standard control services, in accordance with the AER's 2010 determination, as amended by the May 2011 decisions of the Australian Competition Tribunal in relation to the inclusion to easements in the regulatory asset base and the corporate taxation allowance described in Section 2.3.3 and as further amended by the AER in February 2012 when the existing determination was revoked and substituted for feed-in tariff payments;
- SA Power Networks' prices for alternative control metering services, in accordance with the AER's 2010 determination, as amended by the May 2011 decision of the Australian Competition Tribunal in relation to the corporate taxation allowance described in Section 2.3.4;
- Transmission related prices, determined from ElectraNet's approved 2014/15 prices following their 2013 revenue cap determination; and
- Forecasts for future period recovery of the SA Government PV FiT payments to qualifying generators under the JSO arrangement.

The outcomes for SA Power Networks' charges for the recent part of the 2010-15 regulatory period is shown below in Table 28. Charges may vary significantly in 2015/16 following the 2015-20 regulatory reset for SA Power Networks.

¹⁵ AER, Final Decision - South Australia distribution determination 2010–11 to 2014–15, May 2010, pp. 287.

\$ nominal DUoS excl GS		
	2013/14	2014/15
Residential	\$118	\$128
Residential & Hot Water	\$87	\$94
Business Single	\$118	\$129
Business 2-Rate	\$92	\$100
Business LV Demand	\$58	\$63
Business HV Demand	\$42	\$46
Zone S/Stn Locational	\$14	\$15
Sub Trans Locational	\$5.8	\$6.2

Table 28 – SA Power Networks' distribution price trends over the regulatory period (nominal).

The 'bundled' NUoS prices in Table 29 are the outcomes for the remainder of the 2010-15 regulatory control period. In addition to SA Power Networks' distribution charges, the bundled NUoS price includes the pass-throughs of the transmission and SA Government PV feed-in payments.

Table 29 –NUoS price trends over the regulatory period (nominal). Includes Pass-through costs for Transmission and SA Government PV Feed-In as well as SA Power Networks' charges

dovernment PV Feed-in as well as SA Power Networks' charges							
\$ nominal NUoS excl GS							
	2013/14	2014/15					
Residential	\$162	\$178					
Residential & Hot Water	\$119	\$132					
Business Single	\$167	\$186					
Business 2-Rate	\$130	\$144					
Business LV Demand	\$86	\$95					
Business HV Demand	\$70	\$77					
Zone S/Stn Locational	\$34	\$37					
Sub Trans Locational	\$25	\$27					

7.3 Variations to prices

Clause 6.18.2(b)(5) requires SA Power Networks to set out the nature of any variations and adjustments that could occur to tariffs during the course of future years. In addition, clause 6.18.9(a)(3) requires an indication of how SA Power Networks expects prices to change over the regulatory control period and the reasons for the expected changes. As this is the final year of the 2010-15 regulatory period, the information requirements are redundant.

The average price trends mask the variation in price that have taken place for individual customers. Each customer's price will vary depending upon their level of consumption, and for business customers, the load profile and monthly demand.

SA Power Networks' Price Reset submission for 2015-20 will be required to address the likely future price paths for customer tariffs, subject to a rule change being considered by the AEMC on these matters at present. Discussion and consultation with customers on this subject will be held as part of the Price Reset, not as part of this Pricing Proposal.

7.4 Low Voltage Residential tariff class

7.4.1 Low voltage residential tariff

The low voltage residential tariff has a single-rate with an inclining block structure and four consumption steps. The 2014/15 annual bill and price change for this tariff is shown in Table 30, for a range of different customer consumption levels. Note that from July 2014, the tariff has been effectively converted into a two-block tariff, with a simplified pricing structure.

The table shows NUoS being the impact of distribution, transmission and PV JSA FiT pass-throughs on the annual electricity bill (inclusive of the retail charges as submitted by AGL in February 2013). The table also shows (as DUoS) the SA Power Networks' related price changes including Vegetation Management. Note that the table does not include the Alternate Control Type 6 metering charge typically associated with this tariff.

			Change	Change			Change	Change
Annual	NUoS	NUoS	in NUoS	in Retail	DUoS	DUoS	in DUoS	in Retail
Usage	13/14	14/15	bill	bill	13/14	14/15	bill	bill
MWh pa	\$ pa	\$ pa	%	%	\$ pa	\$ pa	%	%
2	369	402	9.0%	4.2%	287	306	6.9%	2.5%
4	636	694	9.1%	4.3%	472	503	6.7%	2.3%
5	808	892	10.4%	5.0%	592	639	7.9%	2.8%
8	1,325	1,486	12.2%	6.1%	954	1,047	9.8%	3.5%
16	2,905	3,070	5.7%	3.1%	2,055	2,136	4.0%	1.5%

Table 30 - Low voltage residential price change in 2014/15

Note NUoS = DUoS + TUoS + PV JSA, DUoS includes Veg Mgmt Pass-Through (2014-15)

44

Figure 4 illustrates how the effect of the price change varies with customer's annual energy consumption. Within this chart, the impacts of the DUoS change and the cumulative effects of the TUoS change and the PV JSA, recovered through NUoS are separately indicated.





Figure 4 - Low voltage residential NUoS price change in 2014/15

The equivalent impact of the 2014/15 price change on the current August 2013 AGL transitional contract retail rates is shown in Figure 5.





Residential NUoS 2014/15 Price Increases % vs Annual Usage (MWh)

7.4.2 Controlled load tariff


The controlled load tariff also has an inclining block structure with two consumption steps, although from July 2014 the tariff has a single block. The 2014/15 annual bill and price change shown in Table 31 for residential customers with hot water, for a range of representative consumption levels. The table shows NUoS being the impact of distribution, transmission and PV JSA FiT pass-throughs on the annual electricity bill (inclusive of the retail charges). The table also shows (as DUoS) the SA Power Networks' related price changes.


			Change	Change			Change	Change
Annual	NUoS	NUoS	in NUoS	in Retail	DUoS	DUoS	in DUoS	in Retail
Usage	13/14	14/15	bill	bill	13/14	14/15	bill	bill
MWh pa	\$ pa	\$ pa	%	%	\$ pa	\$ pa	%	%
2 + 1	417	456	9.3%	4.2%	322	345	7.2%	2.5%
4 + 2	733	802	9.5%	4.3%	542	580	7.1%	2.4%
5 + 3	954	1,054	10.6%	4.8%	698	755	8.3%	2.8%
8 + 4	1,519	1,702	12.1%	5.8%	1,094	1,202	9.9%	3.4%
16 + 5	3,147	3,340	6.2%	3.2%	2,231	2,330	4.4%	1.6%

Table 31 - Low voltage residential + hot water price change in 2014/15

Note NUoS = DUoS + TUoS + PV JSA, DUoS includes Veg Mgmt Pass-Through (2014-15)


Figure 6 illustrates how the effect of the price change varies with customer's annual energy consumption where hot water is used. Within this chart, the impacts of the DUoS change including Vegetation Management and the cumulative effects of the TUoS change and the PV JSA, recovered through NUoS are separately indicated.






Residential with Hot Water NUoS 2014/15 Price Increases % vs Annual Usage (MWh) **Customer Outcomes across a range of Customer Sizes**

The equivalent impact of the 2014/15 price change on the current AGL transitional contract retail rates is shown in Figure 7.





7.5 Low Voltage Business tariff class

7.5.1 Low voltage business single rate tariff

The low voltage business single rate tariff has an anytime consumption charge with an inclining block structure and four consumption steps. Note that from July 2014, this tariff has effectively been converted into a two-block tariff. Table 32 shows the 2014/15 annual bill and price change for this tariff, for a range of annual consumption levels.

The table shows NUoS being the impact of distribution, transmission and PV JSA FiT pass-throughs on the annual electricity bill (inclusive of the AGL transitional contract retail charges). The table also shows (as DUoS) the SA Power Networks' related price changes including Vegetation Management but excludes the Alternate Control Type 6 metering typically associated with this customer.

			Change	Change			Change	Change
Annual	NUoS	NUoS	in NUoS	in Retail	DUoS	DUoS	in DUoS	in Retail
Usage	13/14	14/15	bill	bill	13/14	14/15	bill	bill
MWh pa	\$ pa	\$ pa	%	%	\$ pa	\$ pa	%	%
4	701	775	10.4%	4.9%	516	561	8.7%	3.0%
10	1,601	1,772	10.7%	5.1%	1,138	1,238	8.8%	3.0%
20	3,347	3,725	11.3%	5.6%	2,362	2,576	9.1%	3.2%
40	6,839	7,631	11.6%	5.9%	4,809	5,252	9.2%	3.3%
80	13,824	15,443	11.7%	6.0%	9,704	10,604	9.3%	3.4%

 Table 32 - Low voltage business single rate NUoS price change in 2014/15

Note NUoS = DUoS + TUoS + PV JSA, DUoS includes Veg Mgmt Pass-Through (2014-15)

The price change versus annual consumption and the distribution of customers for the low voltage business single rate tariff is illustrated in Figure 8. Within this chart, the impacts of the DUoS change and the cumulative effects of the TUoS change and the PV JSA, recovered through NUoS are separately indicated.





Figure 8 - Low voltage business single rate NUoS price change in 2014/15

The equivalent impact of the 2014/15 price change on the current AGL transitional contract retail rates for business single rate customers is shown in Figure 7.





7.5.2 Low voltage business 2-rate tariff

The effect of the price change in 2014/15 for more complex tariff structures such as the low voltage business 2-rate will depend upon the customer consumption profile, in particular the ratio of peak to

off-peak period usage. Table 33 shows how the 2014/15 annual bill has changed for this tariff, for different customer consumption levels and average peak to off peak consumption proportions of 50%. Note that the existing four-block peak usage charge has effectively been converted into a single block usage charge from July 2014.

The table shows NUoS being the impact of distribution, transmission and PV JSA FiT pass-throughs on the annual electricity bill (inclusive of the AGL transitional tariff retail charges). The table also shows (as DUoS) the SA Power Networks' related price changes including Vegetation Management but excludes the Alternate Control Type 6 metering charge typically associated with this customer.


			Change	Change			Change	Change
Annual	NUoS	NUoS	in NUoS	in Retail	DUoS	DUoS	in DUoS	in Retail
Usage	13/14	14/15	bill	bill	13/14	14/15	bill	bill
MWh pa	\$ pa	\$ pa	%	%	\$ pa	\$ pa	%	%
8	1,122	1,241	10.6%	4.8%	819	891	8.8%	2.9%
20	2,653	2,939	10.8%	4.9%	1,895	2,063	8.8%	2.8%
50	6,477	7,182	10.9%	5.0%	4,586	4,992	8.9%	2.9%
100	12,837	14,255	11.0%	5.1%	9,070	9,875	8.9%	2.9%
200	25,557	28,400	11.1%	5.2%	18,038	19,640	8.9%	2.9%

Table 33 - Low voltage business 2-rate NUoS price change in 2014/15

Note NUoS = DUoS + TUoS + PV JSA, DUoS includes Veg Mgmt Pass-Through (2014-15)

A chart displaying the bill impact vs customer consumption is shown in Figure 10. Within this chart, the impacts of the DUoS change and the cumulative effects of the TUoS change and the PV JSA, recovered through NUoS are separately indicated.





Business 2-Rate (50% Off-Peak) NUoS 2014/15 Price Increases % vs Annual Usage (MWh)

The equivalent impact of the 2014/15 price change on the current AGL transitional contract retail rates for business two rate customers is shown in Figure 11.





Figure 11 - Low voltage business 2-rate Retail change in 2014/15, 50% peak consumption


Some business 2-rate customers use more than 50% of their energy during peak times. These customers will receive a slightly lower price increase than indicated above. Other customers use more than 50% of their energy in off-peak times. The charts below indicate the outcomes for customers using 75% of their energy in off-peak times.

Note that the \$/kWh change in average price for business 2-rate customers is similar in 2014/15 irrespective of the off-peak proportion, as the peak and off-peak rates were increased by a similar amount per kWh, ie by about \$0.015/kWh. Business customers consuming 100 MWh pa will have similar \$ increases to each other irrespective of whether they typically have higher or lower off-peak consumption.



Figure 12a - Low voltage business 2-rate NUoS change in 2014/15, 25% peak consumption Business 2-Rate (75% Off-Pk) NUoS 2014/15 Price Increases % vs Annual Usage MWh





Business 2-Rate (75% Off-Pk) NUoS 2013/14 Price Increases % vs Annual Usage MWh

Low Voltage kVA demand tariff 7.5.3

The average annual NUoS price change of low voltage kVA demand customers in 2014/15 is 10.4% with the DUoS component (including Vegetation Management) 8.8%.

A scatter chart displaying the bill impact vs customer annual energy consumption in MWh is shown in Figure 14. Within this chart, the impacts of the DUoS change including Vegetation Management and the cumulative effects of the TUoS change and the PV JSA, recovered through NUoS are separately indicated.

LV Demand NUoS 2014/15 Price Increases % vs Annual Usage (kWh)




Figure 14 - Low voltage business kVA NUoS change vs consumption in 2014/15

Unmetered supply tariffs

7.5.4

The average 2014/15 price and price change from 2013/14 for the two unmetered supply tariffs is shown in Table 34.

The table shows (as NUoS) the impact of all network related charges (including transmission and PV JSA FiT pass-throughs). The table also shows (as DUoS) the SA Power Networks' related price changes including Vegetation Management.

Tariff	NUoS			DUoS		
	2013/14	2014/15	change	2013/14	2014/15	change
	\$/MWh	\$/MWh	%	\$/MWh	\$/MWh	%
Unmetered 12	82.87	91.80	10.8%	59.34	65.00	9.5%
Unmetered 24 hour	73.18	81.20	11.0%	52.79	57.90	9.7%

Table 34 - Unmetered supply	NUoS 2014/15 average	price and price change
· · · · · · · · · · · · · · · · · · ·		- p

Note NUoS = DUoS + TUoS + PV JSA, DUoS includes Veg Mgmt Pass-Through (2014-15)

7.6 High Voltage Business tariff class

7.6.1 High voltage business 2-rate tariff

The rates of the high voltage and low voltage business 2-rate tariffs are the same. The small numbers of high voltage two-rate customers were included in Figure 6 for the purpose of displaying the effect of the 2014/15 price change.


7.6.2 High voltage kVA demand < 1,000 kVA tariff


The rates of the high voltage < 1,000 kVA and the low voltage kVA demand tariffs are the same. The information in Section 7.5.3 above mimics the outcome for these customers.

7.6.3 High Voltage kVA demand tariff

The average annual NUoS price change of high voltage kVA demand customers in 2014/15 is 9.9% with the DUoS component (including Vegetation Management) 8.7%.

A scatter chart displaying the bill impact vs customer annual energy consumption in MWh is shown in Figure 15. Within this chart, the impacts of the DUoS change including Vegetation Management and the cumulative effects of the TUoS change and the PV JSA, recovered through NUoS are separately indicated.





Pricing Proposal

7.7

7.7.1 Zone substation and Subtransmission kVA demand locational tariffs

Major Business tariff class

There are a relatively small number of major business customers (most with locational TUoS charges) and accordingly these are not amenable to a scatter chart illustration of the 2014/15 price

28/05/2014

change. For simplicity, the DUoS outcomes only are shown below as the locational TUoS for 2014/15 is currently not known (final transmission prices are not available until mid-May 2014).

There is little variability between the individual price changes for these customers and the averages for the tariff. The average DUoS price change for these customers in 2014/15 is an increase of 8.5% for non-locational zone substation customers, an increase of 8.5% for locational zone substation customers and an increase of 6.9% for locational sub-transmission customers. The variations arise because of rounding issues with less significant figures in prices.

7.8 Review of customer charges

Pursuant to clause 6.18.4(b) of the Rules, the AER has set out the requirement for a system of assessment and review of the basis on which a customer is charged where the charge varies with the customer's usage or profile. This requirement is in Appendix B, clause 11 of the Decision.

Sections 7.4 to 7.7 of this Pricing Proposal illustrate the price changes that result from SA Power Networks' proposed prices in 2014/15. These Sections contain illustrations that not only demonstrate the average price change, but highlight the expected distribution of price changes for customers with a range of consumption profiles and tariffs, over the full range of charging parameters.

A review of business customers has been conducted to determine those who would benefit from being reassigned to a different tariff, or from having a different level of demand now allowed by a change in tariff. The outcomes of the review are set out below.

7.8.1 Transfers from Business Single and Business 2-rate to Business LV demand kVA

There are 167 large business customers currently on Business Single or Business 2-rate that would be significantly better off on a LV demand tariff with savings of at least \$1,000 pa. The average saving for these customers is nearly \$10,000 or about 18% of their legacy network charge.

7.8.2 Lowering the Business LV demand kVA minimum from 80 kVA to 70 KVA

The LV Demand tariff has had a minimum quantity of 80 kVA for many years. In July 2010, new and upgrading business customers using/requiring more than 100 amps of supply (as indicated by the use of a CT meter) were required to use the demand tariff. At 415 volts and the required power factor, 100 amps more closely aligns to 70 KVA than to 80 kVA. SA Power Networks has reduced the minimum quantity that applies from 1 July 2014, and proposes to lower the agreed demands of some 850 customers below the current 80 kVA. The annual saving for each of these customers is typically \$2,400 to \$2,500.

7.8.3 Transfers from Business Single and Business 2-rate above 250 kVA to Business LV demand kVA

The tariff schedule has always required those customers whose peak demand exceeds 250 kVA to be on a demand tariff. Each year, some customers' demand grows above that threshold. Other customers previously with a Type 6 meter (which doesn't measure the demand) have a meter replacement to a Type 5 or Type 4 meter (which does measure demand) and a demand above 250 kVA is revealed. In July 2014, there will be 23 customers reassigned to Business LV Demand kVA that will be better off, and an additional 35 customers who will face a further initial price increase from being reassigned to the demand tariff. Customers on the demand tariff can lower their agreed

demand by the installation of power factor correction, or by managing any infrequent demand spikes.

7.8.4 Sportsgrounds with Floodlighting on Business LV demand kVA tariff

Sportsgrounds with significant floodlighting have a new tariff available which allows for higher demands to occur in summer after 7pm than the standard kVA demand tariff. This enables an incremental load that is essentially off-peak to be priced accordingly, reducing an unwarranted pricing burden on sporting clubs.

There have been 32 such sportsgrounds identified so far that would be suited by this new tariff option, at an annual saving averaging \$14,500 each. Note that not all sportsgrounds are necessarily suited to this tariff, as not all sportsgrounds have significant floodlights, and some sportsgrounds may still need significant lighting demands late afternoon/early evening in summer eg where the ground hosts major sporting events that start late afternoon. The 32 sportsgrounds will have their tariff and agreed demands amended as allowed by this alternate tariff.

7.8.5 Residential Customers Opting-In to the Residential Monthly Demand kW tariff

The new opt-in residential monthly demand kW tariff has been discussed in this Pricing Proposal. The profile of likely candidates for this tariff has been determined by reviewing about 1000 residential customers that already have suitable metering. The average customer profile of the top 20% of these customers (in terms of potential savings under the monthly demand tariff versus the legacy usage tariff) has been used for the new tariff. SA Power Networks has assumed an arbitrary outcome of 1,000 residential customers opting-in to the new tariff during 2014/15, with an average number of customers for the full year of 500 customers.

The average outcome for the top 20% of the sampled customers is for an annual saving of \$330, which is a saving of 16% on their legacy network residential usage tariff. Note that the annual consumption of these customers is 10,000 kWh, or about twice the size of the average customer. There are customers in the top 20% throughout the range of 5,000 kWh to 25,000 kWh with annual savings that vary from \$150 to \$1300.

SA Power Networks is eager to assess the popularity and any implementation issues with this tariff with both end-customers and retailers. This tariff option has the preferred combination of tariff elements for dealing with the improved cost-reflectivity options being promoted by Government through their Power of Choice programs and by the AEMC in their considerations for possible rule changes in relation to more cost-reflective tariffs. Other possible tariff options proposed by these two programs have major deficiencies in South Australia because of climate and customer electrical appliance usage attributes (eg air conditioning) that may be unique to South Australia.

8 Pricing of standard control services

This Section demonstrates how SA Power Networks' network tariffs for 2014/15 comply with the requirements of the Rules and the AER's determination in respect of the pricing X factors, side constraints and pricing principles.

8.1 Regulatory requirements

8.1.1 Rules requirements

Rules clause 6.18.2(b) specifies that SA Power Networks' Pricing Proposal must contain information concerning the expected revenue to be derived from its tariff classes and tariffs, as follows.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (4) set out, for each *tariff class* related to *standard control services*, the expected weighted average revenue for the relevant *regulatory year* and also for the current *regulatory year*; and

In setting its prices for standard control services, clause 6.18.5 of the Rules requires SA Power Networks to comply with the following pricing principles.

6.18.5 Pricing principles

- (a) For each *tariff class*, the revenue expected to be recovered should lie on or between:
 - (1) an upper bound representing the stand alone cost of serving the customers who belong to that class; and
 - (2) a lower bound representing the avoidable cost of not serving those customers.
- (b) A tariff, and if it consists of 2 or more *charging parameters*, each *charging parameter* for a *tariff class*:
 - (1) must take into account the long run marginal cost for the service or, in the case of a *charging parameter*, for the element of the service to which the *charging parameter* relates; and
 - (2) must be determined having regard to:
 - (i) transaction costs associated with the tariff or each *charging parameter*; and
 - (ii) whether customers of the relevant *tariff class* are able or likely to respond to price signals.
- (c) If, however, as a result of the operation of paragraph (b), the *Distribution Network Service Provider* may not recover the expected revenue, the provider must adjust its tariffs so as to ensure recovery of expected revenue with minimum distortion to efficient patterns of consumption.

In respect of pricing side constraints, SA Power Networks is required to comply with clause 6.18.6 of the Rules:

6.18.6 Side constraints on tariffs for standard control services

(a) This clause applies only to *tariff classes* related to the provision of *standard control services*.

- (b) The expected weighted average revenue to be raised from a *tariff class* for a particular *regulatory year* of a *regulatory control period* must not exceed the corresponding expected weighted average revenue for the preceding *regulatory year* by more than the permissible percentage.
- (c) The permissible percentage is the greater of the following:
 - (1) the CPI-X limitation on any increase in the *Distribution Network Service Provider*'s expected weighted average revenue between the two *regulatory years* plus 2%;

Note:

The calculation is of the form (1 + CPI)(1 - X)(1 + 2%)

(2) CPI plus 2%.

Note:

The calculation is of the form (1 + CPI)(1 + 2%)

- (d) In deciding whether the permissible percentage has been exceeded in a particular *regulatory year*, the following are to be disregarded:
 - (1) the recovery of revenue to accommodate a variation to the distribution determination under rule 6.6 or 6.13;
 - (2) the recovery of revenue to accommodate pass through of charges for *transmission use* of system services to customers.
- (e) This clause does not, however, limit the extent a tariff for customers with remotely-read interval metering or other similar metering technology may vary according to the time or other circumstances of the customer's usage.

SA Power Networks' tariffs are also subject to South Australian transitional provision Clause 9.29.5(d) of the Rules, which limits the movement of the fixed supply charge component for small customers (with a consumption less than 160 MWh per annum).

8.1.2 Requirements of the AER's Decision

The principal elements of the AER's determination are set out in its Decision and form the major determinants of prices for standard control services during the 2010-15 regulatory control period:

Chapter 4 - Pricing control mechanism.

Side constraint requirements

Chapter 16 - Pricing X factors

These elements of the AER's Decision have been set out in Section 2.3 of this Pricing Proposal.

In addition, the provisions of Appendix E to the AER's Decision, concerning changes to tariff structures, must be met.

8.2 2014/15 prices for standard control services

The fundamental pricing criteria that SA Power Networks has factored into this Pricing Proposal are summarised in Table 35¹⁶.

Criterion	2014/15 value
Consumer Price Index	2.93%
X Factor	-0.89%
S Factor	-0.74%
D Factor	0.00%
U Factor	0.00%
EDPD Factor	0.00%
WAPC (1+CPI)x(1-X)x(1+S)x(1+U)x(1+D)x(1+EDPD)-1	3.08%

Table 35 - Summary	of fundamental	pricing criteria
	y or runaumentu	pricing criteriu

The derivation of the WAPC constraint is presented in the AER's template provided for this purpose (refer Appendix G of this Proposal).

S Factor: In 2013/14 tariffs, SA Power Networks recovered a STPIS bonus of +2.287% of DUoS for the combined outcomes of the 2010/11 and 2011/12 performance. The performance over 2012/13 performance has had a STPIS bonus of +1.53% which will be recovered in 2014/15 tariffs. The S-factor applied to the 2014/15 tariffs utilises both of these results, with minus 0.740% used in this Pricing Proposal. This is in accordance with the AER-approved outcomes set out in Appendix C.

EDPD factor: The 2010/11 and 2011/12 distribution prices were discounted to return amounts from the 2005-10 regulatory period to customers. There were no further amounts to return subsequently, and so no EDPD factor is required to be calculated for 2014/15.

The remaining adjustment terms of the WAPC equation are zero in 2014/15 for the following reasons:

• Expenditure on demand management initiatives to require a D factor adjustment will not commence until required and audited data is available; and

¹⁶ AER, Final Decision, May 2010, p. 251.

• The undergrounding adjustment U has not been triggered by any South Australian Government requirement for undergrounding during 2013/14.

8.3 Compliance with the Weighted Average Price Cap

The AER's WAPC model has been used for the purposes of demonstrating compliance with the provisions of the WAPC. This model is submitted as Appendix G (confidential) and forms part of this pricing Proposal.

The prices and side constraints for 2014/15 are based on 2012/13 volumes (t-2), projected using the WAPC formulae and X factors determined by the AER.

There were no customers on obsolete tariffs in 2012/13 (year t-2) that are not in use in 2013/14 and 2014/15 and so no removal is required from the WAPC by the use of reasonable estimates for 2013/14 (year t-1) and 2014/15 (year t).

However, there are new tariff changes and tariff reassignments proposed for 2014/15 which require reasonable estimates to be prepared for 2014/15 (year t). Any tariff charging parameter changes and the associated reasonable estimates of consumption are detailed in Appendix I (Confidential) of this Pricing Proposal.

A summary of the tariff class revenue is presented in Table 36.

Tariff class	2013/14	2014/15	Change in	WAPC
	\$'000	\$'000	%	%
Major business	12,588	13,021	3.45%	
HV Business	39,674	41,079	3.54%	
LV Business	392,406	403,990	2.95%	
LV Residential	443,408	457,338	3.14%	
Total	888,076	915,428	3.08%	3.08%

Table 36 – Weighted Average Revenue¹⁷

Table 36 demonstrates that SA Power Networks' 2014/15 Network Pricing Proposal complies with the WAPC X factor constraint indicated in Table 35 above. The table also satisfies clause 6.18.2(b)(4) of the Rules.

¹⁷ Utilising t-2 quantities, as required by the WAPC formula.

8.4 Tariff class side constraints

8.4.1 Tariff class movement side constraint

The side constraint formula that the AER has determined for SA Power Networks has been set out in Section 2.3.2 of this Pricing Proposal. The evaluation of the side constraint for 2014/15 is set out in Table 37 and Table 38¹⁸.

Table 37 - Su	mmary of sid	e constraint	criteria
10010 07 00		c constraint	. criteria

Criterion	2014/15 value
Consumer Price Index	2.93%
X Factor	-0.89%
S Factor	-0.74%
D Factor	0.00%
U Factor	0.00%
EDPD Factor	0.00%
Side C (1+CPI)x(1-X)x(1+S)x(1+U)x(1+D)x(1+EDPD)x(1+2%)-1	5.14%

The AER's model has been used for the purposes of demonstrating compliance with the provisions of the side constraint. A summary of the tariff class revenue and price changes is presented in Table 38.

Table 38 – Compliance with the side constraint

Tariff class	2013/14 Revenue \$'000	2014/15 Revenue \$'000	Change in weighted average %	Side constraint %
Major business	12,588	13,021	3.45%	5.14%
HV Business	39,674	41,079	3.54%	5.14%
LV Business	392,406	403,990	2.95%	5.14%
LV Residential	443,408	457,338	3.14%	5.14%

Table 38 demonstrates SA Power Networks' compliance with the provisions of clause 6.18.6 of the Rules and the AER's side constraint formula.

8.4.2 Fixed supply charge side constraint for small customers

In the transitional Rules, Clause 9.29.5(d) limits the maximum increase in the fixed supply charge component for small customers to \$10 per annum. SA Power Networks has prepared tariffs for both standard control services and alternative control services that comply with this constraint. The alternative control services tariffs are described in Section 13.

The fixed supply charge component of the tariff has two components: the DUoS Supply rate; and the alternative control metering charge for Type 5 meters. The increase in price of these components has been limited to \$8.12 and \$1.86 respectively. The combined total of \$9.98 is less than the constraint of \$10.00.

¹⁸ AER, Final Decision, May 2010, p. 251.

The fixed DUoS charges for small customers are illustrated in Table 39.

Tariff class	2013 Fixed c		2014/15 Fixed charge		Difference	Side constraint	
	¢/day	\$ p.a.	¢/day	\$ p.a.	\$ p.a	\$ p.a	
LV residential							
DUoS	27.875	\$101.74	30.100	\$109.87	\$8.12		
Metering	8.412	\$30.70	8.920	\$32.56	\$1.86		
Total	36.287	\$132.45	39.020	\$142.42	\$9.98	\$10.00	
LV Business							
DUoS	27.875	\$101.74	30.100	\$109.87	\$8.12		
Metering	8.412	\$30.70	8.920	\$32.56	\$1.86		
Total	36.287	\$132.45	39.020	\$142.42	\$9.98	\$10.00	

 Table 39 – Compliance with the fixed charge side constraint for small customers

Table 39 demonstrates SA Power Networks' compliance with the provisions of clause 6.18.6 of the Rules and the AER's side constraint formula.

8.5 Compliance with pricing principles

This Section demonstrates SA Power Networks' compliance with the pricing principles set out in clause 6.18.5 of the Rules, which requires SA Power Networks to ensure that the revenue recovered for each tariff class lies between:

- An upper bound, representing the stand-alone cost of serving the customers who belong to that class; and
- A lower bound, representing the avoidable cost of not serving those customers.

The Stand-alone and Avoidable cost methodologies are described in detail in Appendix F of this Proposal. These approaches are used to calculate the revenues for each standard control services tariff class associated with each cost methodology. These costs are compared with the weighted average revenue derived from SA Power Networks' proposed tariffs.

8.5.1 Definition of Stand-alone and Avoidable costs

These two categories of cost may be defined for tariff classes, as follows:

- The *Stand-alone cost* for a tariff class is the cost of supplying only the tariff class concerned, with all other tariff classes not being supplied. If customers were to pay above the stand-alone cost then it would be economically beneficial for customers to switch to an alternative provider, and economically feasible for an alternative provider to operate. This creates the possibility of inefficient bypass of the existing infrastructure; and
- The *Avoidable cost* for a tariff class is the reduction in network cost that would take place if the tariff class were not supplied (whilst all other tariff classes remained supplied). If customers were to be charged below the avoidable cost, it would be economically beneficial for the business to stop supplying the customers and as the associated costs would exceed the revenue obtained from the customer.

There are two alternative concepts that could be used to calculate these costs:

- To ignore the sunk nature of the existing network and estimate the costs which would be associated with an optimally designed network, constructed to supply standard control services to the tariff class(es) concerned; or
- To base the estimation of costs on the modification of the existing network to provide standard control services to the tariff class(es) concerned

The Rules do not prescribe the methodology that should be used to calculate the Stand-alone and Avoidable costs of tariff classes of the network. SA Power Networks has chosen to base its cost estimations on the second concept, with hypothetical modification of the existing network, rather than by devising and costing optimal new network structures. This has been done for two reasons:

- To avoid the very substantial resource requirements that would be involved in a full network redesign; and
- In recognition that the economic regulatory framework for distribution supports the existence and value of existing (sunk) network investments and does not support the optimisation of existing networks.

The derivation of the stand-alone and avoidable cost for tariff classes uses a methodology based on SA Power Networks' cost of supply model. This model has been in use for a decade and was formulated to permit the efficient allocation of network costs to tariff classes and the formulation of network prices. The cost allocation model has been adapted to include the allocation of non system costs to tariff classes.

This model is described in the following Sections. This approach was independently reviewed by KPMG, and certified to be compliant with the Rules in 2010. The approach has not been altered from that used in the 2010/11 Pricing Proposal and the sole change has been to index the outcomes by CPI each year.

8.6 Stand-alone costs

The stand-alone cost for each tariff class was derived from an engineering estimate of the proportions of the cost of providing network capacity that would need to remain in place to service the load in each of the four tariff classes in turn if the other three tariff classes were no longer required to be supplied.

The resulting cost allocation for each tariff class has been expressed in \$/kVA, using the estimated coincident contribution to SA Power Networks' peak system demand and after adjustment for the average power factor of the tariff class.

The detailed procedure used to calculate the stand-alone cost of tariff classes is set out in Appendix F of this Pricing Proposal.

8.7 Avoidable costs

In similar manner to the stand-alone cost, the avoidable cost associated with each of the four tariff classes were derived from an engineering estimate made of the network cost that could be avoided, in the event that each of the four tariff classes were to be removed in turn.

As with the stand-alone cost, the avoidable network cost was expressed in \$/kVA for each tariff class. The procedure used to calculate the avoidable cost of tariff classes is also set out in Appendix F of this Pricing Proposal.

8.8 Compliance with Rules clause 6.18.5(a)

The revenue expected to be recovered from each of SA Power Networks' tariff classes in 2014/15 is compared with the stand-alone and avoidable costs calculated in Sections 8.6 and 8.7 in Table 40.

Tariff class	Stand-alone cost	Tariff revenue	Avoidable cost
Major business	\$82	\$12	\$4
HV business	\$92	\$42	\$3
LV business	\$419	\$401	\$77
LV residential	\$569	\$424	\$226

Table 40 - Stand-alone and avoidable distribution network costs (\$ M)

SA Power Networks' network tariff classes lie within the subsidy free range, in that the expected DUoS revenue collected from the tariff class lies between the avoidable and stand alone costs of supply and therefore meet the requirements of Section 6.18.5(a) of the Rules.

8.9 Long Run Marginal Costs

In the context of an infrastructure business with assets lives of typically 40 years, short run costs are effectively zero up to the point where the capacity of the network is exceeded. It is therefore important to use the Long Run Marginal Cost (LRMC) in any consideration of the marginal cost of providing network service.

There are three general approaches to the calculation of LRMC. Marsden Jacob Associates articulated these alternatives in its review of possible approaches, for the Queensland Competition Authority. This review was undertaken in the context of determining efficient prices for the Gladstone Area water Board. The alternatives are as follows¹⁹:

- **Marginal Incremental Cost** (MIC) where a scenario involving increased demand is tested for its incremental effect on capex. The associated marginal cost is calculated as the difference between the present value of the investment programs divided by the increment in demand;
- **Average Incremental Cost** (AIC) is the present value of the incremental investment associated with increasing demand divided by the present value of the increment in demand; and
- **Long Run Incremental Cost** (LRIC) is the annuitised value of the capital expenditure divided by the increment in demand.

In comparing the suitability of these three approaches, the first requires scenario definition and analysis, which although not impracticable would be very resource intensive in the context of a distribution business. Marsden Jacob make the point that because the AIC approach is based on a

¹⁹ Marsden Jacob Associates, Estimation of Long Run Marginal Cost (LRMC) - A report prepared by the Queensland Competition Authority - Final, 3 November 2004

long term planning period, it takes a longer view of costs and provides more stable prices than the LRIC approach²⁰.

The approach used by SA Power Networks in this Pricing Proposal to determine the LRMC of its tariff classes may be characterised as the AIC. However, the calculation has been extended to incorporate the incremental operating cost associated with new capital investment. This is the same as the approach taken by Energy Australia in its 2009 Pricing Proposal²¹.

SA Power Networks' approach to the calculation of the network LRMC for its tariff classes is set out in Appendix E of this Proposal. The approach has not been altered from that used in the 2010/11 Pricing Proposal and the sole change has been to index the outcomes by CPI each year. These calculations are carried out at the following voltage levels of the network:

- Subtransmission;
- High voltage; and
- Low voltage.

The marginal cost at each network voltage level has been determined using the following relationship:

$$LRMC(AIC) = \frac{PV(growth \ related \ capex) + PV(growth \ related \ opex)}{PV(incremental \ demand)}$$

Where:

growth related capex is the annualised capital expenditure to meet the additional demand and new customer connections forecast over the forecast period;

growth related opex is the incremental annual cost of operating and maintaining the newly constructed network and connection assets over the forecast period; and

incremental demand is the forecast change in kVA demand compared with the base year of 2009/10

The LRMC outcomes at the subtransmission and high voltage levels are directly applicable to the Major Business and High Voltage Business tariff classes. At low voltage, a small difference between the LRMC of the Low Voltage Business and Residential tariff classes arises because of their different power factors.

A comparison of the stand-alone, avoidable, LRMC and 2014/15 tariff rates for SA Power Networks' four tariff classes are shown in Figure 16²².

²⁰ Marsden Jacob, LRMC, November 2004, p.16.

²¹ EnergyAustralia, Network Pricing Proposal, May 2009.

The stand-alone, 2010/11 tariff and avoidable tariff class rates are expressed as their \$ contribution divided by the forecast coincident peak kVA for SA Power Networks' system demand in 2010/11, with a 10% PoE.




Figure 16 - Cost comparison (\$/kVA per annum)

It can be noted from Figure 14 that:

- The 2014/15 prices for each network tariff class fall within the bounds of the stand-alone and avoidable costs and hence are subsidy-free;
- The LRMC of each tariff class determined from the approach described above yields a cost that is less than that expected to be recovered through the 2014/15 prices in the case of all tariff classes. The tariffs therefore do not over signal the incremental cost imposed by the customer on the network; and
- For the formulation of these estimates, kVA peak demands coincidental with SA Power Networks' peak were estimated for each tariff. In the case of the low voltage business tariff class, its relatively lower contribution to SA Power Networks' coincidental peak demand (compared with residential tariff which tends to drive a greater proportion of the overall peak) has resulted in a tariff rate which is higher in \$/kVA terms.

8.9.1 Application of the LRMC to price formulation

As required by clauses 6.18.5(b)(1) and 6.18.5(c) of the Rules, SA Power Networks has taken into account the calculated values of LRMC in establishing the charging parameters for each of SA Power Networks' 2014/15 network tariffs.

Charging parameters of tariffs that are related to volume may be expected to influence customers' consumption decisions. Those parameters are:

- Monthly demand;
- Peak period energy; and
- To a much less significant extent, anytime energy.

On the other hand, charging parameters that are effectively fixed would be unlikely to affect customer consumption patterns, throughout a very broad range.

SA Power Networks' tariffs for larger business customers have a ToU structure, having demand charges that apply or are higher during a defined peak consumption period. Business 2-rate has energy charges that are higher during what has traditionally regarded as peak times.

The revenue that is forecast to be recovered in 2014/15 from these peak period business kVA demand and 2-rate tariff components is compared with the LRMC for tariff classes in Table 41 and

Table 42. This Table also illustrates the proportions of tariff revenue recovered from peak period demand charges and peak energy usage rates.

In order to convert the price signalling components of tariffs to the equivalent annual \$/kVA charges in this price comparison, the revenue per annum derived from the application of each price component during peak periods was divided by the kVA demand for the tariff. The associated calculations are described in Appendix E.

	Major E	Business tari	ff class	HV Business	Business clas	
	Sub-	Zone sub	Zone	tariff class		
	trans	(loc TUoS)	sub			
		k'	VA dema	nd		2-rate
LRMC \$/kVA/yr		\$46		\$104	\$1	52
Price signalling						
Peak demand rate \$/kVA/yr	\$10	\$31	\$31	\$49	\$104	
Peak energy rate \$/kVA/yr	\$6	\$24	\$21	\$44	\$50	\$201
Total peak charge \$/kVA/yr	\$15	\$55	\$53	\$92	\$154	\$201

Table 41- LRMC and volume related charging parameters for Time of Use

Note Energy rate is charged in \$/MWh but is expressed here in equivalent \$/kVA terms over the period of peak demand. The revenue recovery forecast by each charge during the peak period is divided by the associated peak kVA demand.

The equivalent LRMC and revenue information for SA Power Networks' single rate energy tariffs is illustrated in

Table 42. For the purpose of estimating an equivalent \$/kVA rate, it was assumed that all traditional peak energy (ie 0700-2100 work days) should be used. This is a broad definition that reflects a historic view of peak, but it doesn't reflect the true peak demand periods of the low voltage

If the Peak energy rate effective \$/kVA/year was to be amended to better reflect the proportion of tariff charged at true times of peak demand, then that number would only be a small fraction of that shown below, perhaps 5% to 10% depending on assumptions. This reflects the lack of granularity available from energy-based charges when dealing with occasional demand spikes, as experienced in a generally mild climate with the occasional extreme weather event like South Australia. The new residential monthly demand tariff has a summer demand charge of about \$90/kW (and a winter demand charge of about \$63/kW) plus a usage charge of about half the single rate energy tariff. This is much closer to the LRMC figures than the existing energy usage tariff.

	LV Busines	s tariff class	Residential tariff class
	Single rate Unmetered		Residential + CL
LRMC \$/kVA/yr	\$1	52	\$166
Price signalling			
Energy rate \$/kVA/yr	\$156	\$175	\$116

Table 42- LRMC and volume related charging parameters for single rate

Note Energy rate is charged in \$/MWh but is expressed here in equivalent \$/kVA terms over the period of peak demand. The revenue recovery forecast by each charge during the peak period is divided by the associated peak kVA demand.

The way in which the tariff class LRMC has been taken into account by SA Power Networks in establishing the 2014/15 tariff components has involved the following considerations:

- **Ensuring that price signalling components do not over signal the LRMC:** As customers' consumption decisions will be influenced by the charging parameters of tariffs related to volume, SA Power Networks has confirmed that, expressed on a common basis, the price signalling tariff components have all been set less than the LRMC of supply. The network tariffs will therefore not over-signal the marginal cost of supply;
- **Use of price signalling components where practicable:** Where permitted by the metering arrangements, volume related charges that reflect the customers' demand or incremental energy consumption have been used to improve signalling of the tariff class LRMC;
- **Revenue recovery through non-distortionary charging parameters:** For each tariff, price signalling charging parameters recover a proportion of the total revenue during peak consumption periods. The balance of revenue recovery takes place in the least distortionary manner possible, through fixed supply charges and through the single rate energy rates that apply during off peak periods.

SA Power Networks' 2014/15 tariffs have therefore been established in compliance with the provisions of clauses 6.18.5(b)(1) and 6.18.5(c) of the Rules.

There are other ways in which the LRMC of network expansion is being used by SA Power Networks to guide its tariff strategy for future years, namely:

- Business customers are being encouraged to take up the kVA demand tariff, which may be seen from Table 41 to more effectively pass on price signals for the use of the network than the single rate or 2-rate or single rate energy tariffs; and
- An optional residential monthly demand tariff has been created.

8.10 Transaction costs

Clause 6.18.5(b)(2)(i) of the Rules requires SA Power Networks to have regard to the transaction costs arising from its network tariffs, by limiting the complexity of tariff structures and the number of charging parameters within each tariff. The charging parameters applicable to each tariff are provided in Section 4 of this Pricing Proposal.

SA Power Networks has simplified the legacy tariffs (residential usage, controlled load, business single and business 2-rate) and has also reduced the number of significant values in each tariff element. This should reduce some transaction costs and improve the comprehension of these tariffs by customers.

SA Power Networks will be reviewing the response by customers and retailers to the new opt-in residential monthly demand tariff. The new tariff has been structured as simply as possible within key design criteria, having two elements only each month – a monthly demand charge based on peak demand between 4pm and 9pm daily, and a usage charge. The quantum of the network bill is evenly split between the two items. The absence of any time-of-use energy signals in the network tariff leaves such developments to a retailer if they so choose, to reflect whatever pricing signals are relevant from the energy market.

8.11 Customer response to price signals

SA Power Networks is required to have regard to the ability of customers to respond to the price signals provided by its network tariffs, in accordance with clause 6.18.5(b)(2)(ii) of the Rules. The efficiency gains of marginal cost pricing are realised when a tariff based on the marginal cost of supply induces the customer to make behavioural change.

To the extent possible within the limitations imposed by network tariff structures and metering constraints, SA Power Networks signals the long run marginal cost of supply through those tariff charging parameters with the greatest price elasticity of demand, namely the variable consumption charges that are based on the customers energy use and maximum demand.

In relation to the operation of clause 6.18.5(c) of the Rules, it is noted that SA Power Networks' current estimate of LRMC falls above the all of the price signalling charging parameters in each tariff class, as described in Section 8.9.

If the price signalling charging parameters alone (which were set taking into account the LRMC) were used, the revenue for each tariff class would be insufficient to recover the expected revenue. The revenue shortfall is recovered through the use of tariff components which would cause minimal distortion in efficient patterns of consumption, namely:

- Fixed charges; and
- Anytime energy charges during off peak periods.

SA Power Networks is therefore compliant with this Rules provision.

9 Transmission cost recovery tariffs

This Section sets out the procedures that SA Power Networks will follow to enable the recovery of transmission related charges, including any avoided TUoS charges paid to the embedded generators connected to SA Power Networks' distribution network.

ElectraNet is the Transmission Network Service Provider in South Australia and calculates location specific transmission prices for the connection points to SA Power Networks' network, in accordance with the provisions of the Rules.

ElectraNet's 2014/15 revenue will again be offset by some amount for revenue from settlement residue auctions. ElectraNet has not advised the amount of discount that has been applied in tariffs.

This Section 9 has been prepared using the May 2014 approved prices from ElectraNet which advised of a 5.4% increase in charges.

9.1 Regulatory Requirements

9.1.1 Rules requirements

SA Power Networks' Pricing Proposal is required under clause 6.18.2(b) of the Rules to set out how the TUoS charges it incurs are passed on to customers.

6.18.2 Pricing proposals

- (b) A pricing proposal must:
 - (3) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates; and
 - (6) set out how charges incurred by the Distribution Network Service Provider for transmission use of system services are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous regulatory year;

Clause 6.18.7 of the Rules sets out the requirement concerning the recovery of transmission related charges by SA Power Networks.

6.18.7 Recovery of charges for transmission use of system services

- (a) A *pricing proposal* must provide for tariffs designed to pass on to customers the charges to be incurred by the *Distribution Network Service Provider* for *transmission use of system services*.
- (b) The amount to be passed on to customers for a particular *regulatory year* must not exceed the estimated amount of the *transmission use of system* charges for the relevant *regulatory year* adjusted for over or under recovery in the previous *regulatory year*.
- (c) The extent of the over or under recovery is the difference between:
 - (1) the amount actually paid by the *Distribution Network Service Provider* by way of *transmission use of system* charges in the previous *regulatory year*; and

(2) the amount passed on to customers by way of *transmission use of system* charges by the *Distribution Network Service Provider* in the previous *regulatory year*.

9.1.2 Requirements of the AER's Decision

The AER has required SA Power Networks as part of its Pricing Proposal for each regulatory year of the 2010-15 regulatory control period, to provide the amounts for the following entries in its TUoS unders and overs account for the most recently completed regulatory year, the current regulatory year and the next regulatory year²³:

- 1. Opening balance for each year.
- 2. Interest accrued on the opening balance for each year, calculated at the rate of the posttax nominal rate of return as approved by the AER in its distribution determination.
- 3. The amount of revenue recovered from TUOS charges applied in respect of that year, less the amounts of all transmission related payments made by the DNSP in respect of that year.
- 4. Six months interest on the net amount in item 3, accrued at the approved post-tax nominal rate of return.
- 5. Summation of the above amounts to derive the closing balance for each year.

In the determination, the AER established the requirement for SA Power Networks to maintain a TUOS unders and overs account in a specific format. The AER also requires SA Power Networks to target a zero expected balance on its TUOS unders and overs account in each regulatory year during the 2010-15 regulatory control period.

9.2 Transmission cost recovery tariff methodology

The key principles of SA Power Networks' transmission cost recovery tariff (TCR) methodology are:

- The total TUoS allocated to network tariffs aligns with the total estimated transmission charge to be paid by SA Power Networks, adjusted for any overs and unders account balance;
- To the extent possible given the constraints of metering and tariff structures, transmission charges are allocated to network tariffs in a manner that reflects the cost drivers present in transmission pricing;
- Customers with a demand of 10 MW or consumption in excess of 40 GWh have individually calculated tariffs with transmission charges allocated in a manner that preserves the location and time signals of transmission pricing in accordance with the principles in Part J of Chapter 6A of the Rules; and
- Network tariffs for smaller customer classes have transmission charges allocated on an energy basis, as location signals cannot be preserved.

9.2.1 Avoided TUoS payments

With respect to avoided TUoS for embedded generators, SA Power Networks calculates the avoided TUoS for all embedded generators that export to its distribution network at the same rates for the locational component which would be applied to a load of similar size at the same connection point. These calculations are prepared on a with/without basis.

AER, Final Decision - South Australia distribution determination 2010–11 to 2014–15, May 2010, pp. 322-323.

This payment of avoided TUoS charges to embedded generators is as required under clauses 5.5(h), 5.5(i) and 5.5(j) of the Rules. These avoided TUoS payments to embedded generators would be recouped through the recovery mechanism for the TUoS charges.

At this time, SA Power Networks does not make any of these payments, as embedded generators have not been able to assist SA Power Networks in lowering the agreed demand at transmission connection points with ElectraNet, and so no reduction in TUoS charges has occurred.

9.3 Transmission use of system overs and unders account balance

In accordance with Appendix F of the 2010 distribution determination, and consistent with the example TUoS calculation provided in that determination's Table F.1, Table 43 provides the forecast 2014/15 balance of SA Power Networks' transmission use of system overs and unders amounts.

		2012/13	2013/14	2014/15
		Actual	Expected	Forecast
Revenue from Transmission Cost Recovery charges	\$'000	290,619	249,698	262,627
Transmission charges to be paid to TNSPs	\$'000	284,602	251,110	264,406
(Settlement residue payments)	\$'000	-	-	-
Avoided TUoS payments	\$'000	-	-	-
Inter-DNSP payments	\$'000	-	-	-
Total transmission related payments	\$'000	284,602	251,110	264,406
Unders and overs account				
Annual rate of interest applicable to balances	%	9.76%	9.76%	9.76%
Half-year rate of interest	%	4.74%	4.74%	4.74%
Opening balance	\$'000	(3,146)	2,852	1,651
Interest on opening balance	\$'000	(307)	278	161
Under/over recovery for financial year	\$'000	6,017	(1,412)	(1,778)
Interest on under/over recovery	\$'000	287	(67)	(85)
Closing balance	\$'000	2,852	1,651	(52)

Table 43 - Transmission overs and unders account balance (\$'000)

The reconciliation in Table 43 demonstrates a near-zero closing balance for the overs and unders account in 2014/15 and thence SA Power Networks' compliance with the provisions of clause 6.18.7 of the Rules and the AER's 2010 determination.

Note that as a result of reducing the number of significant figures used in pricing, the June 2015 closing balance cannot be predicted at \$0. However, a forecast closing balance of minus \$0.052 M compared to forecast annual recovery of \$262.627 M is effectively a zero balance.

9.4 Charging parameters for transmission recovery tariffs

SA Power Networks' transmission recovery tariffs are included in the bundled NUoS Rates of customer tariffs. The charging parameters associated with transmission cost recovery tariffs are shown in Sections 4.3 to 4.6, in Table 4 through to Table 15. For customers with a demand greater than 10 MW or consumption in excess of 40 MWh the transmission cost recovery tariff is location specific; for all other customers including small customers it is averaged.

Transmission cost recovery amounts are billed at the same frequency as the relevant tariff for standard control services.

9.5 Transmission recovery tariffs for 2014/15

SA Power Networks' 2014/15 recovery through transmission tariffs is forecast to increase from an estimated \$250 M in 2013/14 to \$263 M in 2014/15. This is a 5.2% increase, which arises for the following reasons:

- The forecast annual decrease in annual ElectraNet revenue under their 2013-2018 Price Reset, and also the recovery of approved MurrayLink revenue;
- The change in 'discount' and 'surcharge' in ElectraNet's charges in 2014/15, due to settlement residues and payments for interstate networks;
- The level of over/under-recovery by ElectraNet of the allowed annual revenue in 2014/15 versus 2013/14. ElectraNet endeavour to set their prices each year to achieve a zero balance at the end of each year but variations in revenue recovery and settlements residue occur every year.
- The under -recovery in pricing required by SA Power Networks in 2014/15 to achieve a nil balance.

SA Power Networks has prepared prices for 2014/15 that recover these ElectraNet charges. Locational customers have had prices developed directly from the ElectraNet price list according to their location and usage parameters.

All other customers have had prices applied on a State-wide non-locational basis, using the pricing signals provided by ElectraNet, the billing parameters available for that customer segment and the customer demand assumptions for that customer segment. For example, business customers on a demand tariff will incur a mixture of demand and energy charges for transmission, whilst residential and small business customers will incur an energy-based charge. The 2013/14 non-locational customer transmission prices have been uniformly increased by 6.1% for 2014/15. This is slightly higher than the 5.2% increase in transmission recoveries discussed above, due to the forecast reduction in sales quantities in 2014/15. Sales quantities are expected to be lower next year for a variety of reasons including the full-year effect of growth in the uptake of PV generation by small customers in 2013/14 – the final year for eligibility to the SA Government PV FiT schemes. This has reduced their energy consumed from the network (and their billable TUOS quantities).

10 Recovery of the PV Jurisdictional Scheme Amount

The solar feed-in scheme is a South Australian Government initiative which commenced on 1 July 2008 and is to apply for 20 years. It was reviewed by the SA Government in 2009/10 and amendments to the legislation took effect from 29 July 2011²⁴. The amendments to the legislation introduced two further schemes – one which required application by September 2011 which also applies till June 2028 and a further scheme for subsequent applications which applies till June 2016. Entry to these schemes has now closed. Under the SA Government legislation, SA Power Networks is obliged to make FiT payments to qualifying customers that have solar PV generators, for energy they export to the grid.

The purpose for the PV Jurisdictional Scheme Amount is to allow SA Power Networks to recover from all of its customers the cost of the SA Government legislated Feed-in Tariff payments that SA Power Networks is required to make to those customers that have qualifying solar PV generators.

In December 2011, the AER approved an application by SA Power Networks for the 2010 Determination to be varied by a pass-through event to recover the JSA²⁵. The amount of the JSA was determined from the actual payments made to existing customers with solar PV generators less the amount originally forecast to be incurred in 2010/11 as part of the 2010-15 Price Reset. This application was reviewed and approved by the AER. For simplicity, SA Power Networks has included this approved pass-through amount with the other solar PV payment pass-through calculations under the Jurisdictional Scheme Amount arrangements for 2012/13.

Under the Jurisdictional Scheme Amount arrangements, SA Power Networks is required to provide information on the payments and recoveries of PV FiT in the same manner to that used for transmission (see 9.1.2 above for these requirements). These arrangements have been used below. Commencing in 2012/13, SA Power Networks recovers the PV JSA as an additional component of its bundled NUOS charges.

The PV JSA is being recovered as uniform percentage uplift across all customer groups on each component of their DUoS charge. This has resulted in a further charge for all customers to recover the amounts incurred under the SA Government legislation. The sole exception to this approach was in the case of small residential and business customers, where the side constraint of \$10.00 on the annual increase in the fixed charge did not permit the recovery of the JSA through this component. In those cases, the PV JSA Uplift applied was increased for the usage charges.

This approach to the recovery of the PV JSA has the following characteristics:

- It is simple, and readily understood;
- By being applied as a uniform uplift to all charging components, it is not likely to unduly influence customers' consumption decisions;
- As it is scaled to the customer's DUoS charge
 - \circ It does not unduly penalise high load factor commercial and industrial customers,
 - \circ $\;$ It can be applied to each and every customer, and
 - Is therefore equitable.

²⁴ Government of South Australia, Electricity (Feed-In Scheme—Solar Systems) Amendment Act 2008.

²⁵ AER, Feed-In Tariff pass through event for 2010-11, 12 December 2011.

The recovery of the PV JSA has been included as an additional charging component in the NUoS tariffs, as described in Section 4.

10.1 PV Jurisdictional Scheme Amount overs and unders account balance

In accordance with Appendix F of the 2010 distribution determination, and consistent with the example TUoS calculation provided in that determination's Table F.1, Table 44 provides the forecast 2014/15 balance of SA Power Networks' PV JSA overs and unders amounts.

The table includes the 2010/11 pass-through amount approved by the AER for recovery in 2012/13, the actual 2012/13 payments plus the estimated 2013/14 and forecast 2014/15 payments for each of the three approved PV FiT schemes.

		2012/13	2013/14	2014/15
		Actual	Expected	Forecast
Revenue from Jurisdictional Scheme Obligations Recovery (JSO PV) Tariffs	\$'000	162,745	128,052	161,705
PV Incentive Scheme Payments for Export PV - 2028 Scheme	\$'000	16,496	16,269	16,205
PV Incentive Scheme Payments for Export PV - 2028S Scheme	\$'000	73,369	72,480	72,345
PV Incentive Scheme Payments for Export PV - 2016 Scheme	\$'000	14,063	35,904	46,080
PV Pass-Through 2010/11 approved by the AER for 2012/13 recovery	\$'000	8,843	-	-
Total JSO (PV Pass-Through) payments (net of 2010/11 Opex allowance)		112,772	124,653	134,631
Audited opening balance of trans overs/(unders) account	\$'000	(72,135)		
Unders and overs account				
Annual rate of interest applicable to balances	%	9.76%	9.76%	9.76%
Half-year rate of interest	%	4.74%	4.74%	4.74%
Opening balance	\$'000	(72,135)	(26,820)	(25,877)
Interest on opening balance	\$'000	(7,040)	(2,618)	(2,526)
Under/over recovery for financial year	\$'000	49,973	3,399	27,074
Interest on under/over recovery	\$'000	2,382	162	1,290
Closing balance	\$'000	(26,820)	(25,877)	(38)

Table 44 – PV JSA overs and unders account balance (\$'000)

The reconciliation in Table 44 demonstrates a near-zero closing balance for the overs and unders account in 2014/15 and thence SA Power Networks' compliance with the provisions of clause 6.18.7 of the Rules, the AER's February 2012 Revocation and Substitution Determination and the AER's May 2010 determination. Forecasting a zero balance is more difficult to achieve with the simplified approach to pricing now being used, as less significant figures in prices result in larger steps in tariff recovery.

10.2 Charging parameters for PV JSA cost recovery tariffs

SA Power Networks' PV JSA cost recovery tariffs are included in the bundled NUoS Rates of customer tariffs. The charging parameters associated with PV JSA cost recovery tariffs are shown in Sections 4.3 to 4.6, in Table 4 through to Table 15. There is no customer specific or location specific calculation apart from the small customer supply charge and usage charges described earlier in this Section.

PV JSA cost recovery amounts are billed at the same frequency as the relevant tariff for standard control services.

10.3 PV JSA cost recovery tariffs for 2014/15

SA Power Networks' 2014/15 PV JSA recovery tariffs are forecast to recover \$162M in 2014/15 (\$128M is estimated for 2013/14). This will recover three series of payments:

- Payments under the original scheme (the '2028' Scheme). This scheme closed to new applicants in August 2010. Payments of \$16M are estimated for 2013/14 and \$16M forecast for 2014/15;
- Payments under the subsequent scheme (the '2028 Stepped' Scheme). This scheme opened to new applicants when the 2028 scheme closed, and required applications to be approved by September 2011. The number of generators approved under this scheme is much higher than under the 2028 scheme, and the size of the PV generation in each installation is also much higher. As a result, payments under this scheme are significantly higher, with estimated payments in 2013/14 of \$72M and forecast payments in 2014/15 of \$72M.
- Payments under the third scheme (the '2016' Scheme). This scheme opened to new applicants when the 2028 Stepped scheme closed, ie from 30 September 2011. Payments are at the rate of 16 cents/kWh until June 2016, whereas the other two schemes have payments at 44 cents/kWh for qualifying generation until June 2028. Applications were at a high rate for this scheme, with the size of installation continuing to grow, resulting in increasing levels of export. As a result, payments under this scheme are significant despite the lower FiT rate of 16 cents/kWh. Estimated payments in 2013/14 are \$36M and forecast payments in 2014/15 are \$46M. Note that the last of the eligible generators under this scheme are being installed/metered now, hence the likely significant increase in payments in 2014/15.

There is also an interest allowance for the timing of these cashflows, as shown in Table 44 above.

SA Power Networks has prepared prices for 2014/15 that are aimed at recovering these forecast PV JSA charges and achieving a near-zero balance at the conclusion of 2014/15. The simplified price structures implemented from July 2014 has made it more difficult to achieve a zero balance. A balance of minus \$0.038 M is effectively close to zero.

11 Vegetation Management Passthrough tariffs

11.1 Vegetation Management cost recovery tariffs for 2014/15

The Vegetation Management Passthrough is an amount incurred by SA Power Networks in meeting the vegetation clearance regulatory obligations around powerlines. Expenditure on the vegetation clearance increased substantially following the end of the drought despite efficiencies obtained in the cost per span of clearance. In July 2013, the AER approved an amount of \$35.060M (in 2009/10 \$'s) for recovery in 2014/15 tariffs.

The table below shows how the amount of \$35.060M has been escalated by five years of CPI for inclusion in this Pricing Proposal. The forecast recovery of \$39.949M is close to the allowed recovery of \$39.950M. Actual recoveries will be reviewed as part of the 2016/17 Pricing Proposal and any necessary adjustments for over/under recovery will be finalised at that time.

The \$39.949M being recovered from customers has been allocated as a 5.09% increase to all DUoS usage, capacity and demand charges. The charges have been separately identified as a SA Power Networks related item in the Pricing Schedule.

able 45 Vegetation management overs and anders decount balance	- (†/	2012/13	2013/14	2014/15
		Actual	Expected	Forecast
		Actual	Expected	FUIECasi
Revenue from Cost Passthrough Recovery Tariffs (CPT)	\$'000			39,949
Vegetation Management Pass-Through Allowed 2014/15 \$'s	\$'000	-	-	39,950
Pass-through 2	\$'000	-	-	-
Pass-through 3	\$'000	-	-	-
Pass-through 4	\$'000	-	-	-
Total Cost Passthrough related allowances	\$'000	-	-	39,950
Audited opening balance of trans overs/(unders) account	\$'000	-		
Annual interest rate applicable to balance	%	9.76%	9.76%	9.76%
Half-year interest rate	%	4.74%	4.74%	4.74%
Opening balance	\$'000	-	-	-
Interest on opening balance (365 days)	%	-	-	-
forecast over / (under) recovery for financial year		-	-	(1)
Interest charged on over/under recovery for financial year	\$'000	-	-	(0)
Closing balance of transmission overs/ (unders) account	\$'000	-	-	(1)
Amount Allowed by AER in Decision (2009/10 \$000's)	\$'000			35,060
Escalate from 2009-10 to 2014-15	CPI	Mar-14	189.38	
	CPI	Mar-09	166.2	
	escalation			1.1395
Amount Allowed by AER to be passed-through (2014/15 \$000's)	\$'000			39,950

Table 45 – Vegetation Management overs and unders account balance (\$'000)

12 Customer tariff class assignment and reassignment

The requirements concerning the assignment and reassignment of customer to tariff classes are set out in clause 6.18.4 of the Rules and Chapter 2 and Appendix B of the AER's Decision.

12.1 Regulatory Requirements

12.1.1 Rules requirements

In making a distribution determination, the AER is required to formulate provisions for the assignment and reassignment of customers to tariff classes, in accordance with the principles set out in clause 6.18.4 of the Rules. This Rule covers the following matters:

- Factors governing the assignment of customers to tariff classes;
- Equitable treatment of customers with micro-generation;
- The review of the DNSP decision on tariff class assignment; and
- The review of DNSPs' tariff structures containing energy or demand related charges.

12.1.2 Requirements of the AER's Decision

In accordance with the principles in clause 6.18.4 of the Rules, Appendix B of the AER's decision sets out the procedures to apply to assigning or reassigning customers to tariff classes²⁶. These provisions are in several parts, covering the following aspects:

- The initial assignment of customers at the commencement of the 2010-15 regulatory control period;
- Assignment of new customers to a tariff class during the next regulatory control period;
- Reassignment of existing customers to another existing or a new tariff during the next regulatory control period;
- Objections to proposed assignments and reassignments; and
- System of assessment and review of the basis on which a customer is charged.

The initial assignment of existing standard control services customers to their existing tariffs was discussed in Section 4.1.2. The remaining elements of the AER's Decision on tariff assignment and reassignment are set out below.

Assignment of new customers to a tariff class during the next regulatory control period

- 2. If, after 1 July 2010, SA Power Networks becomes aware that a person will become a customer, then SA Power Networks must determine the tariff class to which the new customer will be assigned.
- 3. In determining the tariff class to which a customer or potential customer will be assigned, or reassigned, in accordance with Section 2 or 5, SA Power Networks must take into account one or more of the following factors:
 - (a) the nature and extent of the customer's usage
 - (b) the nature of the customer's connection to the network²⁷

²⁶ AER, Final Decision, May 2010, pp. 286-288.

⁷ The AER interprets 'connection' to include the installation of any technology capable of supporting time based tariffs.

- (c) whether remotely-read interval metering or other similar metering technology has been installed at the customer's premises as a result of a regulatory obligation or requirement.
- 4. In addition to the requirements under Section 3, SA Power Networks, when assigning or reassigning a customer to a tariff class, must ensure the following:
 - (a) that customers with similar connection and usage profiles are treated equally
 - (b) that customers which have micro–generation facilities are not treated less favourably than customers with similar load profiles without such facilities.

Reassignment of existing customers to another existing or a new tariff during the next regulatory control period

5. If SA Power Networks believes that an existing customer's load characteristics or connection characteristics (or both) have changed such that it is no longer appropriate for that customer to be assigned to the tariff class to which the customer is currently assigned or a customer no longer has the same or materially similar load or connection characteristics as other customers on the customer's existing tariff, then it may reassign that customer to another tariff class.

Objections to proposed assignments and reassignments

- 6. SA Power Networks must notify the customer concerned in writing of the tariff class to which the customer has been assigned or reassigned by it, prior to the assignment or reassignment occurring. If SA Power Networks does not know the identity of the customer then it must notify the customer's retailer instead.
- 7. The notice under Section 6 must include advice that the customer may request further information from the DNSP and that it may object to the proposed assignment or reassignment. This notice must specifically include:
 - a. either a copy of SA Power Networks internal procedures for reviewing objections or the link to where such information is available on SA Power Networks' website
 - b. that if the objection is not resolved to the satisfaction of the customer under SA Power Networks' internal review system, then to the extent that resolution of such disputes are within the jurisdiction of a state based energy Ombudsman scheme the customer is entitled to escalate the matter to such a body
 - c. that if the objection is not resolved to the satisfaction of the customer under the DNSP's internal review system, then the customer is entitled to seek resolution via the dispute resolution process available under Part 10 of the NEL.
- 8. If, in response to a notice issued in accordance with Section 6, SA Power Networks receives a request for further information from a customer, then it must provide such information. If any of the information requested by the customer is confidential then it is not required to provide that information to the customer.
- 9. If, in response to a notice issued in accordance with Section 7, a customer makes an objection to SA Power Networks about the proposed assignment or reassignment, SA Power Networks must reconsider the proposed assignment or reassignment, taking into consideration the factors in Sections 3 and 4 above, and notify the customer in writing of its decision and the reasons for that decision.
- 10. If a customer's objection to a tariff assignment or reassignment is upheld by the relevant external dispute resolution body, then any adjustment which needs to be made to prices will be done by SA Power Networks as part of the next annual review of prices.

12.2 Assignment of new customers to a tariff class during the next regulatory control period

The approach that SA Power Networks applies to the tariff assignment of new and upgraded customer connections has been developed over the years since the formation of the NEM.

In this Section of the Pricing Proposal, SA Power Networks describes the process it applies to the initial assignment of customers to tariffs and to their reassignment. Notwithstanding that the individual tariffs have been grouped within tariff classes in this Pricing Proposal, the existing approach to managing tariff assignment and reassignment is demonstrated to align with the requirements established by the AER. Accordingly, no change is required to current practices.

The process whereby new customers are assigned to tariff classes and tariffs, following the receipt of a connection application by the customer or their retailer, follows the decision tree shown in Figure 17. In the application of this process, a customer that lodges an application to modify or upgrade an existing network connection is treated in the same manner as a new customer.




Figure 17 – Assignment of new and upgraded customer connections to tariff classes

This decision tree in Figure 17 highlights the existing process whereby customers are assigned to a tariff class and then to an individual tariff. The process relies upon a systematic sequence of decisions based on the information provided with the customer's application for supply. Decisions associated with assignment to the four tariff classes have been separately identified in red. Second-order decisions on individual tariffs are also shown. These relate to type of meter, load size and billing frequency, and lead to the customer's assignment to a specific tariff within the tariff class.

The two major decisions that determine the tariff class assessment are as follows:

• The nature of a customer's usage: (ie residential, business, or unmetered); and

• For business customers only, the nature and extent of the associated connection to the network (the connection voltage, whether located within in the network or directly connected to a zone substation).

The process employed by SA Power Networks therefore appropriately takes account the factors in clause 3(a) and 3(b) of the AER's Appendix B.

Moreover, in the event that remotely–read interval metering or other similar metering technology is installed at the customer's premises as a result of a regulatory obligation or requirement during the 2010-15 regulatory control period, SA Power Networks will review this procedure.

12.2.1 Customers with micro-generation

As SA Power Networks' tariff class assignment process is applied to the *net* customer demand on the network, it does not distinguish between customers that have micro-generation and those without. The only aspects of the connection process that distinguish customers with micro-generation are technical requirements, principally to ensure public and employee safety in the event of disconnection of supply to a site with generation.

SA Power Networks' tariff assignment process therefore ensures that the requirements in clause 4(a) and 4(b) of the AER's Appendix B are met.

12.3 Reassignment of existing customers to another existing or a new tariff during the next regulatory control period

Within each tariff class, there has been and will continue to be movement between individual tariffs. This is particularly the case with the customers on the Low Voltage Business tariff class. This was discussed in Section 7.8 above, with details on the intended reassignment of customers from one tariff to another within the customer's existing tariff class.

The four tariff classes that SA Power Networks has established are sufficiently broad to ensure that all the existing customers are within the appropriate tariff class and that it is unlikely that customers will seek to migrate or be reclassified to a different tariff class during the course of the determination. Transfer between tariff classes would be limited to circumstances where the nature of usage or level of consumption changed significantly, for example where a residence was redeveloped to become a small business such as a medical surgery or office.

Notwithstanding that the reassignment of customers' tariff classes is unlikely during the 2010-15 regulatory control period, SA Power Networks would do so in accordance with the provisions of the AER's Decision, in particular clause 5 of the Appendix B.

12.3.1 Obsolete tariffs

In addition to the current tariffs illustrated in Figure 17, in common with most utilities, at the time of the 2010 determination SA Power Networks had a range of obsolete business tariffs that were all within the two business tariff classes. No new or modified customer connections were subsequently assigned to these obsolete tariffs. As the opportunity arose, customers were transferred from obsolete tariffs to current tariffs within the same tariff class, and by 2010/11, all customers were transferred from the obsolete kW demand tariffs.

When a customer was transferred from an obsolete tariff to one of the current tariffs, the choice of the appropriate tariff followed the tariff assignment decision process in Section 12.2 of this Pricing Proposal.

The formulation of the WAPC requires that the reasonable estimates provisions be used to create equivalent historical quantities. This has been required for those tariff changes identified in Section 7.8 above. These reasonable estimates are detailed in Appendix I (Confidential).

12.4 Objections to proposed assignments and reassignments

The AER has established requirements that SA Power Networks must follow in assigning or reassigning customers to tariff classes and in responding to objections to SA Power Networks' tariff class assignments. These are set out in the Decision as clauses 7 to 10 of the AER's Appendix B.

The requirements that SA Power Networks must follow have been documented in an internal procedure entitled "Manual 18, Network Tariff Manual".

This document is attached as to this Pricing Proposal as Appendix K and is published on SA Power Networks' web site.

13 Alternative Control Services – metering services

In the 2010 Decision, in Appendix A the AER has classified the following distribution services provided by SA Power Networks as alternative control services²⁸:

A.5 'Variable' 'standard' 'small' customer metering services

- a. The provision of:
 - i. meter provision services in respect of meters meeting the requirements of a *metering installation* Type 6, and
 - ii. quarterly meter read services in respect of meters meeting the requirements of a *metering installation* Type 6.
- For the purposes of this clause, meter provision services include, but are not necessarily limited to, any asset related and administrative costs associated with the provision, installation, maintenance, and replacement of the meter (including circumstances in which SA Power Networks meter is replaced by that of another meter provider).

A.6 'Exceptional' large customer metering services

- a. Meter provision services provided in respect of meters meeting the requirements of a *metering installation* Type 1, *metering installation* Type 2, *metering installation* Type 3 or *metering installation* Type 4 installed prior to 1 July 2000.
- b. Meter provision services provided in accordance with the requirement of clause 27 of SA Power Networks' distribution licence as in force at 30 June 2005.
- For the purposes of this clause, meter provision services include, but are not necessarily limited to, any asset related and administrative costs associated with the provision, installation, maintenance, and replacement of the meter (including circumstances in which SA Power Networks meter is replaced by that of another meter provider).

This Section of the Pricing Proposal sets out SA Power Networks' approach to the pricing of its alternative control services and demonstrates compliance with the Rules and the AER's determination.

13.1 Regulatory requirements

13.1.1 Rule requirements

The Rule requirements pertaining to Pricing Proposals that apply to direct control services are applicable to both standard control services and alternative control services.

The Rule requirements applicable to standard control services have been set out in various earlier Sections of this Pricing Proposal. For brevity, these clauses have not been repeated in this Section on alternative control services. The relevant Rule clauses are as follows:

- 6.18.2 Pricing proposals Section 4.1.1, page 15.
- 6.18.3 Tariff classes Section 4.1.1, page 15.
- 6.18.4 Principles governing assignment or re-assignment of customers to tariff classes and assessment and review of basis of charging Section 12.1, page 80.
- 6.18.5 Pricing principles Section 8.5, page 62.

AER, Final Decision – South Australia distribution determination 2010–11 to 2014–15, May 2010, p. 281.

13.1.2 Requirements of the AER's Decisions

The AER's Draft and Final Decisions imposed the following requirements on SA Power Networks in respect of alternative control services²⁹, ³⁰:

- In accordance with clause 6.12.1(12) of the NER, the control mechanism for the alternative control services provided by SA Power Networks is a weighted average price cap. The applicable WAPC formula was set out in Section 17.3 of the draft AER's draft decision. SA Power Networks is required to include proposed distribution tariff classes (n) and components (m) for both variable standard small customer metering services and the two exceptional case metering services.
- 2. In accordance with clause 6.12.1(13) of the NER, SA Power Networks must demonstrate compliance with the control mechanism for alternative control services by providing, as part of its annual pricing proposal, the proposed tariffs which correspond to the price terms contained in the WAPC equation.

Consistent with requirement 1, SA Power Networks' Revised Proposal incorporated one alternative control services tariff class for metering services comprising six meter provision tariffs. The AER accepted that the approach SA Power Networks used to develop the meter tariffs of the metering services tariff class was reasonable.³¹

Consistent with requirement 2, SA Power Networks' Revised Proposal stated that SA Power Networks would demonstrate compliance with the control mechanism by annually providing the proposed tariffs that correspond to the price terms contained in the WAPC approved by the AER. The AER accepted this proposal.³²

The AER accepted SA Power Networks' proposal that the alternative control services X factor for each year of the next regulatory control period be made equal to deliver a smooth price path within the next regulatory control period.

The AER also accepted SA Power Networks' proposal to initially assign all metering service tariffs to a single alternative control tariff class³³.

The AER's Final Decision confirmed that the Weighted Average Price Cap form of price control detailed in Section 2.3.4 of this Pricing Proposal would apply to SA Power Networks' alternative control metering services. The AER determined a constant X factor of -8.05% for the 2010-15 regulatory control period, as detailed in Section 2.3.5.

Appendix B of the AER's Final Decision sets out the procedures for assigning and reassigning customers to tariff classes. SA Power Networks assumes these procedures apply, where relevant, to both standard control and alternative control services.

²⁹ AER, draft Decision – South Australia distribution determination 2010–11 to 2014–15, 25 November 2009, pp. 422, 427.

³⁰ AER, Final Decision – South Australia distribution determination 2010–11 to 2014–15, May 2010, p. 274.

³¹ AER, Final Decision, May 2010, pp. 258-261, 266.

³² AER, Final Decision, May 2010, p. 273.

³³ AER, Final Decision, May 2010, p. 257.

13.2 Alternative control metering services tariff class

Clause 6.18.3(c) of the Rules requires SA Power Networks to constitute separate tariff classes for customers to whom standard control services are supplied and customers to whom alternative control services are supplied.

SA Power Networks' tariff classes for standard control services are described in Section 12.1.2 of this Pricing Proposal.

Clause 6.18.3(d) of the Rules requires SA Power Networks, in constituting tariff classes, to have regard for the need to group customers together on an economically efficient basis and avoid unnecessary transaction costs.

Consistent with these requirements, SA Power Networks has constituted a single separate tariff class for its alternative control metering services. This tariff class comprises all six alternative control metering service tariffs. These are set out in Table 46.

13.3 Assignment and reassignment of customers to the alternative control metering service tariff class

SA Power Networks has assigned all of its metering service tariff customers to a single alternative control metering service tariff class. Any new metering services customer during the 2010-15 regulatory control period will be assigned to this tariff class.

As there is only a single tariff class proposed, there will be no requirement to reassign customers to another alternative control tariff class during the 2010-15 regulatory control period.

13.4 Pricing principles

Clause 6.18.5 of the Rules sets out the pricing principles that must be complied with in respect of each tariff class, including a tariff class within the classification of alternative control services.

As noted in Section 13.2, SA Power Networks has established a single tariff class for its alternative control metering services.

13.4.1 Stand alone and avoidable costs of alternative control services

Rule 6.18.5(a) requires the revenue of each tariff class to lie on or between the stand-alone and avoidable costs of serving the customers in the tariff class.

As described in SA Power Networks' Revised Proposal, the methodology used to determine the cost relativities in respect of each of the tariffs³⁴ within the metering services tariff class involved the determination of the variable cost of providing the metering services relevant to each tariff.³⁵ These variable cost reflective tariff charges were applied to estimated customer numbers of the relevant tariffs to ensure the recovery of expected revenue, as set out in SA Power Networks' Revised Proposal. This methodology delivers revenue from the alternative control services metering services tariff class that reflects the cost that would be avoided by not serving those customers.

³⁴ Referred to as tariff components in the Revised Proposal.

³⁵ While only 'Variable' 'standard' 'small' customer metering services are variable by definition, the analysis of the costs associated with Exceptional large customer metering services was undertaken in the same way.

Furthermore, given that 99.9% of alternative control services customers are subject to variable standard small customer metering services, stand-alone costs have been assessed as being approximately equal to the revenue from the alternative control services metering services tariff class.

SA Power Networks' metering tariff class therefore meets the requirements of Rule 6.18.5(a).

13.4.2 Long Run Marginal Costs and revenue recovery

Rule 6.18.5(b) requires each charging parameter for a tariff class to take into account the LRMC of providing that service.

The long-run marginal cost is the change in the long-run total cost of providing the service resulting from a change in the quantity of services provided. There are no fixed inputs in the long run, only variable costs. This means that long-run marginal cost is the result of changes in the cost of all inputs, or (in long-run equilibrium at least) the equivalent of the long-run average total cost. From a practical perspective, long-run marginal cost can be disaggregated into two types of marginal costs, marginal operating costs (generally with short-run characteristics) and marginal capacity costs (exhibiting long-run characteristics).³⁶

As required by the AER's classification of alternative control services metering services, SA Power Networks' determination of total alternative control services metering services costs for the next regulatory control period was undertaken on a solely variable cost basis. Having undertaken a variable cost based building block approach to determining the total variable costs (and thus revenue requirement) for the next regulatory control period, SA Power Networks' operating expenditure divided by 'output' therefore reflects marginal operating costs, and its asset costs divided by 'output' reflect marginal capacity costs - together the long-run marginal cost. SA Power Networks has thus taken into account the long-run marginal cost in the development of the metering services tariffs.

As noted in SA Power Networks Revised Proposal, the tariffs for metering services were determined having regard to the variable transaction costs associated with the services relevant to each tariff (by virtue of minimising the number of unique tariffs). As noted by the AER in the Final Determination, SA Power Networks created tariffs to ensure that the tariffs relevant to customers most likely to respond to price signals – the Type 6 CT and Type 1-4 exceptional meter customers – are explicitly cost reflective.³⁷

Thus the requirements of Rule 6.18.5(b)(1) and (2) have been satisfied.

SA Power Networks' metering tariffs each have a single charging parameter that recovers the whole of the expected revenue. As a consequence, Rule 6.18.5(c) is not applicable.

13.5 Compliance with the AER determination

The WAPC equation applicable to SA Power Networks' alternative control services metering services tariff class for the next regulatory control period is set out in Section 17.4 of the AER's Final Decision. This determination was subsequently varied by the Australian Competition Tribunal, as explained in

³⁶ Marsden Jacob Associates "Estimation of Long Run Marginal Cost (LRMC)" 3 November 2004, p.10 (<u>http://www.qca.org.au/files/QCALRMCFinal.pdf</u>)

AER, Final Decision – South Australia distribution determination 2010–11 to 2014–15, May 2010, p.259

Section 2.3.5. In establishing the proposed 2014/15 prices for alternative control services, SA Power Networks has used the terms in the WAPC price control formula set out in Table 46.

Criterion	2014/15 value
	value
Consumer Price Index	2.93%
X Factor	-3.03%
WAPC (1+CPI)x(1-X)-1	6.05%

SA Power Networks has demonstrated compliance with the control mechanism for alternative control services by providing, as part of this Pricing Proposal, the proposed tariffs that correspond to the price terms contained in the WAPC equation³⁸. These are set out in the WAPC model for alternative control services in Appendix H (Confidential).

Table 47 sets out the tariffs that correspond to the price terms contained in the alternative control services metering services WAPC equation.

Tariff		Existing Rate 2013/14	Proposed Rate 2014/15	Variance	
Type 6	DC Meter Provision	\$ p.a.	\$30.70	\$32.56	6.04%
Type 6	CT Meter Provision	\$ p.a.	\$133.10	\$142.35	6.95%
Type 1-4	Exceptional Meter Provision	\$ p.a.	\$472.60	\$498.96	5.58%
Type 1-4	Other Meter Provider Service	\$ p.a.	\$0.00	\$0.00	-
Type 6	Meter Exit Fee Service	\$	\$256.84	\$264.00	2.79%
Type 1-4	Meter Exit Fee Service	\$	\$573.46	\$590.00	2.88%

Table 47 – Alternative control services tariffs for 2013/14

It should be noted that the change in price for basic the Type 6 meter provision, which applies to the majority of small customers, equates to \$2.68 per annum. As described in Section 8.4.2, this has been taken into account in establishing the price for the supply rate of small customer, to ensure that the side constraint on the increase in the fixed charge, of \$10.00, is not breached.

Table 47 also satisfies the requirements of Rules 6.18.2(b)(1), (2), and (3), given that is sets out the tariff classes that are to apply for the 2014/15 regulatory year, the proposed tariffs for each tariff class, and for each proposed tariff, the charging parameters and the elements of service to which each charging parameter relates.

13.6 Charging parameters for alternative control services metering tariffs

There are only two charging parameters within the alternative control services metering services tariff class: customer numbers; and exit fee transactions. Meter provision services are charged to each alternative control services network customer on a \$/day basis, so the relevant charging parameter is the number of customer days. Meter services exit fee transactions will be charged on an as incurred basis, so the relevant charging parameter is the number of each tariff within the alternative control services metering services tariff class are set out in Table 48.

³⁸ AER, Final Decision, May 2010, p. 274.

Tariff class	Tariff	Charging Parameter
Metering	Meter provision Type 6 DCC (\$/day)	Number of customer days
services	Meter provision Type 6 CTC (\$/day)	Number of customer days
	Meter provision Type 1–4 Exceptional (\$/day)	Number of customer days
	Meter service other meter provider customer (\$/day)	Number of customer days
	Meter service exit fee Type 6 CTC (\$)	Number of transactions
	Meter service exit fee Type 1–4 (\$)	Number of transactions

Table 48 – Metering services tariff class charging parameters

Appendices

Appendix A. Network Use of System Tariffs and explanatory notes

- Appendix B. CONFIDENTIAL Audit of 2012/13 quantities
- Appendix C. STPIS Approval Letter from the AER 2012/13 for 2014/15 tariffs
- Appendix D. CONFIDENTIAL Transmission Prices email from ElectraNet 2014/15 TUoS likely price levels
- Appendix E. Long Run Marginal Cost Methodology
- Appendix F. Stand-alone and Avoided Cost Methodologies
- Appendix G. CONFIDENTIAL AER Weighted Average Price Cap Compliance Model (standard control)
- Appendix H. CONFIDENTIAL AER Weighted Average Price Cap Compliance Model (alternate control)
- Appendix I. CONFIDENTIAL Calculation of Reasonable Estimates for 2014/15 year (t)
- Appendix J. SA Power Networks procedure for assigning and reassigning customers to tariff classes (Tariff Manual)
- Appendix K. Regulatory compliance checklist
- Appendix L. Not Used in this submission

Appendix M. Vegetation Management Pass-Through Approval Letter from the AER – for 2014/15 tariff